DEPTH/FISH FINDERS, GPS SYSTEMS, RADARS, MAPS & ACCESSORIES

Airmar 66
Angler's Pal 124
Bushnell 66
Faria 67
Garmin 67-80
Humminbird 80-101
Johnny Ray 124,125
Lowrance 102-115
Navionics 115,116
Norcross 116,117
R-A-M 125-128
Raymarine 117-122
Ritchie 128
Simrad 123,124
Uniden 124

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

DEPTH FINDERS/FISH FINDERS, GPS SYSTEMS & ACCESSORIES

AIRMAR® TECHNOLOGY CORPORATION
Sensing Technology

new

AIRMAR® P66 TRANSOM MOUNT TRIDUCER® MULTISENSOR

Lake & inshore all-around saltwater fishing for small to mid-size outboard boats. RMS power: 600 W. The 50 kHz & 200 kHz, oversized, ceramic element produces focused beams, highlighting detail in the water column & in the bottom structure. Incorporates a patented noise-suppression system. Depth, speed, & temperature(*) in one housing. Plastic kick-up bracket rotates up to protect the housing if struck from the front. Accommodates transom angles between 2° & 20°. Recessed waterflow channel protects paddlewheel. Transducer can be removed from bracket without the use of tools for easy service and storage. Boat size: Up to 40'. **NOTE:** (*) Depth & Temperature ONLY if purchased for Humminbird®.

Order #	Mfg. #	Fits	Sugg.Ret.
5027058	P66-BL	Lowrance	$200.99
5027061	P66-DST6G	Garmin (6-pin connector)	173.99
5027064	P66-DST8G	Garmin (8-pin connector)	173.99
DEPTH & TEMPERATURE ONLY			
5027067	P66-DTHB	Humminbird	202.99

new

AIRMAR® P79 IN-HULL MOUNT TRANSDUCER - DEPTH ONLY

Lake & inshore all-around saltwater fishing for small to mid-size outboard boats. RMS power: 600 W. 50/200 kHz. Easily adjusts to hull deadrise angles up to 22º. This ensures that the beam is vertically oriented to receive echos, resulting in accurate depth readings. Unlike traditional "puck" type transducers, the P79 consists of a base that is bonded to the hull & filled w/liquid. Separate transducer then attaches to the base with a twist lock. The sound waves travel more efficiently through the liquid, giving the best possible performance. No holes to drill. Depth only. Recommended for solid fiberglass hulls. Epoxies to aluminum hulls under 0.125" thick. Recommended for planing-hull power boats, trailered boats, rigid inflatable boats (RIBS), & racing sailboats. No hull protrusions. Boat size: Up to 25'.

Order #	Mfg. #	Fits	Sugg.Ret.
5027059	P79-BL	Lowrance	$183.99
5027062	P79-6G	Garmin (6-pin connector)	183.99
5027065	P79-8G	Garmin (8-pin connector)	183.99
5027068	P79-HB	Humminbird	183.99

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

new

AIRMAR® P319 THRU-HULL LOW-PROFILE TRANSDUCER

Depth only. For planing hull powerboats or sailboats. RMS power: 600 W. 50/200 kHz, dual-frequency, single-ceramic element in a low-profile housing. Good target detail in shallow-water at 200 kHz & good deep-water bottom tracking at 50 kHz The nearly-flush design minimizes drag w/only 3/16" extending outside of the hull. Right angle cable exit offers low headroom and protection when transducer is stepped on. Included rubber washer allows tightening of the hull nut to irregular hull surfaces. Housings are ABYC H-27 compliant. Boat size: 25' & up.

Order #	Mfg. #	Fits	Sugg.Ret.
5027057	P319-DT-BL	Lowrance	$204.99
5027060	P319-DT-6G	Garmin (6-pin connector)	213.99
5027063	P319-DT-8G	Garmin (8-pin connector)	213.99
5027066	P319-DT-HB	Humminbird	213.99

CONNECTOR DESIGNATOR CHART

BL : Lowrance
HDS-5x, HDS-5, HDS-7, HDS-8, HDS-10, HD, LCX-17m, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X515C DF, X52, X59DF, BSM-1

6G: Garmin
GSD20, GSD21, GSD22, GSD24, 100, 100 Blue, 135, 160C, 160 Blue, 168S, 178, 178C, 182C, 185, 188C, 235, 238, 240, 240 Blue, 250, 250C, 292, 298, 300C, 320C, 340C, 392, 398, 400C, 420S, 421S, 430S, 431S, 440S, 441S, 450S, 451S, 492, 498, 500C, 520S, 521S, 525S, 526S, 530S, 531S, 535S, 536S, 540S, 541S, 545S, 546S, 550C, 550S, 551S, 555S, 556S, 720S, 740S, 3005, 3006, 3010C, 3205, 3206, 3210, 4008, 4012, 4208, 4212

8G: Garmin
GSD24

HB: Humminbird
858c, 898c SI, 917c, 931c, 957c, 958c, 967c, 997c, 998c SI, 1157c, 1158c, 1197c, 1198c SI, (Not for 967 3D)

Bushnell®

BUSHNELL® BACKTRACK™

•Utilizes the latest digital technology •Store & locate up to 3 locations •High sensitivity SiRF® Star III GPS receiver •Self calibrating digital compass •LED backlight •10 minute Auto Shutoff •Rainproof •Compact size stores easily in pocket or purse •Operates on 2 AAA batteries (not included) •Lanyard included for easy attachment

Order #	Mfg. #	Color	Sugg.Ret.
2810706	360050	Gray/Orange	$97.95
2810708	360053	Tech Gray	97.95

Faria MARINE INSTRUMENTS

FARIA®
TRANSOM MOUNTED
DEPTH TRANSDUCER

Low profile unit offers little drag and easy installation for dead rise angles up to 30º. Designed with a release bracket to protect against impact damage. Provides good high speed operations up to 55 knots.

Order #	Mfg. #	Sugg.Ret.
5102415	SN0011	$59.99

TRANSOM MOUNTED

IN HULL

WITH AMBIENT AIR TEMP./WATER TEMP.

FARIA®
DEPTH SOUNDER

Depth range to 199'. Reads depth in meters, fathoms, and feet. Oversized backlit display. Keel Off-set, Shallow, and Deep Water alarms. Audio and visual alarms. Styles to match other Faria® instruments & gauges.

Order #	Mfg. #	Style	Sugg.Ret.
TRANSOM MOUNTED TRANSDUCER			
5024989	12850	Euro	$105.99
5024993	13750	Chesapeake Black SS	105.99
5024996	13850	Chesapeake White SS	105.99
IN HULL TRANSDUCER			
5024990	12851	Euro	122.99
5024997	13851	Chesapeake White SS	122.99
WITH AMBIENT AIR TEMP./WATER TEMPERATURE			
5024995	13752	Chesapeake Black SS	153.99
5024998	13852	Chesapeake White SS	153.99

GARMIN®

GARMIN®
ECHO 100 FISHFINDER

Excellent fish arch presentation & bottom tracking. 4-inch diagonal display fishfinder w/100W of transmit power. Resolution: 256x160, FSTN. Displays 8-level grayscale. Powerful, yet simple user interface. Freq: 200 kHz. Freshwater depth: 600 ft. Saltwater depth: 300 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026300	010-00950-00		$79.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	69.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®
ECHO 150 FISHFINDER

Excellent fish arch presentation & bottom tracking. 4-inch diagonal display fishfinder ≈ w/200W of transmit power. Resolution: 256x160, FSTN. Displays 8-level grayscale. Powerful, yet simple user interface. Dual frequency capable. Freq: 200/80 kHz. Freshwater depth: 1300 ft. Saltwater depth: 500 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026301	010-00951-00		$99.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	69.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®
ECHO 300c FISHFINDER

Excellent fish arch presentation & bottom tracking. 3.5-inch diagonal TFT color display fishfinder w/300W of transmit power. Resolution: 320x240, QVGA. Displays 256 colors. Powerful, yet simple user interface. Dual frequency capable. Freq: 200/80 kHz. Freshwater depth: 1500 ft. Saltwater depth: 600 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026302	010-00952-00		$219.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®

GARMIN®
ECHO 200 FISHFINDER

Excellent fish arch presentation & bottom tracking. 5-inch diagonal display fishfinder w/300W of transmit power. Resolution: 480x320, HVGA. Displays 16-level gray-scale. Powerful, yet simple user interface. Dual frequency capable. Freq: 200/80 kHz. Freshwater depth: 1500 ft. Saltwater depth: 600 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026303	010-00953-00		$159.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99

GARMIN®
ECHO 500c FISHFINDER

Excellent fish arch presentation & bottom tracking. 5-inch diagonal display fishfinder w/500W of transmit power. Resolution: 320x234, QVGA. Displays 256 colors. Powerful, yet simple user interface. Dual frequency capable. Freq: 200/80 kHz. Freshwater depth: 1900 ft. Saltwater depth: 700 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026304	010-00954-00		$349.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99

GARMIN®
ECHO 550c FISHFINDER

Excellent fish arch presentation & bottom tracking. 5-inch diagonal display fishfinder w/500W of transmit power. Resolution: 640x480, VGA. Displays 256 colors. Powerful, yet simple user interface. Dual frequency capable. Freq: 200/80 kHz. Freshwater depth: 1900 ft. Saltwater depth: 700 ft. 10V – 28V input. Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/ mounting bracket; Hardware; Trolling motor clamp.

Order #	Mfg. #		Sugg.Ret.
5026305	010-00955-00		$449.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99

GARMIN®
GPS 152

12-parallel channel receiver w/database of American cities & nautical navigation aids. Built-in memory. Compatible with MapSource® Points of Interest CD & WAAS. Waterproof case 4"Hx5"W. Large 4" diagonal, high-contrast display. 100x160 pixels. Simple keypad at bottom makes entering information easy, without blocking view of display. Includes: database, GA 29 low-profile remote marine antenna or internal GPS antenna, gimbal mount, power/data cable, owner's manual & quick reference guide.

Order #	Mfg. #	Style	Sugg.Ret.
MODEL 152H			
5026186	010-00909-00	Internal GPS Antenna, High-Sensitivity GPS Receiver, & built-in BNC connector	$299.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5001515	010-10052-04	GA 26C Low Profile Remote Automobile Antenna (Magnetic & Suction Mts. w/8' Cable & MCX Connector)	113.99
5022573	010-10083-00	Power/Data Cable (Bare Wire)	28.99

GARMIN®
GPSMAP® 421 & 421S

Ultra-bright 4" diagonal QVGA display, 240x320 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration with the Garmin® marine lineup. Preloaded worldwide marine basemap. Compatible with GXM™ 51 for XM Satellite Radio and XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws and smooth panning. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card. Optional BlueChart® g2 Vision cards provide marine chart detail and enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. GPSMAP 421s: Same features as listed above. Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency. Depth: 1,500 feet/500 meters (dual frequency). Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak and strong returns simultaneously. Water temperature log graphically records water temp data. A-scope. Whiteline. Adjustable depth line helps gauge desired fishing levels and bottom clearance. Split zoom display offers a closer look at fish targets and bottom structure. 2X, 4X and bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water and low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025956	010-00764-01	GPSMAP® 421s w/DF Ducer	$599.99
5025957	010-00764-02	GPSMAP® 421s w/o Ducer	539.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025542	010-10447-03	Flush Mount Kit	$24.99

GARMIN®

GARMIN®
GPSMAP® 431 & 431S

Ultra-bright 4'' diagonal QVGA display, 240x320 pixels – over 800 nits of brightness. Preloaded w/charts for over 14,000 U.S. lakes & navigable rivers. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws & smooth panning. Two NMEA 0183 I/O ports. Streamlined user interface makes it simple to select modes & features. Single SD memory card slot for Inland Lakes Vision cards, as well as saving waypoints, routes & tracks to a SD card. Optional Inland Lakes Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. GPSMAP 431s: Same features as listed above. Power output: 400 watts (RMS) 3200 watts (peak to peak), dual beam. Depth: 900 feet/ 300 meters (dual beam). Includes a dual beam transducer 80kHz (45°), 200kHz (14°) for maximum freshwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak & strong returns simultaneously. Water temperature log graphically records water temp data. Round flasher display mode. Whiteline. Adjustable depth line helps gauge desired fishing levels & bottom clearance. Split zoom display offers a closer look at fish targets & bottom structure. 2X, 4X & bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water & low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025947	010-00765-00	GPSMAP® 431	$549.99
5025948	010-00765-01	GPSMAP® 431s w/DB Ducer	599.99

GARMIN®
GPSMAP® 441 & 441S

Ultra-bright 4'' diagonal QVGA display, 240x320 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration w/Garmin® marine lineup. Preloaded worldwide marine basemap. Compatible w/GXM 51 for XM Satellite Radio & XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws & smooth panning. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card. Adding optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. GPSMAP 441s: Same features as listed above. Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency. Depth: 1,500 feet/500 meters (dual frequency). Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance. Patented transom/trolling mount transducer. UltraScroll™ high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak & strong returns simultaneously. Water temperature log graphically records water temp data. A-scope. Whiteline. Adjustable depth line helps gauge desired fishing levels & bottom clearance. Split zoom display offers a closer look at fish targets & bottom structure. 2X, 4X & bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water & low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025944	010-00766-00	GPSMAP® 441	$599.99
5025945	010-00766-01	GPSMAP® 441s w/DF Ducer	699.99
5025946	010-00766-02	GPSMAP® 441s w/o Ducer	639.99

GARMIN®
GPSMAP® 521

Large, ultra-bright 5'' diagonal QVGA display, 234x320 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration w/Garmin® marine lineup. Preloaded worldwide marine basemap. Compatible w/GXM 51 for XM Satellite Radio & XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws & smooth panning. Streamlined user interface makes it simple to select modes & features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card. Optional BlueChart® g2 Vision cards provide marine chart detail & enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions.

Order #	Mfg. #	Style	Sugg.Ret.
5025952	010-00760-00	GPSMAP® 521	$699.99

GARMIN®
GPSMAP® 526S

Brilliant, crisp 5'' diagonal VGA display, 480x640 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration w/Garmin® marine lineup.Preloaded worldwide marine basemap. Compatible w/GXM™ 51 for XM Satellite Radio & XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws & smooth panning. Streamlined user interface makes it simple to select modes & features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card. Optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. Auto-dimming display. **GPSMAP 526s:** Same features as listed above. Power output: 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr/500 watts (RMS) 4000 watts (peak to peak), dual frequency xdcr. Depth: 2,000 feet/600 meters (dual freq., 1kW xdcr), 1,500 ft (dual freq., 500 kW xdcr). Choose dual frequency transducers of 50kHz (45°), 200kHz (10°) or 50kHz (19°), 200kHz (6°) for maximum saltwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak & strong returns simultaneously. Water temperature log graphically records water temp data. A-scope. Whiteline. Adjustable depth line helps gauge desired fishing levels & bottom clearance. Split zoom display offers a closer look at fish targets & bottom structure. 2X, 4X & bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water & low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025950	010-00772-01	GPSMAP® 526s w/DF Ducer	1099.99
5025951	010-00772-02	GPSMAP® 526s w/o Ducer	1039.99

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

GARMIN®

GARMIN® GPSMAP® 531 & 531S

Large, ultra-bright 5" diagonal QVGA display, 234x320 pixels – over 800 nits of brightness. Preloaded with charts for over 14,000 U.S. lakes and navigable rivers. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws and smooth panning. Two NMEA 0183 I/O ports. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for Inland Lakes Vision cards, as well as saving waypoints, routes and tracks to a SD card. Optional Inland Lakes Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. **GPSMAP 531s:** Same features as listed above. Power output: 400 watts (RMS) 3200 watts (peak to peak), dual beam. Depth: 900 feet/300 meters (dual beam). Includes a dual beam transducer 80kHz (45°), 200kHz (14°) for maximum freshwater performance. Patented transom/ trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak and strong returns simultaneously. Water temperature log graphically records water temp data. Round flasher display mode. Whiteline. Adjustable depth line helps gauge desired fishing levels and bottom clearance. Split zoom display offers a closer look at fish targets and bottom structure. 2X, 4X and bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water and low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025942	010-00761-00	GPSMAP® 531	$699.99
5025943	010-00761-01	GPSMAP® 531s w/DB Ducer	799.99

GARMIN® GPSMAP® 536 & 536S

Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration with the Garmin® marine lineup. Preloaded with charts for over 14,000 U.S. lakes and navigable rivers. Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws and smooth panning. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for Inland Lakes Vision cards, as well as saving waypoints, routes and tracks to a SD card. Optional Inland Lakes Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. Auto-dimming display. **GPSMAP® 536s:** Same features as listed above. Get 1kW of digital sonar power using Garmin's offering of 1kW transducers. Power output: 400 watts (RMS) 3200 watts (peak to peak), dual beam xdcr/ 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr. Depth: 900 feet (dual beam), 2,000 feet/600 meters (dual freq., 1kW xdcr). Includes a dual beam transducer 80kHz (45°), 200kHz (14°) for maximum freshwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak and strong returns simultaneously. Water temperature log graphically records water temp data. Round flasher display mode (in dual beam mode) and A-scope (with 1kW xdcr). Whiteline. Adjustable depth line helps gauge desired fishing levels and bottom clearance. Split zoom display offers a closer look at fish targets and bottom structure. 2X, 4X and bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water and low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025940	010-00773-00	GPSMAP® 536	$899.99
5025941	010-00773-01	GPSMAP® 536s w/DB Ducer	1099.99

GARMIN® GPSMAP® 541 & 541S

Large, ultra-bright 5" diagonal QVGA display, 234x320 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration with the Garmin® marine lineup. Preloaded worldwide marine basemap. Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws and smooth panning. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card. Optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. **GPSMAP® 541s:** Same features as listed above. Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency. Depth: 1,500 feet/500 meters (dual frequency). Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak and strong returns simultaneously. Water temperature log graphically records water temp data. A-scope. Whiteline. Adjustable depth line helps gauge desired fishing levels and bottom clearance. Split zoom display offers a closer look at fish targets and bottom structure. 2X, 4X and bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water and low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025937	010-00762-00	GPSMAP® 541	$699.99
5025938	010-00762-01	GPSMAP® 541s w/DF Ducer	799.99
5025939	010-00762-02	GPSMAP® 541s w/o Ducer	739.99

GARMIN® GPSMAP® 546 & 546S

Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness. NMEA 2000 certified for seamless integration with the Garmin® marine lineup. Preloaded worldwide marine basemap. Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather. Built-in high-sensitivity GPS receiver. High-speed processor for fast screen redraws and smooth panning. Streamlined user interface makes it simple to select modes and features. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card. Adding optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View. Backlit keypad for easy operation in low light conditions. Auto-dimming display. **GPSMAP® 546s:** Same features as listed above. Power output: 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr. 500 watts (RMS) 4000 watts (peak to peak), dual frequency xdcr. Depth: 2,000 feet / 600 meters (dual freq., 1kW xdcr), 1,500 ft (dual freq., 500 kW xdcr). Choose dual frequency transducers of 50kHz (45°), 200kHz (10°) or 50kHz (19°), 200kHz (6°) for maximum saltwater performance. Patented transom/trolling mount transducer. UltraScroll® high rep rate sonar provides lightning-fast screen updates. AutoGain technology enhances target visibility. See-Thru® technology: shows weak and strong returns simultaneously. Water temperature log graphically records water temp data. A-scope. Whiteline. Adjustable depth line helps gauge desired fishing levels and bottom clearance. Split zoom display offers a closer look at fish targets and bottom structure. 2X, 4X and bottomlock zoom. Adjustable keel offset. Alarms for fish size, shallow water, deep water and low battery.

Order #	Mfg. #	Style	Sugg.Ret.
5025934	010-00774-00	GPSMAP® 546	$999.99
5025935	010-00774-01	GPSMAP® 546s w/DF Ducer	1199.99
5025936	010-00774-02	GPSMAP® 546s w/o Ducer	1139.99

GARMIN®

GARMIN® GPSMAP® 525 COLOR GPS CHARTPLOTTERS w/BUILT-IN MAPS

Feature high-resolution, super-bright, video quality 5'' VGA displays, w/built-in worldwide satellite based imagery. Options such as true 3D-view map presentation, both above and below the waterline, plus available Auto Guidance capability help simplify navigation. Also, optional "real picture" aerial photo reference is available (via BlueChart® g2 Vision cards) to show harbors, boat slips and other significant landmarks in graphic detail. An SD card slot makes it easy to plug in extra chart regions and features. Plus, a built-in CANet™ bus lets you link to any compatible Garmin® sounder for live-action look at what's lurking beneath your boat. The 525 has a worldwide satellite internal map. The 535 is preloaded w/inland lake maps, and the 545 comes preloaded with US Coastal marine charts. Includes internal antenna. External antenna sold separately.

Order #	Mfg. #	Style	Sugg.Ret.
5025269	010-00597-00	GPSMAP® 525	$849.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025331	010-10447-05	Flush Mount Kit	29.99

GARMIN® GPSMAP® 620 & GPSMAP® 640

Elements of the GPSMAP® 5000 series marine chartplotters combined w/elements of the popular nüvi® series for use on the road - all in one easy-to-use device. Large 5.2'' diagonal WVGA touchscreen display (800x480 pixels). High sensitivity GPS receiver. Waterproof: IPX7 submersible. Preloaded with worldwide satellite imagery. Fully compatible w/BlueChart® g2 Vision® cartography. Supports NMEA 0183 interface for data such as depth, temp, water speed, wind. Includes: Lithium-Ion battery pack, marine mount with power/data cable, AC charger, USB cable, protective cover, owners manual, quick reference guide & installation instructions.

GPSMAP® 620: Preloaded w/worldwide satellite imagery.

GPSMAP® 640: Preloaded with BlueChart® g2 marine cartography of the coastal U.S. (including Alaska, Hawaii and the Bahamas), worldwide satellite basemap, and City navigator NT road maps for North America. Also includes an automotive mount w/vehicle power cable & an automotive friction mount.

Order #	Mfg. #	Model	Sugg.Ret.
5025874	010-00696-00	GPSMAP® 620	$699.99
5025875	010-00696-40	GPAMAP® 640	799.99

GARMIN® GPSMAP® 720 & 720S

Stand-alone touchscreen chartplotter that brings a level of functionality to your vessel. Featuring a 7'' display, it puts all the information you need right at your fingertips. Preloaded with a worldwide basemap and accepts additional map data for greater flexibility. Accepts radar input and offers full NMEA 2000® connectivity for greater convenience when adding extra sensors. High-sensitivity GPS receiver for superior satellite tracking & quicker acquisition times. Intuitive touchscreen interface. Flexible brightness levels for daytime readability along with low-light dimming during night use. Widescreen display that's rugged and waterproof. Built-in radar port can be interfaced with GMR™ marine radar systems (sold separately). WVGA display is 800x480 pixels. SD™ card slot. 3000 waypoints, 100 routes. Supports AIS & DSC. Audible alarms. Tide tables. Waterproof IPX7. Includes: Top & bottom snap covers, bail mount w/built-in cable management, knobs, flush mount gasket & hardware, threaded power/data cable, protective cover & documentation

GPSMAP® 720S: Comes standard with a 1 kW capable sonar transceiver which can help define fish targets & underwater structures as far down as 2000 ft. when used with a 1kW transducer.

Order #	Mfg. #	Model	Sugg.Ret.
5026896	010-00835-00	GPSMAP® 720	$1399.99
5026897	010-00835-01	GPSMAP® 720S	1599.99

GARMIN® GPSMAP® 740 & 740S

Extra-wide panoramic display, system brings fully menu-driven touchscreen control & radar interface to a compact standalone chartplotter format. Ideal for small to mid-sized vessels. Standalone device that does not offer support for the Garmin Marine Network. 7'' WVGA color display & built-in high-sensitivity GPS receiver. Unprecedented extremes of brightness for daytime readability w/super low-level dimming for optimum night vision. Full NMEA 2000 connectivity for engine, fuel, wind, autopilot & other data monitoring. Plus, a standard radar port lets you connect with any Garmin GMR series marine radar for target scanning on your chartplotter. As an added safety option, XM WX™ Satellite Weather for U.S. waters can be accessed via a GXM™ 51 antenna/receiver (sold separately). Touchscreen chartplotters offer a full complement of sailing-specific wind gauges. These digital gauges are customizable & stunning to view in color. Gauges can act as the only source of wind data or work in conjunction with existing gauges. And for easy installation, the information is brought in via NMEA 0183 or NMEA 2000 connectivity. Built-in digital elevation model (DEM) worldwide basemap, which can easily be upgraded w/optional BlueChart® g2 or g2 Vision® cards for expanded coverage of specific regions. Also comes preloaded with detailed offshore maps for all U.S. coastal areas, including Alaska & Hawaii, plus the Bahamas. **GPSMAP® 740S:** Built-in 1-kilowatt capable sonar transcevier that can clearly define fish targets & terrain features as far down as 2,000 feet (with a dual frequency transducer - not included).

Order #	Mfg. #	Model	Sugg.Ret.
5026181	010-00835-02	GPSMAP® 740	$1499.99
5026180	010-00835-03	GPSMAP® 740S	1699.99

GARMIN® GPSMAP® 4010 & 4210

Includes GPS 17x NMEA 2000 - high sensitivity, WAAS-enabled, 12 parallel channel GPS sensor. Streamlined user interface offers easy selection of functions and features. Preloaded worldwide satellite imagery. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card which can be shared w/others. Backlit keypad. Alphanumeric keypad for easy data entry. Supports optional wireless remote control. Auto-dimming display. 3 built-in network ports for connection to Garmin® radar, GSD 22 sounder, or another MFD. Compatible w/all Garmin® Marine Network peripherals. 2 video inputs for onboard cameras - supports PAL & NTSC video signals. 1 SVGA PC monitor video output. 4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC. One NMEA 2000 port. Alarms for anchor drag, arrival, off-course, proximity waypoint, clock, low battery voltage and GPS accuracy. Waterproof: IPX7 - submersible. Power down backup of settings: customer settings are not lost when the unit is turned off. Dimensions: 13.4''Wx8.9''Hx4.2''D

GPSMAP® 4010: Through-chasis mountable case design - removeable top & bottom snap covers provide for easier flush mounting.

GPSMAP® 4210: Flush-mountable case design. Preloaded worldwide satellite imagery & BlueChart® g2 marine cartography of the coastal US including Alaska, Hawaii & the Bahamas. Preloaded w/Explorer charts covering the Bahamas. Will support optional GDL 30/30A XM WX receiver.

Order #	Mfg. #	Style	Sugg. Ret.
5025548	010-00690-00	GPSMAP® 4010	$2356.99
5025544	010-00690-01	GPSMAP® 4210	2299.99

continued next page

continued from previous page

GARMIN® GPSMAP® 4010 & 4210

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® GPSMAP® 4208 & 4212

Includes WAAS-enabled, 12 parallel channel GPS sensor with 30' cable length. Streamlined user interface offers easy selection of functions and features. Preloaded w/worldwide satellite imagery & highly detailed BlueChart® g2 marine cartography of the Coastal US, including Alaska, Hawaii and the Bahamas. This data provides detailed coastlines, shaded depth contours, navaids, port plans, wrecks, restricted areas and tide & current information. Preloaded w/ Explorer charts covering the Bahamas. View weather overlays such as NEXRAD weather radar & forecasts, current conditions, wind direction, wave direction, wave height, buoy data, lightning, county warnings and much more with the optional GDL® 30 or GDL 30A. Design has "flat panel" look when flush mounted. Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card which can be shared w/others. Backlit keypad. Auto-dimming display. 3 built-in network ports for connection to Garmin® radar, GDL 30/30, GSD 22 sounder, or another MFD. Compatible w/all Garmin® Marine Network peripherals. 2 video inputs for onboard cameras - supports PAL & NTSC video signals. 1 VGA (4008) or 1 XGA (4012) PC monitor video output. 4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC. Supports NMEA 2000. Alarms for anchor drag, arrival, off-course, proximity waypoint, clock, low battery voltage and GPS accuracy. Waterproof: IPX7 - submersible. Power down backup of settings: customer settings are not lost when the unit is turned off.
GPSMAP® 4208: 11.2"Wx7"Hx4.6"D.
GPSMAP® 4212: 14.8"Wx9.5"Hx4.6"D

Order #	Mfg. #	Style	Sugg. Ret.
5025258	010-00591-01	GPSMAP® 4208	$1999.99
5025260	010-00592-01	GPSMAP® 4212	2499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® GPSMAP® 5208 & 5212

Features an unprecedented touchscreen interface, along with preloaded BlueChart® g2 maps of the U.S. coast & a screen that makes navigation as easy as pointing your finger. By connecting to the Garmin Marine Network, you can add sonar, radar & weather. For even more advanced features, you can add the optional BlueChart® g2 Vision card. Features highly-detailed BlueChart® g2 marine cartography of the coastal United States, including Alaska, Hawaii & the Bahamas. For other areas, the unit has a worldwide basemap with high-quality satellite images in place of more traditional maps. With the SD card slot, you can add additional maps without having to connect to a computer. Large screen displays crisp, high-resolution graphics so you can easily see where you're going. To keep tabs on your engine room or other area of your boat, you can also connect a live video feed with the video input/ output options. The unit connects easily to the high-speed Garmin Marine Network, so you can interface with additional MFDs & add remote sensors. Once connected, you can share information between the unit & other chartplotters on your boat. You can also add high-powered radar, sonar, & XM satellite weather & radio to your system.
GPSMAP® 5208: 6.7"Wx5"H - 8.4" diagonal.
GPSMAP® 5212: 9.3"Wx7.1"H - 12.1" diagonal.

Order #	Mfg. #	Style	Sugg. Ret.
5025254	010-00593-01	GPSMAP® 5208	$2989.99
5025256	010-00594-01	GPSMAP® 5212	3899.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® MONTANA™ 650t

Uses map data to display your "full track view" so you know what you're up against. Logs everything (waypoints, tracks, caches, etc.) on your calendar so you can review (or brag) about your accomplishments later. Changes to "night mode" automatically so your eyes stay focused even when the sun goes down. Includes a QWERTY keyboard so you can find what you need and take notes faster. Helps you keep your bearings straight by letting you to lock your screen to keep it from shifting directions (portrait to landscape or vice versa). Includes a 5 MP camera; each photo automatically is geotagged with the location of where it was taken. Includes TOPO U.S. 100K maps as well as other mapping options such as TOPO 24K, BlueChart® g2, BirdsEye Satellite Imagery and Custom Maps. Shares waypoints, tracks, routes and geocaches wirelessly with other compatible Garmin GPS users. Locates your position quickly & precisely and maintains it even in heavy cover and deep canyons. Includes a built-in 3-axis tilt-compensated electronic compass and barometric altimeter. Features a one-of-a-kind dual battery system; you can use the rechargeable lithium-ion pack or traditional AA batteries. Supports geocaching GPX files for downloading geocaches and details straight to your unit. Waterproof to IPX7 standards.

Order #	Mfg. #		Sugg.Ret.
5026812	010-00924-02		$699.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026815	010-10851-11	Power Cable	$27.99

GARMIN® OREGON® 550t

3.2 megapixel auto-focus digital camera with automatic geotagging and 4x zoom. 3-axis tilt-compensated electronic compass and barometric altimeter. High-speed USB for faster map and photo transfers with your computer. Improved 3" sunlight-readable, color, touchscreen display. High-sensitivity GPS receiver with HotFix™ for improved performance and reception. 850 MB of internal memory for map data and photos. MicroSD™ card slot for optional mapping and data storage. Built-in basemap with DEM (digital elevation model) data. Wirelessly share routes, tracks, waypoints and geocaches between units. Easy-to-use, touchscreen interface, 400 x 240 pixels (H x W). Unit dimensions: 4.5" x 2.3" x 1.4" (H x W x D). Waterproof standard: IEC 60529 IPX7. Interface: USB and NMEA 0183. Up to 16 hours of battery life, battery type: 2 AA (2 NiMH batteries and battery charger included); NiMH or Lithium recommended. Weight: 6.8 oz. with batteries.
Oregon® 550t: Preloaded U.S. Topo 100K

Order #	Mfg. #	Style	Sugg.Ret.
5025959	010-00697-11	Oregon® 550t	599.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026895	010-11031-00	Marine/Cart Mount	$26.99

GARMIN®

GARMIN®
GPSMAP® 62/62S/62ST/62SC

Handheld GPSMAP® 62 navigator comes standard w/2.6" sunlight-readable 65K color screen that supports BirdsEye™ Satellite imagery (subscription required) & Custom Maps. Rugged & waterproof design. Features the quad helix antenna for unparalleled reception, built-in basemap w/shaded relief, & high-sensitivity WAAS-enabled GPS receiver w/ HotFix®. 1.7GB of onboard memory for downloading Garmin's wide array of detailed topographic, marine & road maps. Supports (paperless) geocaching GPX files for downloading geocaches & details straight to your unit. Includes GPSMAP® unit, wrist strap, USB cable, & quick start manual. Wt.: 9.2 ounces. Power source: 2 - AA batteries (not included; NiMH or lithium recommended). Battery life: 20 hours. Dimensions: 2.4"W x 6.3"H x 1.4"D. NOTE: **GPSMAP® 62S** includes standard features w/addition of 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface & the ability to wirelessly share routes, tracks, waypoints, & geocaching between wcompatible units. **GPSMAP® 62ST** includes standard features w/addition of preloaded topographic maps, 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface, & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w/compatible units. **GPSMAP® 62SC** includes 5 MP autofocus camera, barometric altimeter, 3-axis electronic compass, wireless data sharing, Worldwide basemap, high-sensitivity GPS receiver, color display, microSD card slot.

Order #	Mfg. #	Model	Sugg.Ret.
5026198	010-00868-00	GPSMAP® 62	$349.99
5026199	010-00868-01	GPSMAP® 62S	449.99
5026200	010-00868-02	GPSMAP® 62ST	549.99
5026800	010-00868-20	GPSMAP® 62SC	499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount (sc & stc)	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®
GPS 72H™

Lightweight, waterproof handheld GPS that floats. Features high-sensitivity GPS w/large greyscale LCD display for simple operation & rock-solid performance. Acquires satellites quickly & tracks your location in challenging conditions. IPX7 waterpoof rating. Save up to 500 favorite locations in memory to point you in the right direction (No street or terrain maps). NMEA 0183 compatible. Transfer data to the device by connecting to computers via USB. Includes built-in celestial data, including sunrise/sunset times & hunting/fishing calendar. Powered by (2) AA batteries (not included). Battery life: 18 hours. Wt.: 7.7 ounces. Dimensions: 2.7"x6.2"x1.2". Includes wrist strap, owner's manual on disk & quick start manual.

Order #	Mfg. #		Sugg.Ret.
5026581	010-00840-01		$149.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5022468	010-10300-00	Marine Mount	39.99
5002193	010-10082-00	Power/Data Cable (Bare Wires)	31.99
5001511	010-10085-00	Vehicle Power Cable	26.99
5024880	010-10165-00	PC Interface w/Vehicle Power Cable)	44.99

GARMIN®
GPSMAP® 78/78S/78SC

Handheld, marine-friendly GPSMAP® 78 navigator comes standard w/2.6" LCD sunlight-readable color display that supports BirdsEye™ Satellite imagery (subscription required) & Custom Maps. Floatable, rugged & waterproof design. Features built-in basemap, built-in microSD card slot, high-sensitivity WAAS-enabled GPS receiver w/ HotFix® & dedicated MOB (Man Over Board) button. 1.7GB of onboard memory for downloading Garmin's wide array of detailed maps. Supports (paperless) geocaching GPX files for downloading geocaches & details straight to your unit. Includes GPSMAP® unit, wrist strap, USB cable, & quick start manual. Wt.: 7.7 ounces. Power source: 2 - AA batteries (not included; NiMH or lithium recommended). Battery life: 20 hours. Dimensions: 2.6"W x 6.0"H x 1.2"D. NOTE: **GPSMAP® 78S** includes standard features w/addition of 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface & the ability to wirelessly share routes, tracks, waypoints, & geocaching between wcompatible units. **GPSMAP® 78SC** includes standard features w/addition of preloaded BlueChart® g2 coastal charts and a worldwide basemap w/imagery, 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface, & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w/compatible units.

Order #	Mfg. #	Model	Sugg.Ret.
5026194	010-00864-00	GPSMAP® 78	$249.99
5026195	010-00864-01	GPSMAP® 78S	349.99
5026196	010-00864-02	GPSMAP® 78SC	449.99

GARMIN®
eTREX® 10

Retains the core functionality, rugged construction, affordability & long battery life that made eTrex the most dependable GPS device available. Enhanced 2.2" monochrome display is easy to read in any lighting situation. Durable & waterproof. Supports geocaching GPX files for downloading geocaches & details straight to your unit. Stores & displays key information, including location, terrain, difficulty, hints and descriptions, which means no more manually entering coordinates. High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons. First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously. GLONASS is a system developed by the Russian Federation that will be fully operational in 2012. When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS. And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone. Uses 2 AA batteries (not included). Waterproof to IPX7 standards.

Order #	Mfg. #		Sugg.Ret.
5026807	010-00970-00		$119.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

Ellett Brothers®
A Division of United Sporting Companies

GARMIN®

GARMIN® eTREX® 20

Redesigned ergonomics, an easier-to-use interface, paperless geocaching & expanded mapping capabilities add up to serious improvements. Enhanced 2.2'' 65K color, sunlight readable display. Lets you load TOPO 24K maps and hit the trail, plug in BlueChart®g2 preloaded cards for a day on the water or City Navigator NT® map data for turn-by-turn routing on roads. Also supports BirdsEye™ Satellite Imagery (subscription required), that lets you download satellite images to your device and integrate them with your maps. High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons. First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously. GLONASS is a system developed by the Russian Federation that will be fully operational in 2012. When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS. And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone. Supports geocaching GPX files for downloading geocaches and details straight to your unit. Uses 2 AA batteries (not included). Waterproof to IPX7 standards.

Order #	Mfg. #		Sugg.Ret.
5026808	010-00970-10		$199.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® eTREX® 30

Enhanced ergonomics, an improved interface, paperless geocaching & expanded mapping capabilities add up to serious improvements. Enhanced 2.2'' 65K color, sunlight readable display. Built-in 3-axis tilt-compensated electronic compass. Barometric altimiter. Lets you load TOPO 24K maps and hit the trail, plug in BlueChart® g2 preloaded cards for a day on the water or City Navigator NT® map data for turn-by-turn routing on roads. Also supports BirdsEye™ Satellite Imagery (subscription required), that lets you download satellite images to your device and integrate them with your maps. High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons. First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously. GLONASS is a system developed by the Russian Federation that will be fully operational in 2012. When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS. And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone. Supports geocaching GPX files for downloading geocaches and details straight to your unit. Lets you share your waypoints, tracks, routes and geocaches wirelessly with other compatible Garmin GPS devices. Uses 2 AA batteries (not included). Waterproof to IPX7 standards.

Order #	Mfg. #		Sugg.Ret.
5026809	010-00970-20		$299.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5056894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® RINO® 530HCx

WAAS enabled, 12 parallel-channel GPS receiver. Transmit power using FRS frequency is 0.5 watt for range of up to 2 miles. Transmit power using GMRS frequency is 5 watts for range of up to 14 miles. Channels: 7 FRS, 15 GMRS, & 8 GMRS repeater. Receives on 7 NOAA weather channels & detects weather alert tones. Electronic compass & barometric sensor w/automatic pressure trend recording. Display: 256-color transflective TFT. Waterproof: IEC 60529 IPX7 standards. 38 sub-audible squelch codes per transmission channel for semi-private radio communications. 10 call & ring tones, 4 roger tones. Vibration mode. Send & receive short text notes. External temperature reporting. Calendar: shows best hunting & fishing times, plus clock, stopwatch & alarm functions. Trip computer w/speed tracking, sunrise/sunset read out, trip timer & trip distance. Storage of up to 500 waypoints, w/graphic identification, & 50 reversible routes. Robust track log: 10,000 trackpoints & up to 20 saved tracks to retrace user's path or companion's path via location-reporting feature. Expandable memory only. High-sensitivity GPS receiver. MicroSD card slot.

Order #	Mfg. #	Model	Sugg.Ret.
5025482	010-00564-01	Rino® 530HCx	$535.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5002502	010-10117-02	Black Nylon carry Case	$14.99

GARMIN® RINO® 610

Rugged, waterproof. 1-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS. Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites. Offers an improved base map with Digital Elevation Model. Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps & more (sold separately). Uses a universally accepted GPX file format to store your data & allow compatbility with your computer. Offers a 2.6" glove-friendly color touchscreen. Allows you to send unit-to-unit text messages to other Rino users via radio signals. Track 2,000 points of information per contact. Track manager makes it easy for you to maintain and review who you've been tracking. Rino® time stamps and records the notes you receive from contacts for later review, or forwarding. High speed USB & NMEA 0183 compatible. 22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 5 miles GMRS.

Order #	Mfg. #		Sugg.Ret.
5026804	010-00928-00		$349.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®

GARMIN®
RINO® 650

Rugged, waterproof. 5-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS. Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites. Offers an improved base map with Digital Elevation Model. Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps, City Navigator NT®, BlueChart® g2 & more (sold separately). Uses a universally accepted GPX file format to store your data & allow compatbility with your computer. Offers a 2.6" glove-friendly color touchscreen, barometric altimeter & 3-axis electronic compass. Allows you to send unit-to-unit text messages to other Rino users via radio signals as well as share your waypoints, tracks, routes & geocaches wirelessly. Track 2,000 points of information per contact. Track manager makes it easy for you to maintain and review who you've been tracking. Rino time stamps and records the notes you receive from contacts for later review, or forwarding. Built-in NOAA weather radio. Radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings & watches displayed county-by-county on the map screen. High speed USB & NMEA 0183 compatible. 22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 20 miles over GMRS.

Order #	Mfg. #		Sugg.Ret.
5026805	010-00928-01		$499.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®
RINO® 655t

5-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS, preloaded TOPO 100K maps, barometric altimeter, 3-axis compass, NOAA weather radio & 5 MP camera. Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites. Offers an improved base map with Digital Elevation Model. Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps, City Navigator NT®, BlueChart® g2 & more (sold separately). Uses a universally accepted GPX file format to store your data & allow compatbility with your computer. Offers a 2.6" glove-friendly color touchscreen, barometric altimeter, 3-axis electronic compass & 5 MP autofocus camera, which automatically geotags photos. Allows you to send unit-to-unit text messages to other Rino users via radio signals as well as share your waypoints, tracks, routes & geocaches wirelessly. Track 2,000 points of information per contact. Track manager makes it easy for you to maintain and review who you've been tracking. Rino time stamps and records the notes you receive from contacts for later review, or forwarding. Built-in NOAA weather radio. Radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings & watches displayed county-by-county on the map screen. High speed USB & NMEA 0183 compatible. 22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 20 miles over GMRS.

Order #	Mfg. #		Sugg.Ret.
5026806	010-00928-02		$599.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

new

GARMIN®
GSD 26

For serious deep-sea sportfishing, the GSD 26 takes high-definition targeting to a whole new level. With a compatible transducer, the unit's Spread Spectrum technology scans on multiple frequencies at one time, returning vast amounts of data to the receiver. As a result, you can expect precise, shallow-water-like target separation at much greater depths – up to 10,000 ft (3,000 m). A traditional fixed frequency mode allows you to manually adjust frequencies from 25 kHz to 210 kHz for enhanced targeting of specific fish species. You can also adjust transmit power from 300 W to 3 kW (depending on transducer) for even more control over your sonar returns. Dual-transceiver design allows for simultaneous & independent transducer operation. You have complete control over the data you see on your compatible Garmin® chartplotter, which easily connects to the GSD 26 over the Garmin® Marine Network.

Order #	Mfg. #	Sugg.Ret.
5026988	010-00958-00	$1999.99

new

GARMIN®
GSD 24

Features a vastly improved digital sonar design for superior target definition & deep-water performance. With up to 2,000 Watts of transmit power & a high-dynamic range receiver, the unit brings high-definition imaging to your compatible Garmin® chartplotter. The system is dual frequency (50/200 kHz) capable & offers selectable transmit power (600 W, 1 kW and 2 kW, depending on transducer) for pin-point accuracy at depths of up to 5,000'. Once connected, your sonar data will be shared on any compatible chartplotter on the network. Plus, the network's high-speed connections ensure that you get ultra-fast screen updates with minimal delay.

Order #	Mfg. #	Sugg.Ret.
5026987	010-00957-00	$699.99

GARMIN®
GSD 22

Powerful remote sounder that plugs directly into Garmin® Marine Network for use w/network chartplotters - or into the Garmin® CANet™ for use w/292/392/492 series chartplotters. Ultrascroll™ technology keeps the display scrolling at live-action speeds, while unit's digital design & up to 2kW of transmit power (depending on transducer used) provide extraordinary target definition & deep water performance. Transmit power & receiver gain automatically adjust to produce shallow water performance. Dual frequency (200/50 kHz) & works w/everything from standard 500W transom mount transducer to heavy-duty 2kW thru-hull or in-hull transducers. Reaches depths to 5,000 feet. Note: Does not include transducer.

Order #	Mfg. #	Sugg.Ret.
5024876	010-00397-00	$449.99

GARMIN®

GARMIN® ASTRO® 320 GPS BASED DOG TRACKING SYSTEM

Includes the redesigned Garmin® Astro® 320 - a full featured, premium handheld GPS device - and a DC™ 40 wireless receiver. 2.6" color display. Enhanced mapping. Improved, easy-to-use interface. Wireless unit-to-unit data transfer. Astro® 320: Supports TOPO U.S. 24K & 100K maps, BirdsEye™ Satellite Imagery, City Navigator® and Garmin Custom Maps. Up to 30% increased range w/redesigned antenna (included). Vibration alerts. 3-axis electronic compass. Customizable settings for dog tracklogs. Compatible with any Garmin DC™ series transmitter. Waterproof with a tough, rugged exterior. DC™ 40: Integrated GPS antenna. Connects to any standard 1" collar. Improved charging contacts. Dog position updates every 5, 10, 30 or 120 seconds. Battery life of between 17-48 hours, depending on position & update rate. Collar Lock lets you create a 4-digit PIN number that prevents others from seeing your dog's whereabouts. Sports an innovative LED-charging indicator that's been redesigned to prevent clogging. Bundle includes: Astro® 320 handheld, DC™ 40 wireless transmit collar, extended range antenna, carrying case, carabiner clip case, AC adapter for DC™ 40 and manuals.

Order #	Mfg. #	Model	Sugg.Ret.
5026802	010-00976-10	Unit Only (no collar)	$499.99
5026803	010-00976-00	Bundle (w/collar)	649.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026814	010-10856-30	Ext. Long Range Antenna	$26.99
5026817	010-11343-00	Rechargeable NiMH Battery Kit	24.99
5026815	010-10851-11	Vehicle Power Cable	27.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® ASTRO™ GPS-BASED DOG TRACKING SYSTEM

The Astro® System is comprised of 2 components: Astro® 220 handheld receiver and DC 40 dog-collar transmitter. Astro® can track up to 10 dogs at once and has the ability to update dog's position every 5 seconds. System can reach up to 5 miles in flat, unobstructed terrain. Astro® 220 serves as a full-featured handheld GPS unit. It contains features such as a high-sensitivity GPS receiver, long battery life, a bright sunlight readable color display and a rugged IPX7 waterproof exterior. This unit also offers automatic routing w/ turn-by-turn directions. Micro SD card slot so you can add preprogrammed data cards w/detailed maps such as TOPO®, Inland Lakes, BlueChart® and City Navigator®. Bundle includes: Astro® 220, DC 40, vehicle power cable, AC charger, USB cable, Trip & Waypoint manager, owner's manual & quick start guide. DC 40 Collar: High-sensitivity GPS receiver & VHF antenna into an all-in-one transmitter that works w/Astro® 220. Durable, one-inch orange polyurethane collar that fits most e-collar receivers — eliminating the need to put two separate collars on a dog. Extend the battery life of the DC 40 by changing the position transmit rate from 5 to 10, 30, or 120 seconds, enabling the DC 40 to work up to 17-48 hours in the field on one charge.

Order #	Mfg. #	Model	Sugg.Ret.
DC™ 40 GPS DOG TRACKING COLLAR			
5026190	010-11484-00	DC 40 Collar	249.99
REPLACEMENT DOG COLLAR TRANSMITTER			
5025364	010-10805-00	DC 20 Transmitter	214.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026155	010-11141-00	Port. Long Range Antenna	$69.99
5024906	010-10563-00	Vehicle Power Cable	38.99
5002194	010-10306-00	Portable Friction Mount	39.99
5002502	010-10117-02	Black Nylon Carry Case	14.99

GARMIN® MAGNETIC MOUNT ANTENNA

Powerful remote antenna magnetically mounts to a vehicle and connects to the Astro™ 220 so you can track your dogs with Astro™ while driving.

Order #	Mfg. #	Sugg.Ret.
5025362	010-10931-00	$38.99

new

GARMIN® ALPHA™ 100 GPS TRACK & TRAIN SYSTEM

•Combines proven Garmin® GPS dog tracking technology w/Tri-Tronics® electronic dog training •Easy-to-use, integrated handheld system allows you to track & train your dogs in the field within 9-mile range •Equipped w/BirdsEye Satellite Imagery •At-A-Glance Dog Stats feature displays your dog's state (moving or on-point/treed), distance from Alpha device, total distance traveled, speed & update rate & updates their position every 2.5 secs. to help them avoid hazards •Pinpoint up to 20 dogs or hunters' exact positions on glove-friendly 3" color touchscreen even when they are out of sight •Preloaded w/100K U.S. TOPO maps •System includes Alpha™ 100 handheld, Rechargeable user-replaceable Li-ion pack, Belt clip, Extended range antenna, TT™ 10 dog collar w/orange strap, Charge clip, AC adapter, Vehicle power cable, Split adapter cable, USB cable, Short & long contact point set w/wrench & non-stim plug, Durable field bag & Manuals

Order #	Mfg. #	Sugg.Ret.
5027093	010-01040-00	$799.99

new

GARMIN® ALPHA™ 100 GPS TRACK & TRAIN HANDHELD

•Combines proven Garmin® GPS dog tracking technology w/Tri-Tronics® electronic dog training •Easy-to-use, integrated handheld device allows you to track & train your dogs in the field within 9-mile range •Equipped w/BirdsEye Satellite Imagery •At-A-Glance Dog Stats feature displays your dog's state (moving or on-point/treed), distance from Alpha device, total distance traveled, speed & update rate & updates their position every 2.5 secs. to help them avoid hazards •Pinpoint up to 20 dogs or hunters' exact positions on glove-friendly 3" color touchscreen even when they are out of sight •4.0GB built-in memory w/500MB available for user storage •Preloaded w/100K U.S. TOPO maps •Accepts microSD™ card (not included) •Wt.: 8.8 oz. •Size: 2.5"x6.5"x1.5" •Includes Alpha™ 100 handheld, Rechargeable user-replaceable Li-ion pack, Belt clip, Extended range antenna, AC adapter, Vehicle power cable, Split adapter cable & USB cable

Order #	Mfg. #	Sugg.Ret.
5027094	010-01040-20	$599.99

GARMIN

new

GARMIN®
TT™ 10
GPS TRACK & TRAIN DOG COLLAR

•Rugged, replaceable black collar strap w/high-sensitivity GPS tracker that uses 18 levels of momentary or continuous stimulation plus LED beacons & audible tones activated from the Alpha™ 100 device (sold separately) •Waterproof to 10m (33ft.) •Uses braided steel VHF antenna to send position data to the Alpha™ 100 device •Wt.: 7 oz. •Includes rechargeable Li-ion batery •NOTE: Not compatible w/Astro®

Order #	Mfg. #	Sugg.Ret.
5027095	010-01041-40	$299.99

new

GARMIN®
REPLACEMENT COLLAR STRAPS for TT™ 10

•Rugged & waterproof •Polyurethane-coated 1" nylon collar features nickel-plated buckle & collar keeper w/holes spaced to fit most dogs

Order #	Mfg. #	Color	Sugg.Ret.
5027104	010-11892-00	Orange	$19.99
5027105	010-11892-01	Black	19.99
5027106	010-11892-02	Red	19.99
5027107	010-11892-04	Blue	19.99
5027108	010-11892-06	Green	19.99
FOR SMALLER DOGS			
5027109	010-11892-10	Orange	19.99

new

GARMIN®
ANTI-GLARE SCREEN PROTECTORS for ALPHA™ 100

•Reduces sunlight glare, minimizes fingerprint smudges & protects against scratches on the Alpha™ 100 display screen •3-Pack

Order #	Mfg. #	Sugg.Ret.
5027103	010-11828-05	$15.99

new

GARMIN®
VEHICLE POWER CABLE for ALPHA™ 100

•12V adapter power cable for in-vehicle charging of the Alpha™ 100 handheld device •Plugs into any standard cigarette lighter receptacle

Order #	Mfg. #	Sugg.Ret.
5027096	010-11872-00	$14.99

new

GARMIN®
AC ADAPTER CABLE for ALPHA™ 100 & TT™ 10

•Adapter cable powers & recharges the Alpha™ 100 & TT™ 10 devices •Plugs into any standard U.S. wall outlet

Order #	Mfg. #	Sugg.Ret.
5027097	010-11873-00	$14.99

new

GARMIN®
CHARGING CLIP for TT™ 10

•Simply snap the TT™ 10 dog collar into this device when not in use to recharge battery •Power cable (sold separately) is plugged into mini USB port on side of charging clip

Order #	Mfg. #	Sugg.Ret.
5027098	010-11828-00	$13.99

new

GARMIN®
SPLIT ADAPTER CABLE for ALPHA™ 100 & TT™ 10

•Allows you to recharge the Alpha™ 100 & TT™ 10 devices at the same time •Charge both devices from one cigarette lighter receptacle or single AC adapter

Order #	Mfg. #	Sugg.Ret.
5027099	010-11828-01	$16.99

new

GARMIN®
CONTACTS KIT for TT™ 10

•Kit includes short & long contact points, non-stim plug & wrench •Contact points can be removed from the TT™ 10 dog collar & replaced w/points sized appropriately for the dog's coat

Order #	Mfg. #	Sugg.Ret.
5027102	010-11828-04	$18.99

new

GARMIN®
REPLACEMENT LI-ION BATTERY for ALPHA™ 100 & TT™ 10

Order #	Mfg. #	Sugg.Ret.
5027101	010-11828-03	$25.99

new

GARMIN®
FIELD BAG for ALPHA™ 100 & TT™ 10

•Zippered field bag is made w/black & gray polyester •Inside mesh pocket is big enough to house multiple Alpha™ 100 handheld devices, TT™ 10 dog collars & associated accessories

Order #	Mfg. #	Sugg.Ret.
5027100	010-11828-02	$21.99

GARMIN®

GARMIN® BLUECHART® g2 VISION

BlueChart® g2 Vision SD cards enhance the preloaded maps on your chartplotter and add a whole new dimension of exceptional features such as: High Resolution Satellite Imagery, Aerial Reference Photography, Mariner's Eye View, Fish Eye View, Auto Guidance and Fishing Charts. Includes tides, currents, marine services, coastal roads and points of interest. If your chartplotter is BlueChart® g2 Vision compatible, all you have to do is select the coverage region you need. Compatible with the following units: (All GPSMAP®) 4008, 4012, 420, 420S, 4208, 4212, 430, 430S, 430SX, 430X, 440, 440S, 440SX, 440X, 450, 5008, 5012, 520, 5208, 520S, 5212, 525, 525S, 530, 530S, 535, 535S, 540, 540S, 545, 550, 555.

Order #	Mfg. #	Description	Sugg. Ret.
5025516	010-C0708-00	Norfolk-Charleston	$299.99
5025517	010-C0709-00	Charleston-Jacksonville	299.99
5025518	010-C0710-00	Jacksonville-Key West	299.99
5025521	010-C0730-00	Southern Bahamas	299.99
5025524	010-C0733-00	Southern Gulf of Mexico	299.99
5025522	010-C0741-00	Mid-Atlantic	428.99

GARMIN® BLUECHARTS™

Pre-programmed data cards compatible with the following units: GPSMAP® 172C/178C, GPSMAP® 176/176C, GPSMAP® 182/182C, GPSMAP® 188/188C Sounder, GPSMAP® 196, GPSMAP® 2006/2006C, GPSMAP® 2010/2010C, GPSMAP® 232, GPSMAP 238 SOUNDER, GPSMAP® 279C/296, GPSMAP® 3006C/3010C

Order #	Mfg. #	Type	Sugg.Ret.
5023115	MUS011R	Southwest Fla.	$299.99

GARMIN® GMS 10 NETWORK PORT EXPANDER

Allows you to connect multiple MFD's and sensors to the Garmin® Marine Network and gain the benefit of Ethernet-like data transfer speeds up to 10 times faster than some competitive systems. Specifically designed to withstand the corrosive marine environment. All connections are totally waterproof, and sealed covers keep harmful moisture away from unused data ports.

Order #	Mfg. #	Sugg.Ret.
5024388	010-00351-00	$268.99

GARMIN® NMEA 2000® NETWORK UPDATER

Provides the convenience of updating Garmin® products & NMEA 2000 accessories that do not have an SD™ card slot. Simply download the software update to an SD card & insert the card into the network updater. Using a simple plug & play installation, the network updater easily & temporarily connects to your NMEA 2000 network. Includes Network Updater & T-connector.

Order #	Mfg. #	Sugg.Ret.
5026197	010-11480-00	$79.99

GARMIN® GDL 30A WEATHER DATA RECEIVER PACKAGE

The GDL 30 receives XM WX Satellite Weather data, including animated NEXRAD weather radar & forecasts, current conditions, surface air pressure, visibility, precipitation, wind data, wave data, storm cell size, speed and direction & surface temperatures for your boat's current location or along a projected path. This information appears on the Map page of your chartplotter. You can also receive XM Satellite Radio. This allows you to connect your chartplotter to your 0n-board stereo to broadcast 120 channels of non-stop music, sports, news and talk. Several subscription packages offer different types of service. For more information visit the XM Satellite Radio website. Includes: GDL 30A Marine weather/audio satellite receiver, GA 32 XM satellite antenna, power/data cable, marine network cable 6', and audio cable

Order #	Mfg. #	Model	Sugg.Ret.
5026170	010-00342-11	GDL 30A/GA 32 XM	$649.99

GARMIN® GMR 18HD & 24HD HIGH DEFINITION MARINE RADAR SCANNERS

State-of-the-art Digital Signal Processing offers up to 8 times better resolution, providing sharper imagery & improved target separation. Automatic pulse rate design optimizes pulse width & repetition rates for each range selected. Backward compatible w/any Garmin® network MFD. "Plug-n-play" network compatible. Dual rotation speed: 24/30 RPM. Receiver down converter noise figure: less than 5 db. Supports MARPA w/optional heading sensor for collision avoidance. 100 knot wind performance. Input voltage: 10.5-35 VDC. Waterproof IEC 60529 IPX-7. Two-year warranty.

GMR 18 HD: 18'' diameter radome, 8.9'' high. Beam width: 5.0º horizontal, 25º vertical.

GMR 24 HD: 24'' diameter radome, 9.8'' high. Beam width: 3.6º horizontal, 25º vertical.

Order #	Mfg. #	Model	Power	Range	Sugg.Ret.
5025658	010-00572-02	18 HD	4kW	36nm	$1279.99
5025645	010-00572-03	24 HD	4kW	48nm	2133.99

GARMIN® GXM 51 XM SATELLITE RECEIVER/ANTENNA

Delivering U.S. graphical weather data directly to a compatible Garmin chartplotter, this sleek, watertight XM satellite receiver/antenna offers easy plug-and-play installation with NMEA 2000 network connectivity. Integrated all-in-one design means there is no remote "black box" to install. Can be powered directly through the NMEA 2000 bus, so no separate power connection is required. In addition to conventional pole or surface mounting, the unit can also be installed on the underside of many fiberglass decks, using the included under-deck mount. More than 20 different types of weather information (including NEXRAD, lightning, wave heights, water temps, wind data, and more) can be accessed from your chartplotter screen (depending on the XM WX package selected). Plus, with a subscription, you can even use the GXM 51 to enjoy over 170 channels of quality audio entertainment via XM Satellite Radio.

Order #	Mfg. #	Sugg.Ret.
5026169	010-00753-00	$699.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN®

GARMIN®
GA 30 PASSIVE MARINE GPS ANTENNA

External antenna. Robust, easy to mount, passive GPS antenna packaged in a low-profile waterproof housing. In addition to conventional pole or surface mounting, the antenna can also be attached to the underside of many fiberglass decks, using the under-deck mount. Direct replacement of the GA 29. Provides GPS information to the following compatible Garmin chartplotters & connects using a BNC connector: GPS 152, GPSMAP® 400 & 500 series. Includes: antenna, antenna cable (10m), pole mount, surface mount, under-deck mount, mounting hardware & installation instructions.

Order #	Mfg. #	Sugg.Ret.
5026171	010-00872-00	$69.99

GARMIN®
GHP 10 MARINE AUTOPILOT SYSTEM CORE PACK

Standard configuration includes: GHC 10 helm control display, Electronic Control Unit (ECU), Course Control Unit (CCU), Shadow Drive, CCU/ECU interconnect cable, Buzzer, ECU power cable, NMEA 2000 drop cable, NMEA 2000 T-connector.

Order #	Mfg. #	Sugg.Ret.
5025878	010-00705-00	$1999.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5002502	010-10117-02	Black Nylon Carry Case	$14.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN®
GPS ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
ANTENNA			
5022386	010-10052-05	GA 27C Low Profile Remote Automobile Antenna. Runs on a lower voltage so battery drain is minimized. Comes with two mounting options: a magnetic mount for the outside of you vehicle or boat, and a suction mount to hold the antenna in place against the inside of your windshield or window. With 8ft. of cable nad MCX conntector. Size: 2.75"Lx2"Wx0.75"H.	$28.99
BRACKET - MOUNTING			
5002163	010-10122-00	Bicycle mount kit - GPS-II	$28.99
5002166	010-10044-00	Flush mount kit - GPSMAP-205, GPSMAP-210, GPSMAP-220	45.99
5022575	010-10246-00	Flush mount kit - FishFinder 240	24.99
5024518	K00-00104-00	Flush mount kit - 2006C	11.99
5024205	010-10447-02	Flush mount kit - 178C Sounder	35.99
5024903	010-10447-04	Flush mount kit - 298C Sounder	24.99
5024532	010-10256-00	Swivel, 1'' RAM	39.99
5022383	010-10267-00	Handlebar mount bracket. Snap your device into a secure handlebar mount and it's ready to ride. Mount fits up to a 1" diameter bar and is perfect for your bike, motocycle or ATV. Include hardware and instructions. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® H, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® H, eTrex®, eTrex® H	20.99
CABLES			
5022657	010-10145-00	Power data - All sounders- 2006, 2010, 18 Pin	21.99
5025512	010-10918-00	Fishfinder/Sounder Power/Data Cable (Not for use w/Chartplotters)	24.99
5026276	010-10550-00	Marine Network Cable - 6 ft.	28.99
5022379	010-10203-00	Vehicle Power Cable. 12 volt adapter. Etrex H.	45.99
5022658	010-10208-00	Vehicle Power Cable. Use this power cable as another option for powering your fishfinder or GPS unit. Plugs into any standard cigarette lighter receptable. Also works with the PC interface cable.	26.99
CABLE CONNECTORS			
5026278	010-10603-00	Marine Network Cable Connector RJ45 - 2 pack	10.99
CARRY CASES			
5022382	010-10314-00	Save your device from some of the scuffs and scrapes it could pick up in the line of duty. Features clear vinyl lens and holes for operating buttons so you can usre your eTrex® and view the display. Includes velcro flap closure, belt clip and lanyard connection. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	10.99
CIGARETTE LIGHTER ADAPTER			
5002113	010-10084-00	GPS-38, GPS-40	45.99
5024201	010-10516-00	GPSMAP 276C	33.99
DASHBOARD - MOUNTING			
5025341	010-10750-00	For StreetPilot® models 7200 & 7500. Adhesive included.	22.99
FLUSH MOUNT KITS			
5024878	010-10447-01	Mount your Fishfinder 120 flush on your bulkhead or cabin wall. Simply press the side clips to release the unit so you can take it with you.	24.99
5025542	010-10447-03	Flush mount your compatible device into a flat panel. Includes hardware, installation instructions and a template. Compatible With: Fishfinder 400C, GPSMAP® 420/420S, GPSMAP® 421/421S, GPSMAP® 430/430S, GPSMAP® 431/431S, GPSMAP® 440/440S, GPSMAP® 441/441S.	24.99

continued next page

GARMIN®
GPS ACCESSORIES

continued from previous page

Order #	Mfg. #	Description	Sugg.Ret.
HOLSTER			
5022796	010-10309-00	Rugged holdter protects your device and keeps it securely at your side. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend® HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrext Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vists® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	25.99
MARINE SWIVEL MOUNT BRACKET			
5024608	010-10440-00	Mount, swivel and tilt your fishfinder or GPSMAP® device to get the best viewing angle. Compatible With: Fishfinder 80, Fishfinder 90, GPSMAP® 620, GPSMAP® 640	14.99
TRANSDUCERS			
5002509	010-10200-00	200kHz, 14º plastic, trolling motor w/ depth & temp. Used w/ FishFinder 160/240, & GPSMAP 185 Sounder	84.99
5024200	010-10435-00	200kHz, 20º, plastic, transom/trolling motor mount, depth, temp - FishFinder 80 or 120, 18 Pin	110.99
5002510	010-10249-00	200kHz, 14º plastic, transom w/ depth & temp.Used w/ FishFinder 160/240, GPS 125, & GPSMAP 185 sounder, 18 Pin	80.99
5022387	010-10183-02	200/50kHz, 15/45 bronze thru-hull, depth, temp, speed, 18 Pin	262.99
5022412	010-10192-01	200/50kHz, 14/45 plastic, transom, depth,temp, speed, 18 Pin	181.99
5024138	010-10272-00	200/50kHz, 15/45 plastic, transom, depth,temp, 18 Pin	129.99
5023098	010-10327-00	200/50kHz, 12/45, plastic, adjustable, in-hull mount transducer - GPS 188C, 18 Pin	199.99
TRANSDUCER ACCESSORIES			
5025311	010-10717-00	Temp. Probe for GSD 22	63.99
5023140	010-10715-00	10' extension cable for transducers	72.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® 300 SERIES

FEATURES: 320Vx240H diagonal display. DualBeam PLUS™ sonar. Coverage of 60ø or 20ø @10db. Operating frequency 83kHz -200kHz. Power output 2400 watts peak-to-peak, 300 watts RMS. 1000' depth capability. Target separation 2-1/2''. Temperature included in transducer. 10-20 VDC power input. Tilt & Swivel Quick Disconnect Mount System or in-dash. Transducer mounting: transom mount or inside hull.

HUMMINBIRD®
FISHFINDER 345c PT

320Vx240H, 3.5'' color LCD. Temp included. Speed capable. DualBeam 83 kHz/60º & 200 kHz/20º. 300 watts RMS. 2400 watts peak-to-peak. Soft sided case. Suction cup transducer replaces transom transducer. Integral tackle box storage. Gel-cell battery & charger included.

Order #	Mfg. #		Sugg.Ret.
5025967	407700-1		$329.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	$99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	79.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023001	710164-1	XP 9 20 - Puck Transducer	69.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99

new

HUMMINBIRD®
346c DI

320Vx240H, 256 color display. Down Imaging® and exclusive SwitchFire™ Sonar. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount.

Order #	Mfg. #		Sugg.Ret.
5027135	409020-1		$249.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5027167	780018-1	UC-4A - Hard Unit Cover	19.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD®
386ci DI COMBO

320Vx240H, 256 color, 3.5" display. Down Imaging® and exclusive SwitchFire™ Sonar. Internal GPS & built-in UniMap™. Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/29º @-10db; 455kHz/16º @-10db. Temp. GPS Speed. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount.

Order #	Mfg. #		Sugg.Ret.
5027137	409050-1		$399.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5027167	780018-1	UC-4A - Hard Unit Cover	19.99

new

HUMMINBIRD®
386ci COMBO

320Vx240H, 256 color, 3.5" display. Internal GPS & built-in UniMap™. Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp. GPS speed. Depth 1500'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount.

Order #	Mfg. #		Sugg.Ret.
5027136	409030-1		$299.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5027167	780018-1	UC-4A - Hard Unit Cover	19.99

new

HUMMINBIRD®
386ci COMBO PT

320Vx240H, 256 color, 3.5" display. Internal GPS & built-in UniMap™. Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp. GPS Speed. Depth 1500'. 4000 watts peak-to-peak, 500 watts RMS. Includes soft side portable case, battery, charger & suction cup transducer. Quick disconnect mount.

Order #	Mfg. #		Sugg.Ret.
5027138	409040-1		$449.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5027167	780018-1	UC-4A - Hard Unit Cover	19.99

HUMMINBIRD® 500 SERIES

FEATURES: Ultra high-contrast, high-definition displays. Sensitive technology allows tracking of jig to over 70' & separate targets within 2-1/2''. Sonar Echo Enhancement™. Accelerated Real Time Sonar operates at up to 40x per second. All models include temp & are speed capable. One-Touch 2x, 4x, 6x or 8x split-screen zoom instantly enhances bottom detail to distinguish fish from structure. X-Press™ menus. Fully adjustable backlight for night fishing. Design perfect for in-dash or Tilt & Swivel Quick Disconnect Mounting System.

HUMMINBIRD®
FISHFINDER 561

Features Dual Beam PLUS w/Switchfire™ Sonar that has selectable 20° & 60° beams. The wide beam spots fish over wider areas & the narrow beam provides better bottom definition. 5'' display (12-level grayscale). Pixel Matrix: 320Vx320H. Sonar Frequency: 200/83kHz. Sonar Coverage: 20°/60° @ -10db. Depth Capability: 800 ft. Power Output: 2000 Watts (Peak-to-Peak).

Order #	Mfg. #		Sugg.Ret.
5026864	408460-1		$149.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	79.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5025983	780010-1	UC 3 - Unit Cover	19.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD®
561 DI

320Vx320H, 12 level grayscale 5" display. Down Imagining® and exclusive SwitchFire™ Sonar. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount. Clamshell packaging.

Order #	Mfg. #		Sugg.Ret.
5027139	408980-1		$199.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

new

HUMMINBIRD®
571 HD DI

High Definition 640Vx320H, 16 level grayscale 5" display. Down Imagining® and exclusive SwitchFire™ Sonar. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Temp. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount.
408960-1: 571 HD DI - Clamshell packaging.
408970-1: 571 HD DI PT - Includes soft side portable case, battery, charger & suction cup transducer.

Order #	Mfg. #	Model	Sugg.Ret.
5027140	408960-1	571 HD DI	$249.99
5027141	408970-1	571 HD DI PT	299.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5022995	780007-1	UC-M - Unit Cover	19.99

new

HUMMINBIRD®
581i HD DI COMBO

High Definition 640Vx320H, 16 level grayscale 5" display. Down Imagining® and exclusive SwitchFire™ Sonar. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Internal precision GPS w/built-in UniMap™. Single SD card slot. Temp. GPS Speed. Depth 250' (DI), 600'. 2400 watts peak-to-peak, 300 watts RMS. Quick disconnect mount. Clamshell packaging.

Order #	Mfg. #		Sugg.Ret.
5027142	408990-1		$299.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5022995	780007-1	UC-M - Unit Cover	19.99

HUMMINBIRD®
586c HD

4.5'' diagonal 640Vx480H 256 color TFT display. Dual Beam sonar - 200kHz/20º@10db, 83kHz/60º@10db. 2400W peak-to-peak power. 300 watts (RMS). Depth capability: 1000'. Water temp. included, speed capable. X-Press™ menus that are easy to navigate. Automatic & manual range settings. Backlight for night fishing. Fully gasketed, waterproof design. Quick disconnect mount or optional in-dash.

Order #	Mfg. #		Sugg.Ret.
5026203	407890-1		$349.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	$99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD®
587ci HD COMBO

4.5'' diagonal 640Vx480H 256 color TFT display. Dual Beam sonar - 200kHz/20º@10db, 83kHz/60º@10db. 2400W peak-to-peak power. 300 watts (RMS). Depth capability: 1000'. Internal 50-channel GPS w/WAAS. Waypoints: 3000. Routes: 50. Tracks: 50/20,000 each. Built-in UniMap™. Lakemaster®, Navionics® Gold/HotMaps™ HotMaps™ Premium compatible. Single SD card slot for optional charts, screen shots & waypoints. Backlight for night fishing. Automatic & manual range settings. Selectable trolling grid & waypoint targets. GPS speed & water temperature included. Quick disconnect mount or optional in-dash.

Order #	Mfg. #		Sugg.Ret.
5026204	407900-1		$469.99

continued next page

HUMMINBIRD®
587ci HD COMBO

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	$99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

new

HUMMINBIRD®
587ci HD DI COMBO

4.5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx480H. 256 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® Unimap™. Down Imaging™ Single Beam Sonar w/SwitchFire™. Sonar Freq.: 455/800/200 kHz. Sonar Coverage: 20°, 55°, 86° @ -10db. Depth Capability: 250ft. DI & 1000ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes SD memory slot (card not included).

Order #	Mfg. #		Sugg.Ret.
5026794	408480-1		$449.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99

HUMMINBIRD®
596c HD

5'' diagonal 640Vx640H 256 color TFT display. Dual Beam sonar - 200kHz/20º@10db, 83kHz/60º@10db. 4000W peak-to-peak power. 800 watts (RMS). Depth capability: 1200'. Water temp. included, speed capable. X-Press™ menus that are easy to navigate. Automatic & manual range settings. Backlight for night fishing. Fully gasketed, waterproof design. Quick disconnect mount or optional in-dash.

Order #	Mfg. #		Sugg.Ret.
5026205	407910-1		$349.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	$99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD®
596c HD DI

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. Speed capable. Down Imaging™ Single Beam Sonar w/SwitchFire™. Sonar Freq.: 455/800/200 kHz. Sonar Coverage: 20°, 55°, 86° @ -10db. Depth Capability: 250ft. DI & 1000ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes SD memory slot (card not included).

Order #	Mfg. #		Sugg.Ret.
5026279	408110-1		$399.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026285	710225-1	In-Hull Transducer (Includes 20 ft. Cable & Hardware)	$159.99
5026284	710226-1	Transom Mount Transducer (Includes 20 ft. Cable & Hardware)	89.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD®
597ci HD COMBO

5'' diagonal 640Vx640H 256 color TFT display. Dual Beam sonar - 200kHz/20º@10db, 83kHz/60º@10db. 4000W peak-to-peak power. 800 watts (RMS). Depth capability: 1200'. Internal 50-channel GPS w/WAAS. Waypoints: 3000. Routes: 50. Tracks: 50/20,000 each. Built-in UniMap™. Lakemaster®, Navionics® Gold/HotMaps™ HotMaps™ Premium compatible. Single SD card slot for optional charts, screen shots & waypoints. Backlight for night fishing. Automatic & manual range settings. Selectable trolling grid & waypoint targets. GPS speed & water temperature included. Quick disconnect mount or optional in-dash.

Order #	Mfg. #		Sugg.Ret.
5026206	407920-1		$499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026223	740120-1	MBCC 700E Mounting System Cable Collector	$24.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD®
597ci HD DI COMBO

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® Unimap™. Down Imaging™ Single Beam Sonar w/SwitchFire™. Sonar Freq.: 455/800/200 kHz. Sonar Coverage: 20°, 55°, 86° @ -10db. Depth Capability: 250ft. DI & 1000ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes SD memory slot (card not included).

Order #	Mfg. #		Sugg.Ret.
5026280	408120-1		$599.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026285	710225-1	In-Hull Transducer (Includes 20 ft. Cable & Hardware)	$159.99
5026284	710226-1	Transom Mount Transducer (Includes 20 ft. Cable & Hardware)	89.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD®
598ci HD SI COMBO (SIDE IMAGING)

High Definition 640Vx640H, 256 color, 5" display. Side Imaging™/Down Imagining® and exclusive SwitchFire™ Sonar. Side Imaging™/Down Imaging® (180º total coverage): 455kHz/(2) 86º @-10db; 800kHz/(2) 55º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Internal precision GPS w/ built-in UniMap™. Single SD card slot. Temp. GPS Speed. Depth 100' (SI/DI), 1500'. 4000 watts peak-to-peak, 500 watts RMS. Quick disconnect mount.

Order #	Mfg. #		Sugg.Ret.
5027143	408950-1		$799.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD® 700 SERIES

FEATURES: Professional grade technology. Unmatched 640Vx640H pixel clarity of the 5'' diagonal screen provides unbelieveable color & contrast. See crystal clear images of everything under the water. Three "soft key" preset buttons make switching between favorite views a snap, & dual card slots provide top-notch flexibility on the water. Built-in UniMap™ makes you at home on any lake, river or coastline. Check weather changes that impact the bite w/WeatherSense® barometric pressure monitor, or look for fish & structures anywhere you can cast a line with Wireless Sonar Link. Use HumminbirdPC™ to keep internal software on cutting edge & save waypoints, routes, & track safely on your PC. Mount the 700 Series in-dash, or use the Tilt & Swivel Quick Disconnect Mounting System.

FEATURES IN COMBO UNITS: Includes UniMap™ of USA inland lakes, rivers & coastal areas. 50 channel GPS. Full-screen chart, sonar-chart split & 3D highway navigation screens. Precise trolling grids & waypoint targets. Tidal graphs & port services information with Navionics® Gold/HotMaps®. Save 3000 waypoints, 50 tracks with 20,000 points each & 50 routes.

HUMMINBIRD®
718

320Vx320H, high resolution, 5'' FSTN LCD 16-level grayscale display. DualBeam PLUS™ sonar - 200kHz/20º@10db, 83kHz/60º@10db. 2400W peak-to-peak power. 300 watts (RMS). Depth capability: 1000'. Water temp. included, speed capable. GPS ready, expandable, & upgradeable fishing system. Quick disconnect mount. Waypoints: 750. Tracks: 10 w/2,000 each.

Order #	Mfg. #		Sugg.Ret.
5025688	407380-1		$199.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	$79.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023001	710164-1	XP 9 20 - Puck Transducer	69.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5025983	780010-1	UC 3 - Unit Cover	19.99

HUMMINBIRD®
778c HD

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. Speed Capable. Sonar: DualBeam Plus™ w/SwitchFire™. Sonar Freq.: 200/83/455 kHz. Sonar Coverage: 20° & 60° @ -10db. Depth Capability: 1500ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026207	407930-1		$549.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

HUMMINBIRD®
788ci HD COMBO

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® ContourXD™. Sonar: DualBeam Plus™ w/SwitchFire™. Sonar Freq.: 200/83/455 kHz. Sonar Coverage: 20° & 60° @ -10db. Depth Capability: 1500ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes Dual SD memory slots (card not included), the capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026208	407950-1		$699.99
WITHOUT TRANSDUCER			
5026209	407950-1CHO		649.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
788ci HD DI COMBO

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® ContourXD™. Down Imaging™ Single Beam Sonar w/SwitchFire™. Sonar Freq.: 455/800/200 kHz. Sonar Coverage: 20°, 55°, 86° @ -10db. Depth Capability: 250ft. DI & 1000ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes Dual SD memory slots (card not included), the capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026281	408130-1		$799.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026285	710225-1	In-Hull Transducer (Includes 20 ft. Cable & Hardware)	159.99
5026284	710226-1	Transom Mount Transducer (Includes 20 ft. Cable & Hardware)	89.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

HUMMINBIRD®
798ci HD SI COMBO

5'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 640Vx640H. 256 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® ContourXD™. Sonar: Side Imaging®/Down Imaging™ & DualBeam PLUS™ Sonar w/ SwitchFire™. Sonar Freq.: 200/83/455 kHz. Sonar Coverage: 20°, 60°, 180° @ -10db. Depth Capability: 100ft. (SI/DI), 1500ft. Waterproof. Power Output (max.): 500 Watts (RMS) 4000 Watts peak-to-peak. 2-1/2" Target separation. Includes Dual SD memory slots (card not included), the capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026210	407970-1		$1049.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System Cable Collector	24.99
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

HUMMINBIRD® 800 SERIES

FEATURES: Full color 7'' display with 480Vx800H resolution. Video out port on back of control head. Ethernet port on back of control head for future expandability. Navionics® Platinum capability.

new

HUMMINBIRD®
858c HD COMBO

7" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. DualBeam PLUS™ w/ SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp./Speed. Depth 1500'. 4000 watts peak-to-peak, 500 watts RMS.

Order #	Mfg. #		Sugg.Ret.
5027144	409010-1		$849.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	$79.99
5025110	710199-1	XNT 9 QB 90 T - Trans. Mt. Transducer	119.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

new

HUMMINBIRD®
858c HD DI COMBO

7" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Temp./Speed. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS.

Order #	Mfg. #		Sugg.Ret.
5027145	409000-1		$949.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5024240	740082-1	MKH 2 - Mounting Knobs	16.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99

continued next page

HUMMINBIRD®
858c HD DI COMBO

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5025438	720057-1	PC 11 - 6' Power Cable	19.99
5026876	720076-1	AS DPS Y - Serial Port Splitter cable	34.99
5025336	720052-1	AS SYSLINK - System Link	39.99
5023107	700035-1	AS PC 2 - PC Connection Kit	29.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5025130	406820-1	AS INTERLINK - Interlink Network Con.	149.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5023106	405130-1	WeatherSense®	119.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

HUMMINBIRD® 900 SERIES™

FEATURES: Ultra widescreen fishing system packed with breakthrough technology. High-definition 480Vx800H sunlight readable color TFT ultra-wide display. Mark location of structure & fish anywhere on sonar screen when GPS is connected. Freeze Frame stops display for detailed inspection. Instant Image update instantly shows results of setting change on entire sonar graph history. MMC card reader for easy feature updates & capability expansion from www.humminbird.com. Programmable view presets access to favorite screens in one touch. Dual microprocessor design for high-performance operation. Rapid response water temperature & graph quickly shows changes in water temperatures features audible water temperature alarm. Fully adjustable split screen bottom zoom or bottom lock zoom separate fish from bottom & structure. Totally automatic or totally manual operation with upper/lower range control. Real Time sonar instantly displays what's under boat at up to 40x per second with 2-1/2'' target separation. Pro-grade, expandable & upgradeable system with optional add-on accessories.

GPS CHARTPLOTTING FEATURES IN COMBO UNITS: Includes 16 channel GPS+WAAS. Full-screen chart, sonar-chart split & 3D highway navigation screens. Precise trolling grids & waypoint targets. Tidal graphs & port services information with Navionics® Platinum. Save 3000 waypoints, 50 tracks with 20,000 points each & 50 routes. Memory card expansion slot for Digital Screen Snap Shot or optional cartography.

new

HUMMINBIRD®
898c HD SI COMBO (SIDE IMAGING)

7" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. HD Side Imaging®/Down Imaging® (180º total coverage): 455kHz/(2) 86º @-10db; 800kHz/(2)55º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp./Speed. Depth 150' (SI/DI), 1500' (3000'). 8000 watts peak-to-peak, 1000 watts RMS.

Order #	Mfg. #		Sugg.Ret.
5027146	408890-1		$1499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5025110	710199-1	XNT 9 QB 90 T - Transom Mt. Transducer (w/20' cable & hardware)	$119.99
5001298	740011-1	MHX HS - Transom Mt. Hardware	19.99
5025433	720055-1	AS SILR Y - Trans. Adapter Cable (SI)	29.99
5025434	720056-1	AS SIDB Y - Trans. Adapter Cable (DB)	39.99
5001179	720004-1	EC TS10 - Temp./Speed Ext. Cable (10')	49.99
5023111	720050-1	AS EC10 - 10' Adv. Accessory System Ext. Cable	34.99
5025435	720054-1	VC 1 - Video Output Cable	29.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5024240	740082-1	MKH 2 - Mounting Knobs	16.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5025438	720057-1	PC 11 - 6' Power Cable	19.99
5026876	720076-1	AS DPS Y - Serial Port Splitter cable	34.99
5025336	720052-1	AS SYSLINK - System Link	39.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5025130	406820-1	AS INTERLINK - Interlink Network Con.	149.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5023106	405130-1	WeatherSense®	119.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

new

HUMMINBIRD®
958c HD COMBO

8" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp./Speed. Depth 1500'. 8000 watts peak-to-peak, 1000 watts (deep water transducer required) RMS.

Order #	Mfg. #		Sugg.Ret.
5027147	408690-1		$1299.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	$79.99
5023001	710164-1	XP 9 20 - Puck. Transducer	69.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5024240	740082-1	MKH-2 - Mounting Knobs	16.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5025438	720057-1	PC 11 - Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5001179	720004-1	EC TS10 - Temp/Speed Ext. Cable (10')	49.99
5023111	720050-1	AS EC10 - Adv. Accessory System Ext. Cable	34.99
5026876	720076-1	AS DPS Y - Serial Port Splitter Cable	34.99
5025336	720052-1	AS SYSLINK - System Link	39.99
5025435	720054-1	VC 1 - Video Output Cable	29.99
5025130	406820-1	AS INTERLINK - InterLink Net. Conn.	149.99
5023106	405130-1	AS BP - WeatherSense®	119.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD®
958c HD DI COMBO

8" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features external precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. Down Imaging®: 455kHz/75º @-10db; 800kHz/45º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/28º @-10db; 455kHz/16º @-10db. Temp./Speed. Depth 250' (DI), 600'. 4000 watts peak-to-peak, 500 watts RMS.

Order #	Mfg. #		Sugg.Ret.
5027148	408710-1		$1299.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer	$89.99
5026285	710225-1	XIH 9 DI T - Puck Transducer	159.99
5027156	710243-1	XPTH 9 DI T - Plastic Thru-Hull Trans.	199.99
5025127	740093-1	MHX XNT - Trans. Trans. Mt. Hardware	19.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5024240	740082-1	MKH-2 - Mounting Knobs	16.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5025438	720057-1	PC 11 - Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5001179	720004-1	EC TS10 - Temp/Speed Ext. Cable (10')	49.99
5023111	720050-1	AS EC10 - Adv. Accessory System Ext. Cable	34.99
5026876	720076-1	AS DPS Y - Serial Port Splitter Cable	34.99
5025336	720052-1	AS SYSLINK - System Link	39.99
5025435	720054-1	VC 1 - Video Output Cable	29.99
5025130	406820-1	AS INTERLINK - InterLink Net. Conn.	149.99
5023106	405130-1	AS BP - WeatherSense®	119.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

new

HUMMINBIRD®
998c HD SI COMBO (SIDE IMAGING)

8" 480Vx800H, 16:9 aspect ratio, super bright LED color display. Features external precision GPS w/ContourXD™ cartography, plus optional i-Pilot® Link™ , AIS, NMEA 2000™ and radar. Take it to the next level by sharing sonar views, GPS capability, Radar and more with another Humminbird fishfinder via high-speed Ethernet connection. Dual SD Card slots. Upgradeable software. HD Side Imaging®/Down Imaging® (180º total coverage): 455kHz/(2) 86º @-10db; 800kHz/(2)55º @-10db. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @-10db; 83kHz/60º @-10db. Temp./Speed. Depth 150' (SI/DI), 1500'. 8000 watts peak-to-peak, 1000 watts RMS.

Order #	Mfg. #		Sugg.Ret.
5027149	408720-1		$1999.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5025110	710199-1	XNT 9 QB 90 T - Transom Mt. Transducer (w/20' cable & hardware)	$119.99
5001298	740011-1	MHX HS - Transom Mt. Hardware	19.99
5025433	720055-1	AS SILR Y - Trans. Adapter Cable (SI)	29.99
5025434	720056-1	AS SIDB Y - Trans. Adapter Cable (DB)	39.99
5001179	720004-1	EC TS10 - Temp./Speed Ext. Cable (10')	49.99
5023111	720050-1	AS EC10 - 10' Adv. Accessory System Ext. Cable	34.99
5025435	720054-1	VC 1 - Video Output Cable	29.99
5024239	740083-1	GM 2 - Gimbal Mount	29.99
5024240	740082-1	MKH 2 - Mounting Knobs	16.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5025438	720057-1	PC 11 - 6' Power Cable	19.99
5026876	720076-1	AS DPS Y - Serial Port Splitter cable	34.99
5025336	720052-1	AS SYSLINK - System Link	39.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
5026219	720073-2	AS EC 10E 10' Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20' Ethernet Cable	64.99
5025130	406820-1	AS INTERLINK - Interlink Network Con.	149.99
5027165	408920-1	AS GRP - Prec. GPS Antenna	149.99
5027166	408400-1	AS GPS HS - Prec. GPS Antenna & Integrated Heading Sensor	199.99
5023106	405130-1	WeatherSense®	119.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	39.99
5025436	780012-1	UC-5 - Hard Cover	24.99

HUMMINBIRD® 1100 SERIES™

Features a 10.4'' diagonal full-color display with pristine, 600Vx800H pixel clarity. It's like a big screen view of what's below ,and up to 240' to either side of the boat. 16 channel GPS and chartplotting capability. Built-in UniMap. Add any of the Humminbird® performance enhancing fishing modules for even more capability.

HUMMINBIRD®
1158c COMBO

10.4'' diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 600Vx800H. 4:3 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® ContourXD™. Sonar: DualBeam PLUS™ Sonar w/ SwitchFire™. Sonar Freq.: 50/83/200/455 kHz. Sonar Coverage: 20° & 60° @ -10db. Depth Capability: 1500ft. Waterproof. Power Output (max.): 1000 Watts (RMS) 8000 Watts peak-to-peak. 2-1/2" Target separation. Includes Dual SD memory slots (card not included), the capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026211	407980-1		$1999.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	$44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® 1158c DI COMBO

Features precision GPS w/ContourXD™ cartography, Down Imaging™ (DI) w/Dual Beam SwitchFire™ Sonar, enhanced waypoint management, ethernet networking, & NMEA 2000 compatibilty. 10.4" Diagnal color TFT display w/backlighting. Pixel Matrix: 600Vx800H. Temperature included. GPS Speed included. Waterproof. Sonar Frequency: DI - 455/800kHz; Dual Beam - 200/455kHz. Sonar Coverage: DI - 75°/45° @ -10db; Dual Beam - 25°/16° @ -10db. Target separation: 2.5". Depth Capability: 250 ft. DI & 3000 ft. Power Output: 1000 Watts (RMS); 8000 Watts (Peak-to-Peak). Current Draw: 1300 mA. Gimbal & in-dash mount hardware included.

Order #	Mfg. #		Sugg.Ret.
5026868	408260-1		$1999.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026285	710225-1	In-Hull Transducer (Includes 20 ft. Cable & Hardware)	159.99
5026284	710226-1	Transom Mount Transducer (Includes 20 ft. Cable & Hardware)	89.99
5026870	408390-1	AS ETH NMEA2K - NMEA2000 Black Box Ethernet Connection - Distributes system info via Ethernet to multiple Humminbird sonar models	199.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5025433	720055-1	AS SIDB Y Splitter Cable - Side Imaging & Dual Beam	29.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99

HUMMINBIRD® 1198c SI COMBO

10.4" diagonal Color TFT display. Backlit screen. Display Pixel Matrix: 600Vx800H. 4:3 Color. Quick disconnect mount. Temp included. GPS speed included. Built-in 50 Channel GPS Humminbird® ContourXD™. Sonar: Side Imaging®/Down Imaging™ & DualBeam PLUS™ Sonar w/SwitchFire™. Sonar Freq.: 50/83/200/455/800 kHz. Sonar Coverage: 20°, 60° & 180° @ -10db. Depth Capability: 150ft. SI, 1500ft. Waterproof. Power Output (max.): 1000 Watts (RMS) 8000 Watts peak-to-peak. 2-1/2" Target separation. Includes Dual SD memory slots (card not included), the capability of upgrading software & Ethernet ports for networking.

Order #	Mfg. #		Sugg.Ret.
5026212	407990-1		$2799.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	$44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99

HUMMINBIRD® PIRANHAMAX SERIES

FEATURES: Easy One-Touch™ control accesses full set of advanced features - Fish ID+, fish alarms, depth alarms, zoom and more. Water temp included. Ultra-compact size mounts almost anywhere. Built marine tough & waterproof. Made in the USA.

new

HUMMINBIRD® PIRANHAMAX™ 143

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 4" diagonal, 160Vx128H 4 level grayscale. Single beam 200kHz/20° @ 10db. 800W peak-to-peak. 100 watts RMS. Depth to 600'. Tilt mount.

Order #	Mfg. #		Sugg.Ret.
5027124	408940-1		$69.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	$79.99
5023001	710164-1	XP 9 20 - Puck. Transducer	69.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5025706	740106-1	MS PM - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2009-2012)	29.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5025707	740101-1	MKH 4 - Mounting Knobs	17.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

new

HUMMINBIRD® PIRANHAMAX™ 153

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 4" diagonal, 160Vx128H 4 level grayscale. Dual beam 200kHz/20° @ 10db, 83kHz/60° @ 10db. 800W peak-to-peak. 100 watts RMS. Depth to 600'. Tilt mount.

Order #	Mfg. #		Sugg.Ret.
5027125	408830-1		$79.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	$79.99
5023001	710164-1	XP 9 20 - Puck. Transducer	69.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5025706	740106-1	MS PM - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2009-2012)	29.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5025707	740101-1	MKH 4 - Mounting Knobs	17.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD®
PIRANHAMAX™ 165

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 4" diagonal, 240Vx160H 8 level grayscale. Single beam 200kHz/20º @ 10db. 800W peak-to-peak. 100 watts RMS. Depth to 800'. Tilt & swivel mount.

408620-1: PiranahaMAX™ 165

408630-1: PiranahaMAX™ 165 PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included

Order #	Mfg. #	Model	Sugg.Ret.
5027126	408620-1	PiranahaMAX™ 165	$89.99
5027127	408630-1	PiranahaMAX™ 165 PT	129.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027152	710236-1	XNT 9 28 T - Transom Mt. Transducer	$79.99
5027155	710246-1	XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1	XP 9 28 - Puck Transducer	69.99
5027154	710245-1	XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1	MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027161	740118-1	MS P2 - Gim. Mt. Hdwe. (2013 7 later)	24.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1	MKH 6 - Mounting Knobs	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

new

HUMMINBIRD®
PIRANHAMAX™ 175

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 4" diagonal, 240Vx160H 16 level grayscale. Dual beam 200kHz/28º @ 10db, 455kHz/16º @ 10db. 1600W peak-to-peak. 200 watts RMS. Temp. Depth to 600'. Tilt & swivel mount.

408640-1: PiranahaMAX™ 175

408650-1: PiranahaMAX™ 175 PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included.

Order #	Mfg. #	Model	Sugg.Ret.
5027128	408640-1	PiranahaMAX™ 175	$99.99
5027129	408650-1	PiranahaMAX™ 175 PT	139.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027152	710236-1	XNT 9 28 T - Transom Mt. Transducer	$79.99
5027155	710246-1	XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1	XP 9 28 - Puck Transducer	69.99
5027154	710245-1	XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1	MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027161	740118-1	MS P2 - Gim. Mt. Hdwe. (2013 7 later)	24.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1	MKH 6 - Mounting Knobs	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

new

HUMMINBIRD®
PIRANHAMAX™ 176i

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 4" diagonal, 240Vx160H 16 level grayscale. Dual beam 200kHz/28º @ 10db, 455kHz/16º @ 10db. 1600W peak-to-peak. 200 watts RMS. Temp. Depth to 600'. Internal GPS will let you mark your waypoints, see your track, view Course over Ground and get your GPS speed. Tilt & swivel mount.

408670-1: PiranahaMAX™ 176i

408680-1: PiranahaMAX™ 176i PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included.

Order #	Mfg. #	Model	Sugg.Ret.
5027130	408670-1	PiranahaMAX™ 176i	$129.99
5027131	408680-1	PiranahaMAX™ 176i PT	169.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027152	710236-1	XNT 9 28 T - Transom Mt. Transducer	$79.99
5027155	710246-1	XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1	XP 9 28 - Puck Transducer	69.99
5027154	710245-1	XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1	MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027161	740118-1	MS P2 - Gim. Mt. Hdwe. (2013 7 later)	24.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1	MKH 6 - Mounting Knobs	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

new

HUMMINBIRD®
PIRANHAMAX™ 195c

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 3.5" diagonal, 320Vx240H 256 color. Dual beam 200kHz/28º @ 10db, 455kHz/16º @ 10db. 1600W peak-to-peak. 200 watts RMS. Temp. Depth to 600'. Tilt & swivel mount.

Order #	Mfg. #		Sugg.Ret.
5027132	408700-1		$169.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027152	710236-1	XNT 9 28 T - Transom Mt. Transducer	$79.99
5027155	710246-1	XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1	XP 9 28 - Puck Transducer	69.99
5027154	710245-1	XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1	MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027161	740118-1	MS P2 - Gim. Mt. Hdwe. (2013 7 later)	24.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1	MKH 6 - Mounting Knobs	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

new

HUMMINBIRD® PIRANHAMAX™ 196i

Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simplier, with easy-to-use interface. 3.5" diagonal, 320Vx240H 256 color. Dual beam 200kHz/28º @ 10db, 455kHz/16º @ 10db. 1600W peak-to-peak. 200 watts RMS. Temp. Depth to 600'. Internal GPS will let you mark your waypoints, see your track, view Course over Ground and get your GPS speed. Tilt & swivel mount.

408730-1: PiranahaMAX™ 196i

408740-1: PiranahaMAX™ 196i PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included.

Order #	Mfg. #	Model	Sugg.Ret.
5027133	408730-1	PiranahaMAX™ 196i	$199.99
5027134	408740-1	PiranahaMAX™ 196i PT	239.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027152	710236-1	XNT 9 28 T - Transom Mt. Transducer	$79.99
5027155	710246-1	XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1	XP 9 28 - Puck Transducer	69.99
5027154	710245-1	XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1	MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027161	740118-1	MS P2 - Gim. Mt. Hdwe. (2013 7 later)	24.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1	MKH 6 - Mounting Knobs	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

HUMMINBIRD® PIRANHAMAX™ 230 PORTABLE

4-level grayscale on the 4'' diagonal, 160Vx132H monochrome FSTN LCD screen. DualBeam 200 kHz/20º, 83 kHz/60º. SmartCast wireless remote sonar sensor coverage 125 kHz/90º with a range of 100'. 100 watts RMS. 800 watts peak-to-peak. Temp included. Portable clamp mount. Suction cup transducer mount. Rugged hardshell carry case.

Order #	Mfg. #	Sugg.Ret.
5025982	406880-1	$199.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5025113	710214-1	XNT 9 20 - Transom Mt. Transducer	$69.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023001	710164-1	XP 9 20 - Puck Transducer	69.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	184.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5025706	740106-1	MS PM - Tilt & Swivel Mt. System	29.99
5025707	740101-1	MKH 4 - Mounting Knobs	17.99
5025708	780016-1	UC 7 - Unit Cover	19.99

HUMMINBIRD® ICE™ SERIES

Extreme-temperature LCD technology instantly finds and reports the lake bottom, setting the flasher scale automatically. Choose color palettes to see what's down there.

new

HUMMINBIRD® ICE 35

3-Color Flasher. 526 segment. 2X Dynamic Zoom magnifies your view of a specific depth range. Rotate the dial to change the area you're zooming into, while you're viewing it. Selectable dual frequency: 240kHz/19º @ 3db, 455kHz/9º @ 3db. Depth to 200'. 800 watts peak-to-peak. 100 watts RMS. 7Ah battery included.

Order #	Mfg. #	Sugg.Ret.
5027150	407020-1	$299.99

new

HUMMINBIRD® ICE 597ci HD COMBO

High Definition 5" display. 640Vx640H, 256 color. DualBeam PLUS™ w/SwitchFire™: 200kHz/20º @ 10db, 83kHz/60º @10 db. Internal precision GPS UniMap™. 2X Dynamic Zoom magnifies your view of a specific depth range. Rotate the dial to change the area you're zooming into, while you're viewing it. Target line. Depth: 1000'. Single SD card slot. Upgradeable software. Includes 12VDC battery & carry case. Quick disconnect mount.

Order #	Mfg. #	Sugg.Ret.
5027151	408930-1	$649.99

ICE-45 FLASHER

Patent-Pending backlit LCD display, 4 depth scales (20', 40', 80', 200') in manual mode, 7 depth scales in auto mode (20', 40', 60', 80', 100', 120', 200') are automatically adjusted on the LCD for a very clean, easy to read display. 3-color fiber-optic flasher display delivers excellent sunlight readability, 1800 watts peak-to-peak power, 10 step interference rejection, 4 backlit keypad control buttons. Dual beam transducer 455 kHz/ 9º, 240 kHz/ 19º. Battery voltage indicator on LCD. "Shuttle" mount with built-in gimbal bracket, soft sided carrying bag, 7AH battery with charger.

Order #	Mfg. #	Sugg.Ret.
5026445	407030-1	$399.99

ICE 345c

Brilliant 256 Color TFT 320V x 240H 3.5" display and advanced DualBeam sonar with 2400 Watts PTP power output, all in a soft-sided carry case. Gel Cell Battery and charger included (not included with Metric/International versions of this product). Sonar: DualBeam PLUS with Switchfire 200 kHz / 20° @ -10db 83 kHz / 60° @ -10db Depth: 1000 ft. Power Output: 300 Watts (RMS). 2400 Watts (Peak-to-Peak). Warranty: Two Year.

Order #	Mfg. #	Sugg.Ret.
5026470	407870-1	$329.99

ICE 385ci COMBO

Quick Disconnect. Display: 3.5", 320V x 240H, 256 Color. DualBeam PLUS™ with Switchfire™ 200kHz /20° @ -10db 83kHz / 60° @ -10db. Depth: 1000 ft, 2400 W (PTP), 300 W (RMS) 0 Channel GPS: Humminbird® Unimap™ Single SD Card Slot/Upgradeable Software. Battery 12 VDC / Carry Case. Black.

Order #	Mfg. #	Sugg.Ret.
5026471	407880-1	$449.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® SMARTCAST™

FEATURES: Fully waterproof Advanced Remote Sonar Sensor (RSS) typically lasts up to 500 hours of in-the-water usage. One-Touch™ menu navigation easily controls Fish ID, depth range, fish alarm, display contrast, chart speed & sensitivity. Lightweight & compact. Water surface temp provided by Advanced RSS. Wet Switch technology maximizes battery life by automatically shutting down when RSS is out of the water. Advanced RSS is user-programmable to allow angler to use sensor in either Channel A or Channel B mode. A/B Channel option allows use of two RSSs at the same time with reduced interference.

HUMMINBIRD® RF 15 SMARTCAST™

160Vx132H, 4-level Grayscale FSTN, 3-7/8'' backlit LCD. 90º sonar coverage. Depth capability: 120'. Wireless operating range: 100' 115 kHz. Display uses conventional, user-replaceable 8 AA batteries.

Order #	Mfg. #	Sugg.Ret.
5024226	406350-1	$149.99

HUMMINBIRD® RF 25 SMARTCAST™ ADVANCED ROD MOUNT

48Vx32H, easy-to-read STN, LCD. Pulse backlit display for night fishing. 90º sonar coverage. Depth capability: 100'. Wireless operating range: 150'. Full function watch with time, date & alarm function. 115 kHz. Accommodates rod sizes: .35'' to .50'' diameter. Display uses 2450CR replaceable battery.

Order #	Mfg. #	Sugg.Ret.
5024227	406250-1	$79.99

HUMMINBIRD® RF 35 SMARTCAST™ SONAR WATCH

48Vx32H, easy-to-read 1-1/4'' STN, LCD. Pulse backlit display for night fishing. 90º sonar coverage. Depth capability: 100'. Wireless operating range: 75'. 115 kHz. Fully waterproof RSS typically lasts 400 hrs. of in-the-water usage. Display uses 2450CR replaceable battery.

Order #	Mfg. #	Sugg.Ret.
5024228	406280-1	$79.99

HUMMINBIRD® SMARTCAST™ TRANSDUCER

Ultra-wide 90º sonar coverage. Typically lasts 500 hours of in-the-water usage. Water surface temperature sensor included. 120' remote operating range, 150' depth capability. Pulse-lit bobber for night fishing. Wet Switch™ technology maximizes battery life by automatically shutting down when RSS is out of water. Dual A/B Channel option allows use of two Remote Sonar Sensors in same area at same time with reduced interference. Waterproof design. Frequency: 125 kHz. Easy-to-see Chartreuse color.

Order #	Mfg. #	Sugg.Ret.
5024229	710182-1	$24.99

HUMMINBIRD® FISHIN' BUDDY® PORTABLE FISHFINDERS

For use on a boat, a dock or even a float tube. Ergonomic clamp mount design can be used nearly everywhere, with no riggng or wiring, or even a transducer to mount. One-Touch® control for access to all the advanced features, and even Selective Fish ID+®. Six AA batteries supply all the power you need for hours of enjoyment.

HUMMINBIRD® 140c & 120 FISHIN' BUDDY®

Sonar: Single beam down/side. 200kHz/34º @-10db, 455kHz/10º @-10db. Power output: 1000 watts peak-to-peak, 125 watts RMS. Depth: 240' down, 120' side. Temp. included.
140c Fishin' Buddy®: Display: 3-1/2'' diagonal, 320Vx240H, 256 Color TFT. Shaft length: 24''-40'' telescopic pole.
120 Fishin' Buddy®: Display: 4'' diagonal, 240Vx160H, FSTN LCD, 8 level grayscale. Shaft length: 24'' fixed pole.

Order #	Mfg. #	Model	Sugg.Ret.
5025408	407180-1	140c Fishin' Buddy	$269.99
5025406	407120-1	120 Fishin' Buddy	169.99

HUMMINBIRD® 110 FISHIN' BUDDY®

Display: 4'' diagonal, 160Vx128H, FSTN LCD, 4 level grayscale. Sonar: Single beam down 200kHz/34º @-10db. Shaft length: 24'' fixed pole. Power output: 1000 watts peak-to-peak, 125 watts RMS. Depth: 240' down. Temp. Included.

Order #	Mfg. #	Sugg.Ret.
5025405	407110-1	$119.99

HUMMINBIRD® FISHIN' BUDDY ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
5025409	740097-1	Replacement Handle	$16.99
5025410	780013-1	Carrying Case	49.99
5025411	740095-1	Mounting Bracket	49.99
5025412	740096-1	Float Tube Strap	39.99

new

HUMMINBIRD® AS 360SSI - 360 IMAGING

Provides a complete around-the-boat, underwater image with same sharp detail anglers have come to know with Side Imaging® technology. With a single sweep, 360 Imaging has the ability to cover a 300' diameter circle (70,685 sq. ft.). Ability to mark waypoints anywhere on the 360 Imaging screen. Audio alert is given when boat nears a waypoint within casting range. Capable of recording video & screen captures. 8 color palettes. 4 sonar speed settings. Specific area can be selected & zoomed in on. **NOTE:** This **DOES NOT** replace your standard transducer, it enhances your product. Must use standard transducer in order to have a digital depth reading. Also requires a mounting bracket (not included).

Order #	Mfg. #	Sugg.Ret.
5027015	408310-1	$1999.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® INTERLINK™ NETWORK CONNECTION

Share GPS position, waypoints, routes and your current track between two Humminbird® Fishing Systems in real time. Mark a waypoint at the console, and it's instantly available on the second unit. Daisy chain InterLink™ with other system modules and you'll have a network that lets you share digital data around the boat.

Order #	Mfg. #	Sugg.Ret.
5025130	406820-1	$149.99

HUMMINBIRD® WEATHERSENSE™ BAROMETRIC PRESSURE MONITOR

(AS BP) Simple plug & play operation. Full-screen access. Easy-to-understand barometer 12 hr. trend. Internal battery & smart monitoring system independently logs past 12 hours of information even if Matrix™ System is not plugged in. Tracks barometric pressure in real time, unit displays information on sonar screen.

Order #	Mfg. #	Sugg.Ret.
5023106	405130-1	$119.99

HUMMINBIRD® HDR 650 IN-DASH DIGITAL DEPTH GAUGE

Waterproof digital depthsounder. 1-1/4" Diagonal, backlit LCD display. Single beam sonar. Sonar coverage: 20° @ -10db. Sonar frequency: 200kHz. Depth capability: 700 feet. Interchangeable black & white face plate & bezel.

Order #	Mfg. #	Transducer	Sugg.Ret.
5026202	407860-1	Transom	$109.99

new

HUMMINBIRD® LAKEMASTER® ENHANCED LAKE CARTOGRAPHY PACKAGES

ProMap hi-definition lake cartography packages specifically for Humminbird® GPS fishfinders. Synchronize the depth contours & shorelines w/ actual water levels of lakes, reservoirs, & rivers. Select & highlight a particular depth range to easily target productive water & stay in the bite zone. Easy-to-see shading highlights shallow water areas on an adjustable range from 0-15 feet.

Order #	Mfg. #	Region	Sugg.Ret.
iPILOT® LINK™ COMPATIBLE			
FRESHWATER SERIES			
5027210	600021-1	Minnesota	$124.99
5027211	600009-1	Midsouth (TX/OK/AR/LA)	124.99
5027212	600023-1	Southeast (FL/GA/AL/MS/TN)	124.99
5027213	600017-1	Great Plains	124.99
5027214	600013-1	Dakotas/Nebraska	124.99
5027215	600015-1	Great Lakes (MN/IN/OH/KY)	124.99
5027216	600025-1	Wisconsin	124.99
5027217	600027-1	Woods/Rainy Lake	124.99
5027218	600011-1	CA/NV/AZ	124.99
COASTAL SERIES			
5027219	600019-1	Gulf Coast	124.99
5027220	600029-1	West Coat	124.99

new

PC NOT INCLUDED

HUMMINBIRD® LAKEMASTER® CONTOUR ELITE™

Bring trip planning into the information age. Unique software lets you access high-definition LakeMaster® lake data on your PC. Advanced features combine with a user-friendly interface to let you search by fish species, by key fishing structures, or design a custom search. 3D Viewer: high definition data in 3 dimensions. Rotate around a structure to see all the angles & features under the lake's surface. Search Results: Search for specific species based on season, weather, & water conditions. Results are highlighted in red & can be downloaded to your Humminbird® fishfinder.

Order #	Mfg. #	Region	Sugg.Ret.
iPILOT® LINK™ COMPATIBLE			
FRESHWATER SERIES			
5027221	600022-1	Minnesota	$149.99
5027222	600010-1	Mid South (TX/OK/AR/LA)	149.99
5027223	600024-1	Southeast (FL/GA/AL/MS/TN)	149.99
5027224	600018-1	Great Plains	149.99
5027225	600014-1	Dakotas/Nebraska	149.99
5027226	600016-1	Great Lakes	149.99
5027227	600026-1	Wisconsin	149.99
5027228	600028-1	Woods/Rainy Lake	149.99
5027229	600012-1	CA/NV/AZ	149.99
COASTAL SERIES			
5027230	600020-1	Gulf Coast	149.99
5027231	600030-1	West Coast	149.99



HUMMINBIRD® ENCLOSED RADAR

Rugged, enclosed radome easily connects to your Humminbird® Ethernet Network. Includes enclosed radar antenna, ethernet connection, 33' cable, & software upgrades specifically for compatible Humminbird® head units: **1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, & 858c DI**. Software upgrade syncs Humminbird® head unit to the radar & gives additional viewing options & functions. Radar View shows radar data on full screen of your control head. Chart/ Radar Combo View (GPS Required) shows chart info & radar on split-screen visual. Radar delivers accurate target detection at both long & short ranges. Features adjustable VRM & EBL functions for precise range & bearing information for any target. Shaded target intensity helps users judge weather severity & differentiate between large & small vessels. MARPA Not Supported. Water Resistance: IPX6.
RADAR SPECS (per model) - Ⓑ* AS 21RD4KW, Ⓐ* AS 12RD2KW:
Wind Force: 100 knots relative.
Preheat Times: 120 sec. Ⓑ*, 90 sec. Ⓐ*
Max. Pulse Length: 1.0 uSec/500/Hz Ⓑ*, 0.8 uSec/550/Hz Ⓐ*
Rotation: 24rpm Ⓑ*, 30rpm Ⓐ*.
Beamwidth Horizontal: 9410+/-30 MHz Ⓑ*, 9445+/-30 MHz Ⓐ*
Beamwidth Vertical: 25°.
Transmit Freq.: 24rpm Ⓑ*, 30rpm Ⓐ*
IF Center Freq.: 60 MHz
Sidelobes: better than -20dB
Noise Figure: 6.0dB or less Ⓑ*, 10dB or less Ⓐ*
Power Consumption: 45W or less Ⓑ*, 30W or less Ⓐ*
NOTE: 5-Port Ethernet Switch - AS ETH 5PS (optional - not included) is recommended for building an ultimate fishing system by linking multiple Humminbird® head units, sharing transducers, adding an NMEA 2000® network, & connecting your radar.

Order #	Mfg. #	Type	Peak Output	Sugg.Ret.
MODEL AS 12RD2KW				
5026930	408550-1	12" Radome	2kW	$1499.99
MODEL AS 21RD4KW				
5026931	408560-1	21" Radome	4kW	2199.99

STEP 1: Find your model group number.

GROUP	HUMMINBIRD MODELS
1	1158c, 1157c | 958c HD, 958c, 957c, 937c, 931c, 917c | 858c HD, 858c | 788ci HD, 788c, 787c², 778c HD, 778c, 777c², 768c, 767, 757c, 747c, 728, 727, 718, 717 | 597ci HD, 597ci, 596c HD, 596c, 595c, 587ci HD, 587ci, 586c HD, 586c, 585c, 581i, 580, 575, 570, 565, 561, 560, 550, 535, 525 | 386ci, 385ci, 383c, 365, 363, 345c, 343c, 325, 323 | 161c, | PiranhaMAX* 190c, 170, 160, 153, 150, 143, 230PT | HDR 650,** HDR 610**
2	967c 3D, 947c 3D | Matrix 47 3D
3	737 | Matrix 37, 35 | PiranhaMAX 180* OPTIONAL: 1198c SI, 1197c SI, 157c, 998c HD SI, 998c SI, 997c SI, 958c HD, 958c, 957c, 917c | 898c HD SI, 898c SI, 858c HD, 858c | 798ci HD SI, 798c SI, 788ci HD, 788c, 787c², 778c, 777c², 768, 767, 737, 727 | Matrix 97, 87c, 67
4	798ci SI HD, 798c SI, 797c² SI, 598ci HD SI Combo
5	1198c SI Combo, 1197c SI Combo | 998c HD SI Combo, 998c SI Combo, 997c SI Combo | 898c SI Combo, 898c HD SI Combo
6	1158c DI Combo | 958c HD DI Combo, 958c DI Combo 858c DI Combo, 858c HD DI Combo | 581i HD DI Combo, 571 HD DI, 561 DI
7	788ci HD DI Combo | 597ci HD DI Combo, 596c HD DI, 581i HD DI Combo, 571 HD DI, 570 DI, 561 DI | 386ci DI Combo, 385ci DI Combo, 346c DI, 345c DI
8	ICE 55, ICE 45, ICE 35
9	PiranhaMAX 176i, 195c, 175, 165

*Not speed capable. **Not speed and temp capable.

STEP 2: Select a transducer type available for your group number.

GROUP	Transom Transducer	Trolling Motor Transducer	Puck (Shoot Thru-Hull) Transducer	Portable Transducer	Bronze Thru-Hull Transducer
	Mount on the transom (back of the boat) Available on many models, the impact release feature pivots transducer out of the way if struck by an object.	Mount on most trolling motors. Low-profile shape reduces drag and hang-ups on weeds.	Mount to inside of most single-layer fiberglass hulls using slow-cure epoxy. (Cored fiberglass, metal or wood hulls not acceptable. Hull must be free of trapped air and voids.)	Mount on transom or side of most smooth-surface wood, aluminum or fiberglass boats. Heavy-duty suction cup holds transducer at trolling speeds only.	Ideal for large boats and boats with in-board motors. Not recommended for trailered boats. Professional installation recommended.
	20 ft cable and hardware included	15 ft cable and hardware included	15 ft cable and epoxy included	15 ft cable and hardware included	30 ft cable and hardware included
1	XNT-9-20-T XNT-9-20	XTM-9-20-T‡	XP-9-20 XP-9-20-T & XAP-9-20	XPT-9-20-T	XTH-9-20
2	SHS-7W	See Hardware Chart to the Right	–	–	–
3	XNT-9-QB-90-T XNT-9-QB-90	XTM-9-QB-90-T	–	–	XBTH-9-QB-90-T
4	XNT-9-SI-180-T	XTM-9-SI-180-T	–	–	–
5	XHS-9-HDSI-180-T	XTM-9-HDSI-180-T	–	–	–
6	XNT-9-DI-T	XTM-9-WIDE-DI-20-T	XIH-9-DI-T	–	–
7	XNT-9-DI-T	XTM-9-DI-25-T	XIH-9-DI-T	–	–
8	–	–	–	–	–
9	XNT-9-28-T	XTM-9-28-T	XP-9-28 XP-9-28-T	–	–

‡ XTM-9-20-T is also available as part of a Dual Beam Trolling Motor Station Kit (DBK2) – see Unit Mounts and Hardware chart on page 54.

Airmar® Saltwater Transducers

You now have the flexibility to link your Humminbird® fishfinder with an Airmar® saltwater transducer. These durable transducers are only available through your Humminbird dealer. You'll find six of the many transducers available listed to the right. Talk to your dealer or visit www.airmartechnology.com.

AIRMAR TECHNOLOGY CORPORATION

STEP 3: Select transducer mounting hardware.

SEE PAGE 53 FOR TRANSDUCER CABLES

Plastic Thru-Hull Transducer	Ice Transducer	Transom Transducer Mounting Hardware	Trolling Motor Transducer Mounting Adapters Kits	Portable Transducer Mounting Hardware	Ice Transducer Mounting Kit	Kayak Transducer Mounting Kit
Economic alternative to bronze transducer. Mounts on thinner hulls such as aluminum. Not recommended for trailered boats. Professional installation recommended.	This DualBeam transducer can be used as replacement or to convert any portable unit into an ice-ready fishfinder.	Mounting hardware for transom mount transducers. Kits include all mounting brackets, hardware and cable clamps required for installation.	Mounting hardware kit adapts our standard transom mount transducers for use on the trolling motor. Kits include all mounting brackets, hardware and wire ties required for installation.	For use with portable transducers. Includes all hardware and suction cup.	Transducer mounting hardware and float for XI 9 19 and XI 9 20 ice transducers.	Transducer mounting hardware for installation in a kayak. Kit includes surface preparation products in addition to a transducer cradle and adhesive products.
30 ft. cable and hardware included	8 ft. cable included					
XFM-9-20 XTH-9-20-P	XI-9-20	MHX XNT or MHX XNTF	AD XTM 9	MHX XNPT	MHX ICE *(Used with XI 9 20 Only)*	MHX XMK
–	–	MHX HS	AD STM 7	MHX PT	–	–
XPTH-9-QB-90-T	XI-9-20	MHX XNT or MHX XNTF	AD XTM 9	MHX XNPT	MHX ICE *(Used with XI 9 20 Only)*	–
XPTH-9-HDSI-180-T	–	MHX XNT or MHX XNTF	AD XTM 9	–	–	–
XPTH-9-HDSI-180-T	–	MHX HS	AD STM 7	–	–	–
–	–	MHX XNT or MHX XNTF	AD XTM 9	MHX XNPT	–	MHX XMK DI
XPTH 9 DI T	–	MHX XNT or MHX XNTF	AD XTM 9	MHX XNPT	–	MHX XMK DI
–	XI-9-19	–	–	–	MHX ICE *(Used with XI 9 19 Only)*	–
–	–	–	–	–	–	–

"T" designation indicates temperature included in transducer.

NOTE: Transducers will vary based on model. Transducers pictured are representative of type.

Airmar® P66
Plastic Transom-Mount TRIDUCER® Multisensor
600 W
50/200 kHz

Airmar® P319
Plastic Thru-Hull
600 W
50/200 kHz

Airmar® B117
Bronze Thru-Hull
600 W
50/200 kHz

Airmar® SS246W Pair
Stainless Steel Tilted Element™ Pair Thru-Hull Wide-Beam
1 kW HD Digital
50/200 kHz

Airmar® B60
Bronze Tilted Element™ Thru-Hull
600 W
50/200 kHz

Airmar® B260
Thru-Hull
1 kW HD Digital
50/200 kHz

Transducer Cables	Transducer Adaptor Cable AD 629	Transducer Adaptor Cable AD 926	Transducer Adaptor Cable AS SI LR Y	Transducer Adaptor Cable AS SI DB Y	Transducer Extension Cables EC W10 (10 ft) EC W30 (30 ft)
Description	Allows older model, previously installed transducers to connect to newer model Humminbird® units, greatly simplifying the installation process.	Enables many current transducers to function with older model fishfinders that no longer have replacement transducers available.	Splits Side Imaging® source signal into left and right output for two Side Imaging transducers. A second Side Imaging transducer will need to be purchased.	Continuously splits the Side Imaging® Signal and the Dual Beam Signal. This allows a separate Dual Beam transducer to be installed in another location without using a switch.	Add extra length to standard transducer cable. Available in two lengths, cable plugs into existing transducer and your fishfinder.
Application 1	Adapts transducer model XT-6-20 (N525, 2000X) to work with PiranhaMAX 15, 20, Fishfinder 565, Matrix 17, 27, 67, 77, 97, 87 for full DualBeam capabilities.	Older 2 pin transducer models XT-6-20 and XH5-6-24 can be replaced with new 7 pin XNT-9-20.	Use with 598c HD SI, 797c[2] SI, 798c HD SI, 798c SI, 898c HD SI, 898c SI, 997c SI, 998c HD SI, 1198c SI and 1197c SI Side Imaging transducers.	Use with 598c HD SI, 797c[2] SI, 798c HD SI, 798c SI, 898c HD SI, 898c SI, 997c SI, 998c HD SI, 1198c SI and 1197c SI Side Imaging transducers.	Use with 1100, 900, 800, 700, 500, 300 Series™, Matrix and PiranhaMAX Models.
Application 2	Adapts transducer model XT-6-DB-74 (Wide 2000, Legend 1000Deep, 2000Deep, 3000Deep) to work with 931cDF and 937cDF for full DualBeam capabilities.	Older 2 pin transducer models XT-6-DB-74 can be replaced with new 7 pin XT-9-DB-74-T.	—	—	—

Ethernet & Adaptor Cables	Ethernet Cable AS EC 2E (2 ft) AS EC 10E (10 ft) AS EC 15E (15 ft) AS EC 20E (20 ft) AS EC 30E (30 ft)	Ethernet Extension Cable AS ECX 30E (30 ft)	Ethernet Adaptor Cable AS EC QDE	Temperature Adaptor Cable AS T Y	Temperature & Speed Extension Cable EC TS10 (10 ft)	Advanced Accessory System Extension Cable AS EC 10 (10 ft)
Description	Quickly set up an Ethernet connection between two Humminbird® Ethernet capable units. Available in four lengths.	A 30' cable that allows you to extend the length of your Ethernet cables.	Allows Ethernet connection to Ethernet-ready 700 HD Series™ units.	Allows connection of Temperature Sensor (TG W) for use with all 700 HD Series™ units.	A 10' extension for the Speed Wheel (SW), Temperature/Speed Wheel (TS W) and Temperature Sensor (TG W).	A 10' cable that allows the connection of an Advanced Accessory System unit to a Fishing System product.
Models	1198c SI, 1197c SI, 998c HD SI, 998c SI, 958c HD, 958c, 958c HD DI, 958c DI, 898c HD SI, 898c SI, 858c HD, 858c, 858c HD DI, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	1198c SI, 1197c SI, 998c HD SI, 998c SI, 958c HD, 958c, 958c HD DI, 958c DI, 898c HD SI, 898c SI, 858c HD, 858c, 858c HD DI, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	Use with 1100, 900, 800, 700 and Matrix Series™ Models	Use with 1100, 900, 800, 700 and Matrix Series™ Models

Cables	Power Cable PC-10 PC-11	Serial Port Splitter Cable AS DPS Y	SystemLink AS SYSLINK	PC Connection Kits AS PC 2 AS PC 3	Handheld GPS Connection Kit AS HHGPS	Video Output Cable VC 1
Description	Features plug on one end and soldered bare leads on opposite. Comes in standard 6' length, but can be extended with 18awg multi-strand wire. Connect power to a fuse panel, or through inline fuse holder (not included) if hooked directly to the battery.	Add two serial accessories, such as an AIS transceiver and a supported third-party GPS. Simply connect this Y cable to the secondary serial port tower on the back of your Humminbird® unit.	Connects (2) units to (1) GPS receiver. Does not share waypoints, routes or tracks.	Upgrade software on models not equipped with an SD card reader. Also store waypoints, routes and other navigational data on your PC. AS PC 2 includes: PC serial port cable, power cable and instructions. AS PC 3 includes: USB cable, power cable and instructions. Both require PC serial port, 8-AA Batteries and HumminbirdPC™ Software.	Kit includes: NMEA connection cable, Y cable and detailed instructions. This connection kit requires the handheld GPS manufacturers NMEA data cable to complete the connection to your handheld GPS.	Cable is approximately 6' long with two standard male RCA connectors on the output side and one connector that is standard to the 1100 and 800 Series™ and select 900 Series™ products for hook up.
Models	PC-10 – Series: 900, 800, 700, 500, 300, Matrix & PiranhaMAX PC-11 – 1198c SI, 1197c SI, 1158c DI, 1158c, 998c HD SI, 998c SI, 997c SI, 958c HD, 958c, 958c HD DI, 958c DI, 898c HD SI, 898c SI, 858c HD DI, 858c DI, 798ci HD SI, 788ci HD DI, 538ci HD SI, 597ci HD DI, 596c HD DI, 581 HD DI, 571 HD DI, 561 DI	1198, 1158, 998c HD SI, 998, 958c HD, 958c HD DI, 958, 898c HD SI, 898, 858c HD, 858c HD DI, 858	Series: 1100, 900, 800, 700, Matrix	Series: 700, 500, 300 & Matrix	Use with 1100, 900, 800, 700 and Matrix Series™ Models	1198c SI, 1197c SI, 1158c, 1158c DI, 1157c, 998c HD SI, 998c SI, 958c HD, 958c, 958c HD DI, 958c DI, 898c HD SI, 898c SI, 858c HD, 858c, 858c HD DI, 858c DI

Switches & Sensors	Fishfinder Switch US3	Transducer Switch TS3	Speed Sensor SW*	Speed/Temp. Sensor TS-W*	Paddle Wheel Repair Kit 540158-1	Temperature Sensor TG-W*
Description	Connect two fishfinders to one transducer. Ideal for diverting output from one transducer to a bow station or a second helm.	Connect two transducers to one fishfinder. Ideal for switching between the standard transducer and accessory transducer such as WideSide®.	Provides digital readings of speed through water. Activates the tripleg feature that shows time, distance and average speed. Readings are from 2 to 70 mph. 20 ft cable and hardware included.	Combines two of the most popular accessory inputs into one compact transom mount unit. Monitors temperature from 25°F to 99°F and speed from 2 to 70 mph. 20 ft cable and hardware included.	Repair Kit for TS W and SW. Includes wheel and axle clip.	Accurately monitor temperature of water surface or live well. 20 ft cable and hardware included.
Models	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax 3D Models: 967c 3D, 947c 3D, Matrix 47 3D	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax 3D Models: 967c 3D, 947c 3D, Matrix 47 3D	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax 3D Models: 967c 3D, 947c 3D, Matrix 47 3D	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax 3D Models: 967c 3D, 947c 3D, Matrix 47 3D

May require purchase of adaptor cable for use with SW, TS W or TG-W.

Ethernet Modules	5-Port Ethernet Switch **AS ETH 5PXG**	NMEA 2000 **AS ETH NMEA2K**	21" Radar **AS 21RD4KW**	12" Radar **AS 12RD2KW**	360 Imaging™ Transducer Deployment System **408310-1**
Description	Easily create a network using Ethernet-capable Humminbird® fishfinders. • Allows five Ethernet items to connect • Waterproof • Simple plug-n-play	Get an at-a-glance view of fuel consumption, engine performance and other vessel data. • Waterproof black box, connects via Ethernet • Connects to established NMEA 2000® network • Intuitive user interface features data boxes and pre-programmed instrument views	This rugged, 21-inch enclosed radome easily connects to your Humminbird® Ethernet Network. • 4 kW transmit power • 9410 ± 30MHz trasmit frequency • 4° horizontal beamwidth; 25° vertical beamwidth • 24 rpm rotation • Better than -20dB sidelobes	Make this dependable, 12-inch enclosed radome part of your Humminbird® Ethernet Network. • 2 kW transmit power • 9445 ± 30MHz trasmit frequency • 7° horizontal beamwidth; 25° vertical beamwidth • 30 rpm rotation • Better than -20dB sidelobes	Add the revolutionary detail of 360 Imaging to your boat with the Trawnsducer Deployment System. • Unique transducer pod quietly drops below your boat's hull and prop. • Works with Humminbird models listed below. **Optional Mounting Brackets** For mounting to your boat's jackplate or between outboard and transom, use Universal Modular Adapter Bracket. For more details and how to buy, visit **minnkotamotors.com**
Models	1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	1198c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI	1198c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI	1198c SI, 998c SI, 898c SI, 798ci HD

Advanced Accessory System Modules	InterLink™ Network Connection **AS INTERLINK**	WeatherSense® **AS-BP**	Precision GPS Antenna **AS GRP**	Precision GPS Antenna **AS GPS HS**
Description	With InterLink™, you can share information between two Humminbird® fishfinders in real time. InterLink can help you create a network using non-Ethernet-capable units or system modules.	Adapt your tactics to changing weather that impacts fish behavior, with WeatherSense.® • Provides increasing or decreasing pressure trends on a full-screen view or as a readout on your sonar display • An internal battery and smart monitoring system log the last 12 hours of data • You always start fishing with up-to-the-minute barometric pressure trends	Add unparalleled GPS to your GPS-ready fishfinder. • AS GRP provides fast and precise position fixes accurate within 2.5 meters, even in lower signal areas. • Provides more accurate position fixes than the industry standard GPS.	See compass information and your boat's orientation while moving or sitting still with this integrated heading sensor and GPS antenna. (Standard with 360 Imaging™) • Provides accurate Course Over Ground (COG) reading and position fixes within 2.5 meters, even in lower signal areas. • When used with 360 Imaging, provides the ability to mark accurate waypoints anywhere on the screen.
Models	Series: 1100, 900, 800 & 700	Series: 1100, 900, 800 & 700	Series: 1100, 900, 800 & 700	Series: 1100, 900, 800 & 700

Unit Mounts & Hardware	Mount Systems	In-Dash Mounting Kit	RAM® Windshield	RAM® ATV	Dual Beam Trolling Motor Station Kit	Mounting Knobs	Cable Management Hardware
Description	Use for a second mounting location on your boat or as a great replacement for a worn original.	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	Easily attach your fishfinder to your truck windshield for navigation purposes using this Quick Disconnect mount.	Navigate to the perfect fishing hole with this quick disconnect mount that easily attaches to your ATV handlebar.	This kit includes trolling motor transducer XTM-9-20-T, quick disconnect mounting system and a power cable.	Used for gimbal bracket units.	Replacement hardware for managing your power, transducer and other accessory cables through the mounting system.
1100 Series™	GM-3	IDMK-1100	–	–	–	MKH 3	MBCC 1100
900 & 800 Series™	GM-2	IDMK-900	–	–	–	MKH-2	MBCC 900
700 & 500 Series	MS-M	IDMK-700	RM Auto	RM ICE/ATV	DBK2	–	MBCC M
700 HD Series	MS-700E	IDMK-700E	RM Auto	RM ICE/ATV	–	–	MBCC 700E
All Matrix (except 97)	MS-M	–	–	–	–	–	MBCC M
Matrix 97	GM-1	–	–	–	–	–	–
300 Series	MS-M	IDMK-300	RM Auto	RM ICE/ATV	DBK2	–	MBCC M
PiranhaMAX (196ci, 195ci, 176i, 175, 165)	MS PM2 MS P2	IDMK P2	–	–	–	MKH 6	–
Piranha & PiranhaMAX (153, 143 and legacy)	MS-PS MS-PM	IDMK-PM	–	–	–	MKH 4	–
ICE 35, 45, 55	–	–	RM Auto	RM ICE/ATV	–	MKH 2	–
110, 120, 130 and 140c Fishin Buddy	BMB-1	–	–	–	–	MKH 4	–

Features and specifications subject to change without notice

Covers, Cases & Other Accessories	Mount Cover	Unit Cover	Carrying Cases	Portable Case Conversion Kit	Float Tube Strap	Trolling Motor Choke	AGM Battery	AGM Battery Kit
Description	Quick disconnect mounting system cover helps protect the connectors from rain and dirt accumulation when your Humminbird® is not installed.	Cover protects your Humminbird® for storage. Hard plastic or neoprene covers depending on model.	Protect your ICE™ Series flasher or Fishin' Buddy® with one of these rugged cases featuring plenty of space for the unit, mount and other accessories.	Portable conversion kits provide a rugged protective case with internal battery compartment and all the hardware needed to convert your Humminbird® for portabe use.	Allows mounting of a Fishin' Buddy® on a float tube. Strap length is 36-inches.	Connects through your trolling motor to reduce noise created by maximizers that help you optimize power and reduce heat.	12 volt, 7 amp hour AGM battery for use with PTC U or PTC U NB.	12 volt, 7 amp hour AGM battery and wall charger for use with PTC U or PTC U NB.
1100 Series™	–	UC-6 (hard cover)	–	–	–	TMC 1	–	–
900 & 800 Series*	–	UC-5 (hard cover)	–	–	–	TMC 1	–	–
700 & 500 Series	MC-W	UC-3 (hard cover)	–	PTC U or PTC U NB	–	TMC 1	GCB	GCBK
700 HD Series	MC-W	UC-3 (hard cover)	–	PTC U or PTC U NB	–	TMC 1	GCB	GCBK
All Matrix (except 97)	MC-W	UC-M (neoprene)	–	PTC U or PTC U NB	–	TMC 1	GCB	GCBK
Matrix 97	–	–	–	–	–	TMC 1	–	–
300 Series	MC-W	UC-4A (hard cover)	CC ICE	PTC U or PTC U NB	–	TMC 1	GCB	GCBK
Piranha & PiranhaMAX	–	UC 7 (neoprene)	–	PTC P, PTC U or PTC U NB	–	TMC 1	GCB	GCBK
ICE 35, 45, 55	–	–	CC ICE	PTC U or PTC U NB	–	–	GCB	GCBK
110, 120, 130 and 140c Fishin Buddy	–	UC 7 (neoprene)	BCC 1	–	BFT 1	–	–	–

* Only for units with MMC/SD Card Readers

Features and specifications subject to change without notice

HUMMINBIRD ACCESSORY CHART CROSS REFERENCE

Order #	Mfg. #	Model
In Dash Depth Finder Series		
5026202	407860-1	HDR 650
Transducers		
Transom Mount Transducers		
5001115	710002-1	SHS 7W
5001167	710043-1	XT WS
5025110	710199-1	XNT 9 QB 90 T
5025111	710212-1	XNT 9 QB 90
5025112	710198-1	XNT 9 20 T
5025113	710214-1	XNT 9 20
5026873	710187-1	XHS 9 SI 160 T
5025115	710201-1	XHS 9 HDSI 180 T
5025116	710200-1	XNT 9 SI 180 T
5026284	710226-1	XNT 9 DI T
In-Hull Transducers		
5025117	710202-1	XP 9 QB 90 T
5023001	710164-1	XP 9 20
5023005	710147-1	XP 9 20 T
5026285	710225-1	XIH 9 DI T
Angled Puck Transducers		
5026872	710165-1	XAP 9 20
Trolling Motor Transducer		
5022742	710160-1	XTM 9 20 T
5001077	710011-1	XTM WS
5025118	710203-1	XTM 9 QB 90 T
5025119	710205-1	XTM 9 HDSI 180 T
5025120	710204-1	XTM 9 SI 180 T
5026877	710234-1	XTM 9 DI 25 T
5026878	710235-1	XTM 9 WIDE DI 20 T
Portable Transducer		
	710161-1	XPT 9 20 T
5026880	710208-1	XPT 9 QB 90 T
Bronze Thru Hull Transducers		
5026881	710005-1	STH 7W
5025121	710207-1	XBTH 9 QB 90 T
5023003	710166-1	XTH 9 20
5024691	710191-1	XTH 9 DB 35 KW T
Bronze Thru Hull 3 in 1 Transducers		
5025122	710206-1	XTD 9 QB 90
Plastic Thru Hull Transducers		
5025123	710209-1	XPTH 9 QB 90 T
5025355	710167-1	XTH 9 20 P
5026882	710181-1	XFM 9 20
5025124	710210-1	XPTH 9 HDSI 180 T
Stick-On Transducer		
5025163	710196-1	XSO 9 20 T
Ice Transducers		
5026883	710211-1	XI 9 20
5026884	710215-1	XI 9 19
Trolling Motor Filter for Side Imaging		
5025704	790050-1	TMC 1
Second Station Tranducer Station		
5026885	700039-1	DBK2
Transducer Mounting Hardware		
Trolling Motor Adapters		
5001211	740006-3	AD STM 7
5025126	740087-1	AD XTM 9
Transom Mounting Hardware		
5001298	740011-1	MHX HS
5025127	740093-1	MHX XNT
5025128	740091-1	MHX XNTF
Kayak Transducer Mounting Kit		
5025703	740103-1	MHX XMK
5026932	740125-1	MHX XMK DI
Portable Mounting Hardware		
5027157	740011-2	MHX PT
5026886	740090-1	MHX XNPT
Unit Mounting Systems		
Quick Disconnect Mounts		
5022996	740077-1	MS M
5027158	740119-1	MS 700E
In-Dash Mount		
5025705	740110-1	IDMK PM
5024023	740080-1	IDMK M
5025132	740084-1	IDMK700
5026224	740121-1	IDMK700E
5025133	740086-1	IDMK300
5025432	740094-1	IDMK900
5025431	740098-1	IDMK 1100
Gimbal Mount & Unit Mounting Knobs		
5025706	740106-1	MS PM
5024239	740083-1	GM 2
5024240	740082-1	MKH 2
	740065-1	GM 1
	740075-1	MKH L
5025429	740099-1	GM 3
5025430	740100-1	MKH 3
5025707	740101-1	MKH 4
RAM Mount		
5026216	740116-1	RM-ATV
5026217	740117-1	RM-Auto
Sensors		
Speed/Temp Sensors		
	730001-1	TS WFM
5001081	730000-1	TS W
Temperature Sensor		
5001080	730010-1	TG W
Speed Sensors		
5024241	730021-1	SW
Cables		
Transducer Extension Cables		
5001079	720003-1	EC W10
5001180	720003-2	EC W30
Temp/Speed Extension Cable		
5001179	720004-1	EC TS10
Power Cables		
5001023	720002-1	PC 10
5025438	720057-1	PC 11
Transducer Adapter Cables		
	760017-1	AD 629
5025129	760020-1	AD 926
5025433	720055-1	AS SIDB Y
5025434	720056-1	AS SILR Y
Video Cable		
5025435	720054-1	VC 1
Ethernet Cables		
5026218	720073-1	AS EC 2E
5026219	720073-2	AS EC 10E
5026874	720073-5	AS EC 15E
5026220	720073-3	AS EC 20E
5026221	720073-4	AS EC 30E
5026222	720074-1	AS EC QDE
	760025-1	AS ECX 30E
Switches		
Transducer Switch		
5026213	720069-1	TS3
Fishfinder Switch		
5026214	720070-1	US3
Advanced Fishing System Modules & Cables		
5025130	406820-1	AS INTERLINK
5023106	405130-1	AS BP
5025985	407480-1	AS GR50
5023107	700035-1	AS PC2
5026871	700051-1	AS PC3
5023108	700030-1	AS HHGPS
5023109	720051-1	AS YC
5023111	720050-1	AS EC10
	700037-1	AS CR
5025336	720052-1	AS SYSLINK
5026215	720071-1	AS SW Y
5026876	720076-1	AS DPS Y
5026875	720075-1	AS T Y
5026870	408390-1	AS ETH NMEA2K
5026869	408200-1	AS ETH 5PS
5027164	408450-1	AS ETH 5PXG
5026930	408550-1	AS 12RD2KW
5026931	408560-1	AS 21RD4KW
Humminbird Fishfinder Accessories		
Unit Covers		
5022995	780007-1	UC M
5025983	780010-1	UC 3
	780018-1	UC 4A
5025436	780012-1	UC5
5025437	780014-1	UC6
5025708	780016-1	UC7
Portable Configurations		
	405480-1	PTC P
	740072-1	MS PPM
	406900-1	PTC U
	406900-1NB	
PTC UNB		
	770027-1	GCB
	770028-1	GCBK
Fishin' Buddy Accessories		
5025409	740097-1	BRH 1
5025410	780013-1	BCC 1
5025411	740095-1	BMB 1
5025412	740096-1	BFT 1
Options		
	740036-1	MC W
	740078-1	MBCC M
5026223	740120-1	MBCC 700E
5026887	740129-1	MBCC 900
5026888	740130-1	MBCC 1100
Humminbird Flasher Accessories		
5026889	760021-1	AD ICE 1
	780015-1	CC ICE
5026890	740105-1	MHX ICE

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
TRANSDUCERS & ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
TRANSOM MOUNT TRANSDUCERS			
5001115	710002-1	SHS-7W Six Beam, 53º, 455kHz, 3D Sonar	$129.99
5025111	710212-1	XNT-9-QB-90 Single/Dual Beam, 20º/60º, 200/83kHz, Temp.	109.99
5025116	710200-1	XNT-9-SI-180-T Compact Side Imaging, Dual Beam PLUS, 20º/60º/180º, 200/83/455kHz	199.99
5001298	740011-1	MHX HS - Transom Mt. Hardware	19.99
5026284	710226-1	XNT 9 DI T Single/Down Imaging, 200kHz+455/800kHz, Temp	89.99
5025113	710214-1	XNT 9 20 - Transom Mt. Transducer. Single/Dual Beam, 20/60 Degree, 200/83 kHz, 20' cable. More secure, especially at high force of waves. Improved running angle and optional lock down screw to override the kick up	69.99
5025115	710201-1	XHS 9 HDSI 180 T - Transom Mt. Transducer. Dual/HD Side Imaging Transom, 20/60/86/55 Degree, 200/83/455/800 kHz with built in temperature. 20' cable.	269.99
IN-HULL MOUNT TRANSDUCERS			
5026285	710225-1	XIH 9 DI T Dual/Down Imaging, 16º,25º,45º,75º/455,200,800,455kHz, Temp.	159.99
PLASTIC THRU-HULL TRANSDUCERS			
5026882	710181-1	XFM 9 20 - Dual Beam, 20/60 Degree, 200/83kHz, Flush Mount Bottom: 3.0” diameter Depth: 0.200”, Shaft: 2.0” diameter	119.99
5025124	710210-1	XPTH 9 HDSI 180 T - Dual hi-Def Side Imaging, 20/60/86/55-degree, 200/83/455/800 kHz w/built-in temp. 30 ft. cable. Dimensions: 5.95”Lx3”W. Shaft: 1.0” diameter. Fairing block included. For use with: 1197c SI Combo, 1198c SI Combo, 998c SI, 997c SI Combo, 898c SI Combo, 797c2 SI Combo, 798c SI Combo	249.99
5025123	710209-1	XPTH 9 QB 90 T - Plastic Thru-Hull Transducer. Quadra Beam, 20/60/90 Degree, 200/83/455 kHz with built in temperature. 30' cable. Transducer Dimensions: 3.9"Lx2.5"Wx1.2"D. Shaft diameter: 1.0". Fail block included.	124.99
5025124	710210-1	XPTH 9 HDSI 180 T - Plastic Thru-Hull Transducer. Dual/HD Side Imaging, 20/60/86/55 Degree, 200/83/455/800 kHz with built in temperature. 30' cable. Transducer dimensions: 5.95"Lx3"W. Shaft diameter: 1.0". Fairing block included.	249.99
BRONZE THRU-HULL TRANSDUCERS			
5025121	710207-1	XBTH 9 QB 90 T	299.99
TROLLING MOTOR TRANSDUCER			
5025120	710204-1	XTM 9 SI 180 T - Troll. Mtr. Trans.	199.99
5026877	710234-1	XTM 9 DI 25 T - Down Imaging, Dual Beam, 200/455	149.99
5026878	710235-1	XTM 9 WIDE DI 20 T - Down Imaging, Dual Beam, 200/455	149.99
5025118	710203-1	XTM 9 QB 90 T - Trolling Motor Mount Transducer. Quadra Bean transducer, 200/83/455 kHz. 20/60/90/ degrees with built-in temperature. 15' cable. Includes a hose clamp for securing to the trolling motor.	119.99
5025119	710205-1	XTM 9 HDSI 180 T - Trolling Mtr. Transducer. Dual/HD Side Imaging Transom 20/60/180 Degree, 200/83/455/800 kHz with built in temperature. 15' cable.	269.99
TRANSDUCER - ICE			
5026883	710211-1	XI 9 20 - Single/Dual Beam, 20/60 Degree, 200/83kHz	94.99
5026884	710215-1	XI 9 19 - Transducer - 9 or 19 Degree, 240/455kHz	94.99
OPTIONAL WIDE SIDE			
5001077	710011-1	XTM-WS Trolling Motor - All Wide 2D Units	94.99
PUCK TRANSDUCERS			
5023005	710147-1	XP-9-20-T Single/Dual Beam, 20º/60º, 200/83kHz, Temp Pigtail	74.99
ANGLED PUCK TRANSDUCERS			
5026872	710165-1	XAP 9 20 - Single/Dual Beam, 20/60 Degree, 200/83kHz Compatible Units: All PMAX (except 240); All 100 & 300 Series; Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97, 515, 525, 535, 550, 560, 565, 570, 580, 581, 585, 586, 587, 595, 596, 597; All 700, 800, 900 & 1100 Series (except 3D models)	69.99
ADAPTERS			
5001211	740006-3	AD STM7 Trolling Motor - DIM 3	24.99
5025126	740087-1	AD-XTM-9 Trolling Motor	24.99
5026870	408390-1	AS ETH NMEA2K - NMEA2000 Black Box Ethernet Connection - Distributes system info via Ethernet to multiple Humminbird sonar models	199.99
CABLES-ETHERNET			
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026874	720073-5	AS EC 15E 15ft. Ethernet Cable	59.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99
CABLES-ADAPTER			
5025129	760020-1	AD-926 Converts 7 Pin on Transducer to 2 Pin on Unit	29.99

continued next page

continued from previous

HUMMINBIRD®
TRANSDUCERS & ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
CABLES-ADAPTER			
5025433	720055-1	AS SIDB Y Splitter Cable - Side Imaging & Dual Beam	29.99
5025434	720056-1	AS SILR Y Splitter cable - Side Imaging into Left & Right Beams	39.99
5026875	720075-1	AS T Y 1 - Y-Cable to enable temperature on 700 Series Ethernet models	29.99
5026876	720076-1	AS DPS Y - Y-Cable allows Linux 1100 Series units to have Dual Serial Ports from one available serial port tower on back of unit.	34.99
5026889	760021-1	AD ICE 1 - 12V Cigarette Lighter Adapter Cable. Compatible Units: ICE 35 , 45, & 55.	19.99
CABLES-EXTENSION - TRANSDUCER			
5001179	720004-1	EC TS10 10' Cable For Temp/Speed All Wide Units	49.99
5023111	720050-1	AS EC10 10' Accessory System Extension Cable	34.99
5026222	720074-1	AS EC QDE Adds extra length to standard transducer cable (Compatible with ALL ethernet capable models)	29.99
5025433	720055-1	AS SIDB Y Splitter Cable - Side Imaging & Dual Beam. Allows you to use two transducers on one unit without the use of a transducer switch. For use with Side Imaging products only, in conjunction with a dual beam transducer only. For improved high speed performance for bottom tracking,	29.99
CABLES-VIDEO			
5025435	720054-1	VC 1 Video Cable - 1100 Series	29.99
CABLES-POWER			
5025438	720057-1	PC 11 - 6' Power Cable	19.99
CONNECTION KITS			
5023107	700035-1	AS PC2 PC Connection Cable	29.99
5026871	700051-1	AS PC3 - USB cable, Power Cable & Instructions Included	59.99
5023108	700030-1	AS HHGPS Fishing System Bare Wire GPS/NMEA Connection Cable	34.99
5025336	720052-1 EACH	SystemLink- Connects (2) Units to (1) GPS Receiver	39.99
FILTER			
5025704	790050-1	TMC 1 For Trolling Motor - For use w/Side Imaging Units (Choke Filter)	64.99
HARDWARE			
5026887	740129-1	MBCC 900 - Cable Management Hardware - Replacement hardware for managing your power, transducer & other accessory cables through the mounting system. For 900 & 800 Series.	24.99
5026888	740130-1	MBCC 1100 - Cable Management Hardware - Replacement hardware for managing your power, transducer & other accessory cables through the mounting system. For 1100 Series.	24.99
5025703	740103-1	MHX XMK - Allows Flush Mounting in Bottom of Kayak	49.99
5026932	740125-1	MHX XMK-DI - Down Image Transducer Mount Kit for Canoe/Kayak Designed for use w/the XNT 9 DI T transducer	49.99
5025128	740091-1	MHX-XNTF - Transom Mount Hardware	19.99
5027157	74011-2	MHX PT - Portable Transducer Mounting Hardware. For models: 967C 3D, 947c 3D, Matrix 47 3D	24.99
MOUNTING KITS			
5025431	740098-1	IDMK 1100 - In-Dash Mount Kit	39.99
5026224	740121-1	IDMK700E 700 Series In-Dash Mounting Kit - Ethernet Models	39.99
5026885	700039-1	DBK2 - 2nd Station Kit includes: XTM 9 20 T (Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp) MS M (Quick Disconnect Mounting System) PC 10 (Power Cable) Compatible Units: All 300 (inclufding ICE), 500, & 700 Series (except HD Series)	104.99
5026886	740090-1	MHX XNPT - Mounting Hardware for Portable XNT Transducer Compatible Units: XNT 9 20, XTN 9 20 T, XNT 9 QB 90 T, XNT 9 QB 90, XNT 9 SI 180 T	50.99
5026890	740105-1	MHX ICE - Mounting Hardware for Transducer & Unit. Compatible Units: ICE 35 , 45, & 55.	34.99
MOUNTING KNOBS & LOCKS			
5025430	740100-1	MKH 3 Mounting Knobs for 1100 Series	24.99
MOUNTS - GIMBAL			
5025429	740099-1	GM 3 - Gimbal Mount	59.99
NMEA2000 ADAPTERS			
5026870	408390-1	AS ETH NMEA2K - NMEA2000 Black Box Ethernet Connection - Distributes system info via Ethernet to multiple Humminbird sonar models	199.99
QUICK DISCONNECT MOUNTING SYSTEMS			
5027158	740119-1-1	MS-700E - 700 Series Ethernet models. Use for a second mounting location on your boat or as a great replacement for a worn original	34.99
5022996	74077-1	MS M - Quick Disconnect Mounting System. Tilts and swivels.	
SWITCH - ETHERNET			
5027164	408450-1	AS ETH 5XP - 5-Port Ehternet Switch. For Models: 1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	269.99
SWITCH - TRANSDUCER			
5026213	720069-1	TS3-W Connects 2 transducers to 1 fishfinder (Compatible Series: 1100, 900, 800, 700, 500, 300Matrix, PiranhaMax)	89.99
SWITCH - FISHFINDER			
5026214	720070-1	US3-W Connects 2 fishfinders to 1 transducer (Compatible Series: 1100, 900, 800, 700, 500, 300Matrix, PiranhaMax)	89.99
UNIT COVERS			
5025437	780014-1	UC 6 - Unit Cover	34.99

LOWRANCE
Seize the Day

LOWRANCENET™ NMEA 2000 NETWORKING SYSTEM

ABOUT NMEA 2000® : World standard in marine electronics data protocol, established by the National Marine Electronics Association, for networking multiple instruments on a boat. Compatible device (sensor, sonar, GPS, multi-function gauge) regardless of brand, will share & display user-selectable data w/any or all other display instruments installed in NMEA 2000® network LowranceNet™ offers: owners of small to large boats a series of affordable & easy-to-install intelligent sensors (Electronic Probes-EPs) to monitor an array of vital engine & boating functions.

LOWRANCE® LOWRANCENET™

Backbone cable is the data communications ''pipeline'' that runs the length of the boat, & capped at each end w/120 Ohm Terminator. Available in a variety of lengths up to 25', the backbone is interspersed w/T-Connectors for linking to (and data sharing between) all sensors & display devices. LowranceNet™ Power Cable connects to boat's 12-V supply to power devices like the EP-35 Temp Sensor, EP-10 Fuel Flow Sensor, LGC-2--- GPS Module, as well as display devices like a Lowrance® Multi-Function Gauge.

Order #	Mfg. #	Model	Description	Sugg.Ret.
POWER CABLE				
5025217	119-75	NK2-PWR-RD	For use w/Red NMEA network	$49.99
NMEA NETWORK ADAPTER CABLE				
5025221	127-05	NAC-FRD2FBL	Adapts male Red connector to male Blue connector	39.99
ENGINE INTERFACE CABLE - RED NETWORK				
5025193	120-62	EVINRUDE	Between an Evinrude engine and NMEA network to display engine data.	79.99
5025194	120-37	YAMAHA	Between a Yamaha engine and NMEA network to display engine data.	79.99
EXTENSION CABLE				
5025215	119-83	N2KEXT-25RD	25' cable for use w/LGC-3000 and Red NMEA network	69.99
5025214	119-86	N2KEXT-15RD	15' cable for use wLGC-2000 and Red NMEA network	49.99
5026267	000-00127-53	N2KEXT-6RD	6' NMEA 2000® cable for network extension or connection to additional network device	39.99
5025216	119-88	N2KEXT-2RD	2' cable for use w/LGC-3000 and Red NMEA network	26.99
5025534	127-29	ETHEXT-15YL	15' Ethernet extension cable	49.99
5025535	127-30	ETHEXT-24YL	24' Ethernet extension cable	69.99
5025537	127-37	ETHEXT-50YL	50' Ethernet extension cable	99.99
OHM TERMINATING RESISTOR ACCESSORIES				
5026266	000-00127-52	TR-120-KIT	Set of 1 Male & 1 Female 120 ohm NMEA 2000 Terminators	19.99
FUEL PROBES				
5025205	120-39	EP-60R Fuel Flow	Flow probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	199.99
5025206	120-41	EP-65R Fuel Level	Level probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	199.99
SPEED PROBES				
5025207	120-49	EP-70R Speed Sensor	Speed sensor electronic probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
TEMPERATURE SENSOR ELECTRONIC PROBES				
5025208	120-51	EP-80R Temp. Sensor	Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
5025209	120-53	EP-80R TH Temp. Sen.	Thru-hull. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
WATER PRESSURE SENSOR				
5026257	000-00120-29	EP-90R (NMEA 2000)	Water Pressure Sensor w/10ft. Cable. Includes N2K-T-RD (119-79).	99.99
T-CONNECTOR				
5025218	119-79	N2K-T-RD	T-connector. For use w/Red NMEA network	19.99
NMEA STARTER KIT				
5025915	124-69		Network starter kit. Includes (2) terminating resistors (TR-120M-RD, TR-120F-RD), (2) T-connectors (N2K-T-RD0, (1) 2' extension cable (N2KEXT-2RD), (1) 15' extension cable (N2KEXT-15RD) & a power node (N2K-PWR-RD). For use with all Red network devices.	69.99

LOWRANCE® LMF-200 MULTIFUNCTION IN-DASH GAUGE

Provides precision & versatility in real-time delivery of vessel & engine data. User custom screens of up to 4 different data readings in analog graphics or alpha/numeric. 13 customizable screen types, up to 16 page views in static, manual & timer screen rotation. Displays imperial or metric fuel economy readings using EP-60R Fuel Flow Sensor & speed sensor: EP70R Speed, EP90R Pressure or speed over ground from GPS. 1.4'' 65x65 pixel Film SuperTwist 4-level grayscale display, superb viewing in direct sunlight. Advanced white LED screen backlighting. Sealed & waterproof to IPX-7. Fits standard 2-1/8'' diameter hole.

Order #	Mfg. #	Sugg.Ret.
5026837	000-0049-551	$169.99

LOWRANCE
Seize the Day

new

LOWRANCE® STRUCTURESCAN® HD SONAR IMAGING

For HDS® Gen2 and HDS® multifunction displays. Improved transducer design & module enhancements. Delivers the widest sonar imaging range to reveal targets at farther distances than ever before, with extended side-to-side coverage of 600 ft./183 m. Delivers the highest level of definition. In depths to 50 ft./15 m, it sees twice as far as before with the greatest imaging resolution possible of structure, fish, thermoclines & more. With HDS® Gen2 multifunction displays, anglers & boaters can easily overlay StructureScan® HD images on traditional charting for real-time views of all underwater structure and their precise location on the map. Plus, you can create and save StructureMap™ charts of scanned areas for a complete & detailed underwater view all around the boat. Networkable with up to 3 HDS multifunction displays or high-speed ethernet sensors. Rugged, low-drag Skimmer® imaging transducer with kick-up bracket for transom mounting, or direct flush-mount to transom step bottom or under the engine jackplate.

Order #	Mfg. #	Model	Sugg.Ret.
5027007	000-10800-001	LSS-2 System	$599.99
5027008	000-10801-001	LSS-2 Module Only	529.99
5027009	000-10802-001	LSS-2 Transducer Only	299.99
5027208	000-11029-001	LSS-2 Plastic Thru Hull Trans.	499.99
ACCESSORIES			
5026067	99-006	10' 9-Pin Transducer Extension Cable	69.99
5027209	000-11040-001	Adapter Used to Adapt the LSS-1 transducer to a LSS-2 Ready Unit	99.99

LOWRANCE® HDS GEN2 TOUCH

Powerful touchscreen w/redesigned menus & 5 push-button controls simplify operation without sacrificing features. Dedicated StructureScan HD signals for left-, right- and down-looking images, plus award-winning Broadband Sounder. Real-time StructureMap™ capability allows you to overlay StructureScan™ Sonar Imaging data onto your favorite chart for a life-like underwater view w/greater perspective of your boat's position to nearby structure. Overlay DownScan Imaging™ onto your BroadBand Sounder view for the ultimate fish-and structure-finding display. A super-accurate, internal GPS receiver comes standard on all HDS Gen2 Touch models, plus built-in Insight USA™ high-definition mapping w/contour shading. 3D perspective view is also available w/both Insight USA maps & optional Navionics charts, plus a dual-view option allows you to simultaneously use 2 maps at once. Create high-definition contours, bottom hardness, & more from personalized sonar log recordings on a powerful, Lowrance web-based map creation tool. Standard on all HDS® Gen2 Touch models, network & share data across all HDS displays for the ultimate flexibility & cost-savings. NMEA 2000®, NMEA 0183 and Ethernet-compatible with up to two Ethernet ports. Compatible with Broadband 4G™ and 3G™ Radar, LWX-1 SIRIUS® satellite radio and weather receiver, LGC-4000 external GPS antenna, SonicHub™ marine audio server, AIS collision-avoidance system, engine interface cables, plus video camera inputs on 9" & 12" models. Up to 2 waterproof SD card slots to load Insight™ HD, Navionics® map options, Fishing HotSpots PRO®, backup waypoints, routes, trails & settings, and create personalized Insight Genesis™ maps and StructureMap™ from recorded sonar log recordings. GoFree WiFi-1 module compatible via Ethernet, when combined with a GoFree Wireless app provides remote viewing and control of HDS Gen2 Touch on the iPhone, iPad & Android devices. Supported by Lowrance Advantage Service program and 2-year warranty.

new

LOWRANCE® HDS-7 GEN2 TOUCH FISHFINDER/CHARTPLOTTER

High definition 7" widescreen color display w/touchscreen functionality for fast & easy operation. Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing. Single Ethernet port & full size SD card slot.
•**000-10761-001:** HDS-7M Gen2 Touch w/Insight USA™
•**000-10764-001:** HDS-7 Gen2 Touch w/Insight USA™, no transducer
•**000-10765-001:** HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz
•**000-10766-001:** HDS-7 Gen2 Touch w/Insight USA™ 50/200 kHz
•**000-10778-001:** HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz & SS transducer

Order #	Mfg. #/Model	Sugg.Ret.
5027179	000-10764-001	$1579.99
5027180	000-10765-001	1599.99
5027181	000-10766-001	1699.99
5027189	000-10778-001	1799.99
CHARTPLOTTER ONLY		
5027178	000-10761-001	1299.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	29.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	62.99
5024096	106-73	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	69.99
5024096	106-74	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	59.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	121.99
5023159	106-89	Trolling Motor Mt. 20º Pod-Type w/Remote Temp. Sensor to fit Blue units	69.99

new

LOWRANCE® HDS-9 GEN2 TOUCH FISHFINDER/CHARTPLOTTER

High definition 9" widescreen color display w/touchscreen functionality for fast & easy operation. Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing. Dual Ethernet ports & full size SD card slots, and video-camera input.
•**000-10767-001:** HDS-9M Gen2 Touch w/Insight USA™
•**000-10770-001:** HDS-9 Gen2 Touch w/Insight USA™, no transducer
•**000-10771-001:** HDS-9 Gen2 Touch w/Insight USA™ 83/200 kHz
•**000-10772-001:** HDS-9 Gen2 Touch w/Insight USA™ 50/200 kHz

Order #	Mfg. #/Model	Sugg.Ret.
5027183	000-10770-001	$2479.99
5027184	000-10771-001	2499.99
5027185	000-10772-001	2569.99
CHARTPLOTTER ONLY		
5027182	000-10767-001	2099.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027205	000-11020-001	Gimbal Bracket (HDS9 Touch)	39.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	62.99
5024096	106-73	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	69.99
5024096	106-74	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	59.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	121.99
5023159	106-89	Trolling Motor Mt. 20º Pod-Type w/Remote Temp. Sensor to fit Blue units	69.99

LOWRANCE
Seize the Day

new

LOWRANCE® HDS-12 GEN2 TOUCH FISHFINDER/CHARTPLOTTER

Lowrance's largest, high definition 12" widescreen color display w/ touchscreen functionality for fast & easy operation. Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing. Built-in, exclusive Insight USA™ mapping, Broadband Sounder & StructureScan HD Sounder. Dual Ethernet ports & full size SD card slots, and video-camera input.

•**000-10775-001:** HDS-12 Gen2 Touch w/Insight USA™, no transducer
•**000-10776-001:** HDS-12 Gen2 Touch w/Insight USA™ 83/200 kHz
•**000-10777-001:** HDS-12 Gen2 Touch w/Insight USA™ 50/200 kHz

Order #	Mfg. #/Model	Sugg.Ret.
5027186	000-10775-001	$3279.99
5027187	000-10776-001	3299.99
5027188	000-10777-001	3369.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027206	000-11021-001	Gimbal Bracket (HDS12 Touch)	49.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	62.99
5024096	106-73	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	69.99
5024096	106-74	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	59.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	121.99
5023159	106-89	Trolling Motor Mt. 20º Pod-Type w/Remote Temp. Sensor to fit Blue units	69.99

LOWRANCE® HDS GEN 2

Fastest HDS® ever. Lightning-fast chart updates. Real-time StructureMap™ capability for overlaying StructureScan™ Sonar Imaging data and maps to create a more life-like underwater view (requires separate purchase of StructureScan™ Sonar Imaging Module). Award-winning Broadband Sounder™ – Standard on all HDS® fishfinder models. Mark & display everything underwater at higher speeds and at greater depths to 3,000 ft. Super-accurate, internal GPS antenna – standard on all HDS® chartplotter models. Reliable position accuracy in navigation with high-sensitivity GPS receiver with WAAS corrections. Insight USA™ High-Definition Mapping – standard on most HDS® chartplotter models. Dynamic contour relief shading produces a life-like presentation of underwater topography. Advanced Memory – up to two waterproof SD card slots to load Nautic Insight™ HD or Navionics® map options. You can also record and save vital sonar & navigation data, and upload future HDS software feature updates.

The StructureMap™ tool allows anglers to view & create detailed underwater images of their favorite fishing areas. Overlay StructureScan™ sonar images on top of traditional charts to provide a unique view into underwater structure & its location on the map. Use StructureMap™ in live mode or scan an area to create a detailed map for on or off the water viewing. Compatible w/Lowrance® Enhanced Basemap, pre-loaded Insight cartography & Insight HD, plus Navionics® & other third party mapping options. StructureScan™ Sonar Imaging required to create chart-overlay images. Full chart capabilities - Scroll-back on sonar or chart screen & mark waypoints w/out losing valuable sonar information.

LOWRANCE® HDS-5 GEN 2 FISHFINDER/GPS CHARTPLOTTER

Brilliant 5" SolarMAX™ PLUS display for excellent viewing in bright sunlight. Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing. Built-in, exclusive Lake Insight™ or Nautic Insight™ mapping model choices. StructureScan™ Sonar Imaging required to generate StructureMap™ images.

•**000-10515-001:** HDS-5 Gen 2 83/200 kHz with Lake Insight™ coverage for continental US inland waters.
•**000-10519-001:** HDS-5 Gen 2 50/200kHz transducer, Nautic Insight™ coverage for all coastal Nauticpath USA content, including new contour data for the western seaboard & northern Bahamas.
•**000-10520-001:** HDS-5m Gen 2 GPS **CHARTPLOTTER ONLY**
•**000-10868-001:** HDS-5 Gen 2 Lake Insight™ 83/200 kHz w/LSS-2 System

Order #	Mfg. #/Model	Sugg.Ret.
5026935	000-10515-001	$649.99
5026939	000-10519-001	749.99
5027010	000-10868-001	1149.00
CHARTPLOTTER ONLY		
5026940	000-10520-001	549.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026841	000-0124-61	Protective Cover	25.99
5025917	124-57	Gimbal Bracket	18.99
5001237	51-83	Gimbal Bracket Swivel Adapter	19.99
5025916	124-65	Flush Mounting Kit	15.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

LOWRANCE® HDS-5x GEN 2 FISHFINDER

Big color definition in a space-saving size, with an exclusive high-resolution 5'' color SolarMAX™ PLUS display with adjustable screen and keypad backlighting. Plug-and-play compatible with Lowrance® Ethernet and NMEA 2000® networks. Expandable for picture-like viewing with optional StructureScan™ Sonar Imaging.

•**000-10526-001:** HDS-5x Gen 2 w/83/200 kHz transducer.
•**000-10527-001:** HDS-5x Gen 2 w/o transducer.

Order #	Mfg. #/Model	Sugg.Ret.
5026942	000-10526-001	$549.99
5026943	000-10527-001	499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026841	000-0124-61	Protective Cover	25.99
5025917	124-57	Gimbal Bracket	18.99
5001237	51-83	Gimbal Bracket Swivel Adapter	19.99
5025916	124-65	Flush Mounting Kit	15.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99

continued next page

LOWRANCE®
HDS-5x GEN 2 FISHFINDER

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

LOWRANCE®
HDS-7 GEN 2 FISHFINDER/GPS CHARTPLOTTER

Brilliant SolarMAX™ PLUS display for excellent viewing in bright sunlight. Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing. Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices.

•**000-10531-001:** HDS-7 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10530-001:** HDS-7 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10529-001:** HDS-7, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10869-001:** HDS-7 Gen 2 Insight™ USA 83/200 kHz w/LSS-2 System

Order #	Mfg. #/Model	Sugg.Ret.
5026947	000-10531-001	$979.99
5026946	000-10530-001	999.99
5026945	000-10529-001	1069.99
5027011	000-10869-001	1499.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026842	000-0124-62	Protective Cover	25.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
5026843	000-0124-63	Protective Cover	29.99
5025916	124-65	Flush Mounting Kit	15.99
5026084	124-58	Gimbal Bracket	23.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95*	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

LOWRANCE®
HDS-8 GEN 2 FISHFINDER/CHARTPLOTTER

High-definition 8.4'' super VGA color viewing. Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight and wider-angle viewing. Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing. Programmable and soft keys controls. Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices.

•**000-10538-001:** HDS-8 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10537-001:** HDS-8 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10536-001:** HDS-8 Gen 2, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10870-001:** HDS-8 Gen 2 Insight™ USA w/LSS-2 System

Order #	Mfg. #/Model	Sugg.Ret.
5026952	000-10538-001	$1679.99
5026951	000-10537-001	1699.99
5026950	000-10536-001	1769.99
5027012	000-10870-001	2199.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026843	000-0124-63	Protective Cover	29.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
5025916	124-65	Flush Mounting Kit	15.99
5026083	124-59	Gimbal Bracket	29.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95*	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

LOWRANCE®
HDS-10 GEN 2 FISHFINDER/ CHARTPLOTTER

High-definition 10.4'' super VGA color viewing. Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight and wider-angle viewing. Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing. Programmable and soft keys controls. Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices.

•**000-10543-001:** HDS-10 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10542-001:** HDS-10 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10541-001:** HDS-10 Gen 2, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps.

•**000-10871-001:** HDS-10 Gen 2 Insight™ USA w/LSS-2 System

Order #	Mfg. #/Model	Sugg.Ret.
5026955	000-10543-001	$2279.99
5026954	000-10542-001	2299.99
5026953	000-10541-001	2369.99
5027013	000-10871-001	2799.99

continued next page

LOWRANCE®
HDS-10 GEN 2 FISHFINDER/CHARTPLOTTER

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026844	000-0124-64	Protective Cover	29.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
5025916	124-65	Flush Mounting Kit	15.99
5026082	124-60	Gimbal Bracket	28.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95*	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20º Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

*Multifunctional Display Not Included

LOWRANCE®
sonichub™ MARINE AUDIO SERVER

High-quality marine audio hub & fully waterproof docking station w/full iPod, iPhone & MP3 compatibility, all controlled from compatible Lowrance® HDS® or Simrad multifunction displays. Fully intergrate w/HDS® multifunction displays by the use of NMEA 2000® or LowranceNET. Control onboard music components from the steering position or elsewhere on the boat. Features: 4-Channel x 50 watt speaker amplifier & AM/FM stereo tuner; Line-out to subwoofer for added bass; Excellent sound quality; 1-Pair of 6.5" marine-grade, low magnetic speakers w/200W output; Numerous audio source inputs including Apple products along w/other MP3 sources via USB port & flash drive; Stereo AUX line input for CD/DVD/MP3 source; Mono line input for intercom, alarm & emergency override; Music control for up to two individual zones; Built-in module for SIRIUS satellite radio marine weather service (USA only). Includes: Hardware mounting kit; Installation manual; Warranty. NOTE: AM/FM antenna not supplied

Order #	Mfg. #	Sugg.Ret.
5103181	000-10141-001	$298.99
6.5'' MARINE-GRADE SPEAKER SET (200W)		
5103182	000-10142-001	59.99

LOWRANCE®
NAVICO EXPANSION PORT-1

A plug-and-play hub for high-speed data-sharing of StructureScan™ imaging system, solid-state BR24 Broadband Radar™, &/or multiple HDS displays across the onboard network. Compatible w/all HDS models, plus 2007 & later LCX, LMS, X & GlobalMap® models w/yellow 5-pin ethernet connector. Waterproof expansion ports resist corrosive marine environments. Unused expansion ports capped for future expansion. 100-megabit switch for high-speed data transfer. Transmits sonar graphing display/control on compatible chartplotters when networked w/echosounder-equipped Lowrance® displays & StructureScan™ imaging system option. Rugged & fully waterproof to IPX-7. Connectivity for up to 4 compatible head units or ethernet performance product options per expansion module. Links w/other Expansion Port-1 modules for added/future expansion.

Order #	Mfg. #	Sugg.Ret.
5026272	000-10029-001	$268.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026157	127-51	6' Ethernet Cable	$29.99

LOWRANCE®
X-4 SERIES FISHFINDERS

240Vx160H pixel, 4'' diagonal display. Film SuperTwist LCD w/4-level gray scale definition. Screen backlighting for low light conditions. Skimmer® w/built-in temp sensor. ASP™ (Advanced Signal Processing). GRAYLINE®. Advanced Fish I.D.™ fish symbols w/Fish Track™. Auto depth range tracking w/instant screen updates. Auto/Zoom bottom track. Selectable deep water, shallow water & fish alarm alerts. One-year limited warranty.

X-4: 200 kHz transom mount transducer. Up to 60º of wider fish-finding coverage. Operates at boats speeds to 70 mph. 800W peak-to-peak/100W RMS. Depths to 600'.

X-4 Pro: Dual frquency 83/200 kHz transom mount transducer. Up to 120º expanded fish-finding coverage. Operates at boats speeds to 70 mph. 1500W peak-to-peak/188W RMS. Depths to 1000'.

Order #	Mfg. #	Type	Sugg.Ret
5026234	10227-001	X-4	$79.99
5026236	10229-001	X-4 Pro	99.99

LOWRANCE®
MARK-5x FISHFINDER SERIES

480Vx480H pixel, 5'' diagonal display. High-contrast Film SuperTwist LCD w/16-level gray scale definition. Improved, brighter white LED backlit screen & keypad. 1600 watts peak-to-peak/200 watts RMS. Quick release tilt & swivel bracket. Skimmer w/ built-in temp sensor. Graphically enhanced menus make operation a breeze. Limited one-year warranty.

Mark-5x Pro: 83/200 kHz transducer. 1000' depth capability. Sonar History Scrollback.

Order #	Mfg. #	Type	Sugg.Ret.
5026116	175-001	Mark-5x Pro	$159.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026271	000-10027-001	Bracket	$19.99
5026273	000-10050-001	Screen Cover	25.99
5026151	10028-001	Flush Mt. Kit for 5'' Models	15.99
5024127	99-91	15' Transducer Extension Cable	29.99

Ellett Link
The Retailers Connection
www.ellettbrothers.com

LOWRANCE
Seize the Day

LOWRANCE®
MARK-5x DSI FISHFINDER

DownScan Imaging™ sonar technology. Displays crystal-clear photo-like views of the underwater worlds below the boat. 480Vx480H pixel, 5" diagonal display. Film SuperTwist LED w/16-level gray scale definition. Adjustable, bright-white LED backlit screen & keypad. Slim, low profile, high-speed, transom mount 455/800 kHz Skimmer® DSI imaging transducer w/down-looking crystal & built-in temp sensor and trolling motor-mount bracket option. 2400W peak-to-peak/300W RMS power. Tested depths to 200 ft. and bottom readings at boat speeds up to 40 mph. Optimum imaging speed of 8 mph & under. Automatic fine tuning or Advanced User Mode for full manual control settings. TrackBack™ feature scrolls back sonar history. Simplified menu w/text & icons for faster & easier selections. Adjustable tilt & swivel mounting system.

Order #	Mfg. #	Type	Sugg.Ret
5026237	10233-001	Mark-5x DSI	$199.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026271	000-10027-001	Bracket	$19.99
5026273	000-10050-001	Screen Cover	25.99
5026243	10261-001	Trolling Motor Transducer Adapter DSI	19.99
5026244	10262-001	Replacement Mount for DSI Skimmer	29.99
5026245	10263-001	15' DSI Skimmer Transducer Extension Cable	39.99
TRANSDUCERS			
5026242	10260-001	455/800 kHz Skimmer Transducer w/Temp Sensor	79.99

ELITE-7 HYBRID DUAL IMAGING™ (HDI) SERIES

7" widescreen color fishfinders & chartplotters. The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat. Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed. 70% larger display for viewing detail in all conditions. Exclusive technology overlays DownScan Imaging onto Broadband Sounder display for a stunning view that separates & clearly exposes fish targets from surrounding structure. Overlay transparency & color palettes are fully adjustable. TrackBack™ allows you to immediately scroll back in sonar history to review covered areas & pinpoint spots (saves time and fuel trying to re-trace your path). With chartplotter models, simply mark a waypoint at your cursor location with the press of a button. ASP™ (Advanced Signal Processing) reduces manual adjustments to automatically see fish, structure & bottom detail more clearly. Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO. Works w/high-capacity micro SD cards. Advanced NMEA 2000® networking capability. Multi-Window display let's you choose up to three panels in split-screen mode to view chart, sonar and DownScan Imaging -- all on one screen simultaneously. Page selector allows quick & easy selection of 8 preset page layouts. Page selection does not block live sonar & map while making page decision. Easier to use menu system w/ quick access to all features using one-thumb operation. Supported by Lowrance Advantage Service program & limited 1-year warranty.

new

LOWRANCE®
ELITE-7X HDI FISHFINDER

7" widescreen color fishfinder. The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat. Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed. 70% larger display for viewing detail in all conditions.
- **•000-10961-001:** Elite-7x HDI 83/200 kHz transducer
- **•000-10962-001:** Elite-7x HDI 50/200 kHz transducer
- **•000-10965-001:** Elite-7x HDI no transducer

Order #	Mfg. #/Model	Sugg.Ret.
5027190	000-10961-001	$549.99
5027191	000-10962-001	649.99
5027192	000-10965-001	449.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99

new

LOWRANCE®
ELITE-7 HDI COMBO FISHFINDER/CHARTPLOTTER

7" widescreen color fishfinders & chartplotters. The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat. Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed. 70% larger display for viewing detail in all conditions. With chartplotter models, simply mark a waypoint at your cursor location with the press of a button. Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO.
- **•000-10966-001:** Elite-7 HDI 83/200 kHz transducer
- **•000-10967-001:** Elite-7 HDI 50/200 kHz transducer
- **•000-10972-001:** Elite-7 HDI Gold 50/200 kHz transducer; Prepackaged w/Navionics® chartcard featuring US/Canada coastal, Great Lakes & major Canadian lakes detail

Order #	Mfg. #/Model	Sugg.Ret.
5027193	000-10966-001	$699.99
5027194	000-10967-001	799.99
5027197	000-10972-001	869.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99

LOWRANCE
Seize the Day

new

LOWRANCE®
ELITE-7M CHARTPLOTTER

7" widescreen color chartplotter. 70% larger display for viewing detail in all locations. Mark a waypoint at your cursor location with the press of a button. Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO.

•**000-10968-001:** Elite-7M

Order #	Mfg. #/Model		Sugg.Ret.
5027198	000-10975-001		$669.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99

new

LOWRANCE®
ELITE-7 COMBO
FISHFINDER/CHARTPLOTTER

7" widescreen color fishfinders & chartplotters. The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat. Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed. 70% larger display for viewing detail in all conditions. With chartplotter models, simply mark a waypoint at your cursor location with the press of a button. Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO.

•**000-10968-001:** Elite-7 83/200 kHz transducer
•**000-10970-001:** Elite-7 no transducer

Order #	Mfg. #/Model		Sugg.Ret.
5027195	000-10968-001		$599.99
5027196	000-10970-001		599.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99

LOWRANCE®
ELITE 4
FISHFINDER/CHARPLOTTER

Brighter LED color display offers best viewing ability in any boating condition. Precise internal GPS antenna. User-friendly features include quick-release tilt & swivel bracket, easy-to-use menu controls for faster, one-hand operation. Compatible w/Fishing Hot Spots® and Navionics® Premium & Gold via microSD™ cards. Dual 83/200 kHz operation - up to 120º of fish finding coverage. 2200 watts peak-to-peak fishfinding; depths to 1000'. View up to 1' of sonar display history w/Trackback™ feature.

Elite-4: Base model.
Elite-4 Ice Machine: Includes ice transducer PTI-WSU
Elite-4 Gold: Pre-loaded w/Navionics® Gold

Order #	Mfg. #	Model	Sugg.Ret.
5026857	000-10491-001	Elite-4	$298.99
5026858	000-10492-001	Elite-4 Ice Machine	398.99
5026859	000-10493-001	Elite-4 Gold	368.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5024512	113-16	Gimbal Bracket	$24.99
5022955	99-75	Speed/Temp. Probe	79.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover	22.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

LOWRANCE®
ELITE 4M
GPS CHARPLOTTER

High-bright LED color display offers best viewing ability in any boating condition. Precise internal GPS antenna. User-friendly features include quick-release tilt & swivel bracket, easy-to-use menu controls for faster, one-hand operation. Compatible w/Fishing Hot Spots® and Navionics® Premium & Gold via microSD™ cards.

Order #	Mfg. #		Sugg.Ret.
5026856	000-10489-001		$268.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5024512	113-16	Gimbal Bracket	$24.99
5026861	000-10495-001	Sun Cover	22.99
5027258	OOO-10662-001	Flush Mount Kit	14.99

LOWRANCE®
ELITE 4 DSI
FISHFINDER/CHARPLOTTER

Brighter LED color display offers best viewing ability in any boating condition. DownScan Imaging™ reveals easy-to-understand, photo like underwater detail. DownScan™ Imaging distinctly marks predator fish and baitfish, while clearly revealing the thermoclines, isolated targets and hard-to-find secondary structure. Ultra-accurate internal GPS antenna. User-friendly features include quick-release tilt and swivel bracket, easy-to-use menu controls for faster, smooth one-hand control. Elite-5 DSI imaging screens available in a variety of color palettes. Compatible via micro-SD™ with Fishing Hot Spots® and Navionics® Premium and Gold.

000-10487-001: Elite-4x DSI Color Fishfinder
000-10494-001: Elite-4 DSI Color Fishfinder/Chartplotter Combo

Order #	Mfg. #	Model	Sugg.Ret.
5026855	000-10487-001	Color Fishfinder	$198.99
5026860	000-10494-001	Color FF/Chartplotter Combo	348.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5024512	113-16	Gimbal Bracket	$24.99
5022955	99-75	Speed/Temp. Probe	79.99
5027258	OOO-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover	22.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

LOWRANCE
Seize the Day

LOWRANCE®
ELITE 4x FISHFINDER

Brighter display offers best viewing in any boating condition. View up to 2' of sonar display history w/Trackback™ feature. Includes low-profile, high-speed, transom-mount, 83/200 kHz Skimmer® transducer w/built-in temp sensor, and trolling motor-mount bracket option. User friendly features include quick-release tilt & swivel bracket, easy-to-use menu controls for faster, smooth one-hand control.

000-10484-001: Elite-4x Fishfinder
000-10486-001: Elite-4x Fishfinder Ice Machine

Order #	Mfg. #	Model	Sugg.Ret.
5026853	000-10484-001	Elite-4x Fishfinder	$168.99
5026854	000-10486-001	Elite-4x Fishfinder Ice Machine	298.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024512	113-16	Gimbal Bracket	$24.99
5022955	99-75	Speed/Temp. Probe	79.99
5027258	OOO-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover	22.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

LOWRANCE®
MARK 4
FISHFINDER/CHARPLOTTER

Brighter LED grayscale display offers best viewing ability in any boating condition. Ultra accurate internal GPS antenna. User-friendly features include quick-release tilt and swivelbracket, easy-to-use menu controls for faster, one-hand operation. Compatible with Navionics® Premium and Gold, Fishing HotSpots®. Dual 83/200 kHz operation – up to 120˚ of fishfinding coverage. 2,200 W peak-to-peak fishfinding; depths to 1,000 ft. View up to 1' of sonar-display history with Trackback™ feature.

Order #	Mfg. #		Sugg.Ret.
5026852	000-10483-001		$198.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026861	000-10495-001	Sun Cover	$22.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

LOWRANCE®
PPP-18I ICE FISHING KIT

A great way to make your own Lowrance® portable. Kit comes with all the accessories you need - soft pack, bullet ice transducer, platform, tackle trays, 12 vDC battery & charger. Works with most Lowrance® and Eagle® w/uniplug connectors, including the Elite™ & Mark™ series.

Order #	Mfg. #	Sugg.Ret.
5026846	000-10209-001	$149.99

LOWRANCE®
ELITE SERIES
FISHFINDERS/CHARTPLOTTERS

480Vx480H pixel, 5" diagonal display. Enhanced Solar MAX™ display w/fully adjustable screen & keypad backlight. CCFL backlight. Best combination of brightness, contrast, and resolution maximizes visibility. Simplified user interface. Quick release tilt & swivel bracket. Graphically enhanced menus make operation a breeze. Limited one-year warranty.

3Elite-5 Color Fishfinder/Chartplotter Combo: 4000 watts peak-to-peak/500 watts RMS. 20/60º dual beam transducer. Broad coverage 83/200 kHz transducer. 1000' depth capability. Micro SD mapping card slot. Up to 1000 waypoints & 100 retraceable plot trails. Skimmer w/built-in temp sensor. Sonar History Scrollback. Internal 16 channel GPS antenna that work great even backmounted. Mapping capability: Fishing Hot Spots, Lake Master, Nautic Path & Navionics (premium). Elite-5m Gold Color Chartplotter: Micro SD mapping card slot. Up to 1000 waypoints & 100 retraceable plot trails. Internal 16 channel GPS antenna that works great even backmounted. Mapping capability: Fishing Hot Spots, Lake Master, Nautic Path & Navionics (premium). Elite-5 Gold Color Combination Fishfinder/Chartplotter w/Navionics® U.S./Canada coastal chart card: 4000 watts peak-to-peak/500 watts RMS. Broad coverage 83/200 kHz transducer. 1000' depth capability. Internal high sensitivity 16-channel GPS receiver/antenna with WAAS+ EGNOS+ MSAS. Up to 3000 waypoints, 100 routes, 100 waypoints per route & 100 retraceable plot trails with up to 10,000 points per trail. NMEA 0183. 3000 U.S. lakes w/depth contours/shoreline detail; U.S. coastal depth contours, spot depth soundings, shoreline detail. Waterproof slot for 1 microSD for map/chart options, or saving fishfinder & navigation data to blank card.

Order #	Mfg. #	Type	Sugg.Ret.
5026119	102-001	Elite-5x	$349.99
5026120	104-001	Elite-5 Combo	499.99
5026122	103-001	Elite-5m Gold	549.99
5026182	144-001	Elite-5 Gold	569.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026256	000-00119-31	NMEA-0183 Output/Adapter Cable	$29.99
5026146	146-001	Passive External GPS Antenna w/15' cable (Elite-5 & Elite-5m)	79.99
5026151	10028-001	Flush Mt. Kit for 5'' Models	15.99
5022955	99-75	Speed/Temp. Probe	79.99

LOWRANCE®
ELITE-5 DSI SERIES

DownScan Imaging™ sonar technology. Displays crystal-clear photo-like views of the underwater worlds below the boat. 480Vx480H pixel SolarMAX™ 256-color TFT detail. 5'' diagonal display. Adjustable fluorescent cold-cathode backlit screen & keypad. Slim, low profile, high-speed, transom mount 455/800 kHz Skimmer® DSI imaging transducer w/down-looking crystal & built-in temp sensor and trolling motor-mount bracket option. 2400W peak-to-peak/300W RMS power. Tested depths to 200 ft. and bottom readings at boat speeds up to 40 mph. Optimum imaging speed of 8 mph & under. Manual fine-tuning option. TrackBack™ feature scrolls-back sonar history. Simplified menu w/text & icons for faster and easier selections. Adjustable tilt & swivel mounting system.

Elite-5 DSI: DownScan Imaging™ Fishfinder/Chartplotter. Internal 16-channel GPS antenna for navigation guidance. Waterproof microSD media card slot.

Elite-5 DSI Navionics® Gold: DownScan Imaging™ Fishfinder/Chartplotter. Internal 16-channel GPS antenna for navigation guidance. Packed w/special issue Navionics® Gold microSD chartcard w/coverage of coastal/offshore U.S., Canada, Alaska, Hawaii & Bahamas, plus detail for Great Lakes and over 125 major Canadian lakes.

Elite-5x DSI: DownScan Imaging™ Fishfinder.

Order #	Mfg. #	Type	Sugg.Ret
5026239	10235-001	Elite-5x DSI	$349.99
5026240	000-10236-001	Elite-5 DSI	499.99
5026241	10245-001	Elite-5 DSI Navionics® Gold	569.99

continued next page

continued from previous page

LOWRANCE®
ELITE-5 DSI SERIES

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026271	000-10027-001	Bracket	$19.99
5026273	000-10050-001	Screen Cover	25.99
5026243	10261-001	Trolling Motor Transducer Adapter DSI	19.99
5026244	10262-001	Replacement Mount for DSI Skimmer	29.99
5026256	000-00119-31	NMEA-0183 Output/Adapter Cable	29.99
5026245	10263-001	15' DSI Skimmer Transducer Extension Cable	39.99
TRANSDUCERS			
5026242	10260-001	455/800 kHz Skimmer Transducer w/Temp Sensor	79.99

new

LOWRANCE®
ELITE-5 PPP-18I
ICE FISHING MACHINE™

Super-bright, 5" TFT color display, 480x480 pixel detail, & superb no-fade viewing detail in sunlight & temps down to -20° F/-28° C. Powerful 200 kHz operation w/20° sonar coverage down to 1000' w/custom, weighted ice-fishing transducer & unique Ice Transducer Float (included). Precision internal 16-channel GPS antenna, built-in basemap with U.S. waters detail, & microSD card slot for LakeMaster® and Navionics® cartography options. Weatherproof soft-side pack w/zippered front & rear access. Accessory zippered pockets plus "easy-find" mesh stow pouches. Adjustable display platform elevates for easier viewing. Includes tackle trays, rod-holder slots, quick-access lure storage conveniences. Handy storage for 2 StowAway® utility boxes (included). Holds two 12 vDC sealed batteries & charger (one battery & charger included).

Order #	Mfg. #	Sugg.Ret.
5027170	000-10504-001	$649.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027169	000-10442-001	Ice Transducer Float	$9.99

LOWRANCE®
BSM-1 BROADBAND SOUNDER™ MODULE

Advanced upgrade to the previous LBS-1. Module brings built-in HDS Broadband Sounder™ technology to 2007-2008 Lowrance LCX, LMS, X and GlobalMap® models w/yellow 5-pin ethernet connector. Enhanced separation of fish targets from structure, baitfish, thermoclines, clutter & bottom. Improved underwater fish-holding structure identification; channels, rock piles, wrecks, drop-offs & more. Performs in any water/weather, at any depth or boat speed. Works w/any compatible transducer: Skimmer®, pod, shoot-thru & Airmar® bolt-thru hull. Automatic operation at any functional frequency: 50, 83 and 200 kHz. Tested sounding depths to 5000'.

Order #	Mfg. #	Model	Sugg.Ret.
5026150	132-05	BSM-1	$699.99

LOWRANCE® ENDURA™ SERIES

FEATURES: 2.7'' color touch screen and physical buttons. Enhanced GPS+WAAS positioning. Best-in-class preloaded AccuTerra™ maps w/NAVTEQ® road data for each price range. MicroSD expansion slot supporting up to 32GB of additional storage for trails, geocaches, waypoints, pictures, etc. Mark waypoints using any of over 190 assorted outdoor icons. Trip computer lets you record trails, map elevation changes, & share online or with your friends. Quick access to all primary functions using gloves in harsh weather or rugged conditions using physical buttons. Photo Viewer and Video Player* (*Sierra and Safari models only) are compatible w/standard file formats for digital cameras, trail cameras, etc. using MicroSD cards w/SD adapter. Waterproof (IPx7) w/rubber armoring. Mini USB data/power port. Uses 2 AA batteries (not included). Wt. w/o batteries: 5.8 oz. Dimensions: 5.1''Hx2.3''Wx1.2''D.

LOWRANCE®
ENDURA™ SAFARI

Advanced mapping & guidance w/electronic compass and barometric altimeter. Simplified touch screen interface & quick access physical buttons. Dedicated outdoor features & a large range of mapping options on plug & play microSD cards or web download. Advanced basemap w/detailed hillshade, primary and secondary roads & key POIs. Plug & Play and downloadable mapping options such as regional fishing/marine navigation content, etc. Directly accepts GPX trails & geocaches, as well as POIs from web communities or other sources.

Order #	Mfg. #	Color	Sugg.Ret.
5025905	125-39	Slate	$298.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026141	002-033	Mini USB & NMEA Cable IPx4	$29.99
5026142	002-034	Cradle & Handle Bar Mount	29.99
5026143	002-035	Carrying Case	19.99
5026144	002-036	Cig. Lighter Power Cable	29.99
ENDURA™ MAP CARDS			
5026133	002-014	US -Northeast/ ME,NH,MA,RI,CT, NJ,VT,NY,PA,DE,MD & VA	98.99
5026134	002-015	US -Southeast/ TN,NC,SC,GA,FL, AL & MS	98.99
5026135	002-016	US -South/ OK,AR,LA & TX	98.99
5026136	002-017	US - Great Lakes/ MI,WI,OH,IN, WV,KY & IL	98.99
5026137	002-018	US - Mid West/ MN,IA,MO,ND, SD,NE & KS	98.99
5026138	002-019	US -West/ CA,NV,OR & WA	98.99
5026139	002-020	US - Rockies/ MT,ID,WY,CO,UT, NM & AZ	98.99

LOWRANCE®
ENDURA™ OUT&BACK

Easy-to-use color touch screen, straight-forward menus & "hot key" physical buttons. Choose your activities & download maps or use plug & play microSD cards. Expand with routes/trails, POIs, elevation data, etc. in GPX format through drag-and-drop to the device. Easy to understand basemap w/hillshade, primary roads and key POIs. Sport-specific trail content available for purchase online: hiking, mountain biking, skiing, snowmobiling, kayaking, offroad/ATV, and many more. Multiple mounting options w/two lanyard attachment points for lanyard, RAM mount handlebar mounts, etc.

Order #	Mfg. #	Color	Sugg.Ret.
5025906	125-38	Yellow	$198.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026141	002-033	Mini USB & NMEA Cable IPx4	$29.99
5026142	002-034	Cradle & Handle Bar Mount	29.99
5026143	002-035	Carrying Case	19.99
5026144	002-036	Cig. Lighter Power Cable	29.99
ENDURA™ MAP CARDS			
5026133	002-014	US -Northeast/ ME,NH,MA,RI,CT, NJ,VT,NY,PA,DE,MD & VA	98.99
5026134	002-015	US -Southeast/ TN,NC,SC,GA,FL, AL & MS	98.99
5026135	002-016	US -South/ OK,AR,LA & TX	98.99
5026136	002-017	US - Great Lakes/ MI,WI,OH,IN, WV,KY & IL	98.99
5026137	002-018	US - Mid West/ MN,IA,MO,ND, SD,NE & KS	98.99
5026138	002-019	US -West/ CA,NV,OR & WA	98.99
5026139	002-020	US - Rockies/ MT,ID,WY,CO,UT, NM & AZ	98.99

LOWRANCE
Seize the Day



new

LOWRANCE®
LAKE INSIGHT™ HD 2012

iNcludes 650+ lakes w/high-resolution 1' to 3' depth contours in Texas, Oklahoma, Kansas, Missouri, Illinois, Iowa, North Dakota, South Dakota, Nebraska, Michigan, Minnesota and Wisconsin, plus Lake of the Woods and Rainy Lake. Provides higher definition shaded relief coverage of continental U.S. lakes, rivers & Great Lakes on a single chartcard including over 5,000 lakes with enhanced shoreline detail & depth contours along with 100,000 plus named bodies of water. For HDS & HDS Gen2 units.

Order #	Mfg. #	Sugg.Ret.
5027174	000-10645-001	$149.99



new

LOWRANCE®
LAKE INSIGHT™ PRO 2012

Insight Pro chartcards have the same geographic coverage as the Lake Insight HD 2012 chartcard, including detailed contour lines w/out shaded relief overlay for economy and compatibility w/Mark™ and Elite™ fishfinder/chartplotters in both 4" and 5" series. For HDS, HDS Gen2, Elite & Mark 4 and 5 Series units.

Order #	Mfg. #	Sugg.Ret.
5027176	000-10667-001	$99.99

new

LOWRANCE®
NAUTIC INSIGHT™ HD 2012

Insight 2012 includes hundreds of improvements to shoreline detail, updated navigation aids, & points-of-interest, plus significant software enhancements for higher performance and accuracy. Detailed contour lines & high-definition shaded-relief coverage for offshore and coastal navigation, plus lake and river coverage up to 100 miles inshore. **East:** Maine through Texas. **West:** California through Washington plus Hawaii. User-selectable depth contour lines on/off

Order #	Mfg. #	Type	Sugg.Ret.
5027172	000-10643-001	East	$149.99
5027173	000-10644-001	West	149.99



new

LOWRANCE®
NAUTIC INSIGHT™ PRO 2012

A single chartcard for HDS®, HDS Gen2, Elite and Mark 4- and 5- series w/same superb content, detail & coverage of U.S. coastal and offshore waters, but w/ out shaded relief overlay. Insight 2012 includes hundreds of improvements to shoreline detail, updated navigation aids, and points-of-interest, plus significant software enhancements for higher performance and accuracy. Detailed contour lines & coverage for offshore and coastal navigation, plus lake and river coverage up to 100 miles inshore. East and West – all on one chartcard; Maine through Texas for the East coast and Gulf of Mexico, California through Washington plus Hawaii for areas on the West coast. User-selectable depth contour lines on/off

Order #	Mfg. #	Sugg.Ret.
5027175	000-10666-001	$99.99



LOWRANCE®
NAUTIC INSIGHT™ HD

Two card choices w/superb U.S. coastal & offshore saltwater coverage to find productive marine fishing fast. 4X the detail of built-in HDS Insight maps. Loads of free space to save sonar & navigation data. Features: Exclusive coastal & offshore fishing Hotspots® w/fishery details & fishing tips; Highly-detailed inshore/offshore contour lines w/high resolution shaded (dimensional) relief viewing; 8MP up to canyons & 32MP beyond canyons detail; User-selectable depth contour lines; Accurate navaids & info; Displays tides & currents; Lake Insight™ HD inland lake mapping detail w/fishing Hotspots® lakes data w/in 100mi. of coast. NOTE: For use in HDS units

Order #	Mfg. #	Description	Sugg.Ret.
WEST COVERAGE			
5026192	000-10040-001	Inshore/Offshore Coverage from California to Washington & Hawaii	$98.99

LOWRANCE®
BROADBAND RADAR

Unrivaled target separation & detection near and far – with greater range. Solid-state technology produces an immediate, accurate on screen image, w/o the lengthy warm-up delay of magnetron pulse radars. Ideal for boats of any size. Proven automatic harbor/marina & offshore modes. MARPA Target Tracking - up to 10 targets (requires a heading sensor). Crystal clear image. Quick installation. Safer than any other radar currently on the market & emitting less radiation than a mobile phone. Can be mounted anywhere. Select 36 RPM for almost instant updating at less than 2nm. Broadband 3G: 30% more range than BR24. Broadband 4G: 100% more range than BR24, 50% more than 3G.

Order #	Mfg. #	Model	Sugg.Ret.
5026799	000-10418-001	3G™	$1298.99
5026851	000-10419-001	4G™	1898.99

LOWRANCE®
LST-3800 IN-DASH
DIGITAL DEPTH/TEMP GAUGE

1.5" circular, 65Vx65H pixel, sunlight-viewable display. White LED backlighting. Water temp capable. Mounts in 2.25" diameter hole. With 200 kHz Skimmer transducer, 800W peak-to-peak with built-in temp sensor.

Order #	Mfg. #		Sugg.Ret.
5024340	47-94		$179.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
TRANSDUCERS			
5022949	106-48	Transom Mt., 20° Skimmer w/ Built-in Temp. & Power Cord	$59.99
5024092	106-69	Trolling Motor Mt., 20° Pod-Type w/Remote Temp. & power Cord	79.99
5022951	106-50	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp. & Power Cord	69.99
5022950	106-52	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type, Power Cord	79.99

LOWRANCE
Seize the Day

LOWRANCE®
LWX-1 SIRIUS SATELLITE WEATHER/RADIO ANTENNA MODULE

Compatible w/all HDS chartplotter-equipped models via ethernet for weather display w/complete control. Attractive, compact & weatherproof antenna design for easy flush mounting to boat deck, with pedestal- or pole-mounting versatility. Plug-and-play ethernet connection outputs weather to one or more HDS displays with a 3.5mm stereo audio jack interfaces to onboard sound system. Internal memory saves last weather/ environmental data up to 30 minutes during power interruption or power off during refueling. ***Exclusive Sirius U.S. Inland or Coastal boating subscription choices for HDS users.*** Current & historical NOWRad® animated weather radar data, including lightning, overlays charts in high detail, including all optional Navionics® choices. Latest weather forecasting with 5-day tabular weather feed for major U.S. cities.

Subscription Choices:

•Inland Service Package Details: Nexrad weather radar and lightning w/full 2km resolution (no 7km compromise). 80nm radial weather shown from current position, except 12nm limit from coast. Lightning with same 80nm limit. Weather Watchbox. Tabular weather feed (600 locations, 5 day forecast). Exclusive real-time gas prices and sports scores.

•Offshore Service Package Details: US Nexrad & Canadian weather radar. Lightniing. Sea surface temperature. Tropical storm & storm cell tracks. Weather Watchbox. Tabular weather feed. Marine zone forecasts, warnings, observations and buoy reports. Current to 4 day forecast data of surface pressure, wave height, wave period & direction.

Order #	Mfg. #		Sugg.Ret.
5025843	22-46		$198.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026081	127-57	Interface Module & Cable Kit	$189.99
5026261	000-00124-78	LWX-1 Spare Parts Kit: Pole mount. w/1"-14 Thread Adapter. SS Hardware & Cover Plugs	89.99

LOWRANCE®
LGC-4000 GPS RECEIVER ANTENNA

High sensitivity 16-channel GPS + WAAS receiver for fastest satellite signals acqusition w/exquisite position accuracy. 5Hz frequency updates satellite positioning 5 times per second for the most accurate speed over ground readings. NMEA 2000® for easy and flexible networking. Compact 3''/75mm diameter module is just 1.3''/33mm high & offers top mounting ease. Rugged for all marine environments & fully waterproof.

Order #	Mfg. #	Sugg.Ret.
5025844	125-28	$198.99

LOWRANCE® & EAGLE®
GPS MODULES

12 parallel-channel GPS modules. LGC-16W: Use w/Elite-5 & Elite-5m

Order #	Mfg. #	Model	Sugg.Ret.
5026146	146-001	LGC-16W	$79.99

LOWRANCE®
TRANSDUCER KAYAK SCUPPER MOUNT

Ultimate transducer mounting system for the sit-on-top fishing kayak. Perfect for all HDS®, Elite™, Mark™ and X-Series Lowrance Skimmer® transducers, both 83/200 kHz and 455/800 kHz DownScan Imaging™ (DSI) models alike, as well as earlier 1'' 200 kHz transducers. Easy to install in most any scupper opening, with few tools & w/out messy adhesives. Positions the Skimmer® transducer so it's totally submerged in the water.

Order #	Mfg. #	Sugg.Ret.
5026821	000-10606-001	$39.99

LOWRANCE®/EAGLE®
TRANSDUCERS

Order #	Mfg. #	Description	Sugg.Ret.
DUAL-FREQUENCY - 50 kHz/200kHz			
TRANSOM MOUNT			
5022957	106-49	Transom Mt., DF Skimmer w/Built-in Temp. & Power Cord	$149.99
5024597	106-77	Transom Mt., DF Skimmer w/Built-in Temp. (X59 DF). Compatible With: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-525C DF, LMS-527C DF iGPS, X105C DF, X107C DF, X126DF, X136DF, X515C DF, X-515C DF, X59DF	94.99
BLUE CONNECTOR TRANSDUCERS			
TRANSOM MOUNT			
5024098	106-72*	Transom Mt., 20º Skimmer w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & Broadband units.	58.99
TROLLING MOTOR MOUNT			
5023159	106-89	PDRT-WBL - 20º pod-type w/remote temp sensor to fit blue units.	79.99
5024096	106-74*	Trolling Motor Mt., 20º Pod-Type w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	79.99
2003 UNI-:UG SERIES 200kHz			
TRANSOM MOUNT			
5022949	106-48	Transom Mt., 20º Skimmer w/Built-in Temp. & Power Cord.	59.99
5022951	106-50	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod-Type w/Built-in Temp.	69.99
5022950	106-52	Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type. Fits same as HS-WSU.	79.99

LOWRANCE
Seize the Day

LOWRANCE®/EAGLE® TRANSDUCER CABLES

Order #	Mfg. #	Description	Sugg.Ret.
EXTENSION CABLES			
5000990	08-68	XT-12 - 12', 192 KHz, gray conn.	29.99
5024102	99-94	20' Transducer Extension Cable. Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X-510C, X515C DF, X-515C DF, X52, X59DF	39.99
5024127	99-91	15' transducer extension cable. Includes power lead. Compatible With: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 350, Elite-5, Elite-5x, FishEasy 240, FishEasy 245 DS, FishEasy 250 DS, FishEasy 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, LST-3800, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, X-4, X-4 Pro, X47, X47EX, X-50 DS, X67C, X-86 DS, X96	29.99

LOWRANCE®/EAGLE® TRANSDUCER ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
ADAPTERS			
5026274	000-10052-001	TA-UQ2BL-T - Adapts blue connector 50/200 kHz or 200 kHz transducers to units w/newer black 50/200 or 200 kHz transducer power connector w/the quarter turn connector for Mark & Elite Units	$34.99
5026778	000-0127-66	TA-BL2U-T - Adapts/Connects Blue Transducer to Uniplug Transducer w/Temperature	34.99
ADAPTERS CABLES			
5026256	000-00119-31	NMEA-0183 Output/Adapter Cable. Compatible With: Elite-5, Elite-5 DSI, Elite-5m, Elite-5x, Elite-5x DSI, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishStrike 1000C, FishStrike 2000C, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS, M56 S/MAP, M68C S/MAP, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 640C DF	29.99
BOXES - SWITCH			
CABLES - POWER			
5025490	127-08	PC-27BL - LCX-112C, LCX-0113C HD, LCX-27C, LCX-28 HD, LCX-37C, LCX-38C HD, LMS-520C, LMS-522CiGPS, LMS-525C DF, LMS-527C DFiGPS, X510C, X515CDF	49.99
KNOBS - GIMBAL			
5026259	000-00124-56	HDS-10, HDS-5, HDS-7, HDS-8	14.99
5001241	51-81	GK-8-SupraPro ID®, Magna® III (Plus), MagnaView® (Plus), View, X-22A, X-25A, X-25B, X-45, GlobalNav® 200	19.99
TRANSDUCER BRACKET			
5001467	000-00124-56	Replacement SS Transom Mount Bracket for 20º HS-WS transducer. Compatible With: Fish I.D. II Plus, Magna II, Magna II Plus, SeaView 2000, Ultra, Ultra II, Ultra II Plus, Ultra Plus, UltraNav, UltraNav II, X-55, X-70, X-70A	19.99
5026066	99-005	Skimmer Mount Transducer Bracket. for LSS-1 StuctureScan Sonar Imaging.	49.99
TRANSDUCER MOUNTING ACCESSORIES TROLLING MOTOR MOUNTING.			
TROLLING MOTOR MOUNTING BRACKET & CLAMP			
5000893	51-45	Trolling Mtr. Mt. Bracket & Clamp for HS-WS Series Transducers	14.99
SUCTION CUP KIT			
5001464	51-52	For portable mounting - any 192 kHz Skimmer® Transducer	15.99

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
CONNECTOR CAPS			
5026260	000-00124-70	CAP-1 Set of Connector Caps for HDS Units: 10, 10m, 5, 5m, 5x, 7, 7m, 8, 8m	$16.99
FLUSH MOUNT KIT			
5024492	113-20	Compatible With: Cuda 128, Cuda 168, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, SeaFinder 245DS, X-4, X-4 Pro, X-47, X-50 DS	19.99
GIMBAL BRACKET			
5022766	101-99	Fits: Cuda168EX, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105C, X107, X125, X126DF, X135, X136DF, X510, X515, LMS-240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3200, GM3300, GM3500, GM4800, GM5200, GM5300, GlobalMap Baha 540, FishEasy250, FishMark 160/240/320/480/500/640, FishElite 320/480/500/502/640/642, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500DF, SeaFinder 640DF, SeaCharter 320/480/500/502/640/642, IntelliMap 320/480/500/502/640/642	29.99

continued next page

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

continued from previous page

Order #	Mfg. #	Description	Sugg.Ret.
GIMBAL BRACKET			
5022765	101-98	Compatible With: FishEasy 2 (w/Black Connector), FishEasy 2 (w/Gray Connector), SeaFinder 240 DF, Trifinder 2, X51, X52, X58DF, X59DF	29.99
5024512	113-16	Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/MAP, M68C S/MAP, SeaFinder 245DS, X-4, X-4 Pro, X47, X-50 DS, X67C	24.99
GIMBAL BRACKET SWIVEL ADAPTER			
5001237	51-83	Gimbal Bracket Swivel Adapter For Units Ussing GB-8, 10, 13, 14	19.99
5024043	113-26	Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/Map, M68C S/Map, SeaFinder 245DS, X-4, X-4 Pro, X-50 DS	19.99
GIMBAL KNOBS (SET OF 2)			
5022508	101-80	Fits: Cuda 168EX, FishEasy 250, FishElite 480/500/502/640/642, FishMark 320/480/500/640, FishStrike 1000/2000, GM3000/35000, GM4000/4800/4900, GM5000/5200/5300/5500, GM6000/6500/6600, GM7000/7200/7300/7500/7600, GM8200/8300, GMBaja, GMBaja480/540, IntelliMap 320/480/500/502/640/642, LCX 15/16/17/18/19/20/25/26/27/28/37/38, LCX 104/110/111/112/113, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, SeaChamp 1000/2000, SeaCharter 480/500/502/640/642, SeaFinder 250/320/480/500/640, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126, X135, X136DF, X510, X515	22.99
5026253	000-00113-02	Compatible With: FishEasy 2 (w/Black Connector), FishEasy 2 (w/Gray Connector), SeaFinder 240 DF, Trifinder 2, X51, X52, X58DF, X59DF	22.99
FLUSH MOUNT KIT			
5022772	113-03	Compatible With: SeaFinder 240DF, Trifinder 2, X51, X52, X59DF	15.99
MOUNTING ACCESSORIES			
5002185	101-63	MB-8 - R-A-M® 1-1/2'' ball-mounting bracket and arm w/holder. For GlobalMap® 2000	49.99
POWER CABLE			
5026252	000-0099-83	Compatible With: IntelliMap 320, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS	22.99
5022947	99-78	Fits: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 242, Cuda 250 S/Map, FishEasy 245 DS, FishEasy 250 DS, FishElite 320, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishStrike 1000C, FishStrike 2000C, M56 S/Map, M68C S/Map, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF i GPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder640C DF, X-4, X-4 Pro, X-47, X-47EX, X-50 DS, X67C, X-86DS	33.99
5024107	99-98	Compatible With: GlobalMap 3300C, GlobalMap 3500C, GlobalMap 3600C iGPS, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5500C, GlobalMap 6500C, GlobalMap 6600C HD, GlobalMap 7500C, GlobalMap 7600C HD, GlobalMap Baja, GlobalMap Baja C, LCX-110C, LCX-111C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X52, X59DF	39.99
SPEED/TEMP. PROBE			
5024106	99-97*	Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	79.99
5022955	99-75	Compatible With: Elite-5, Elite-5 DSI, Elite-5x, FishEasy 2 (w/ Black Connector), FishEasy 240, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x DSI, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF, X67C, X96	79.99
SPEED PROBE			
5024105	99-96*	Compatible With: HDS-5x, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	65.99
TEMP. PROBE FOR TEMP. 1			
5024104	99-95*	Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	69.99
TEMP. PROBE FOR TEMP. 2			
5026251	000-0099-77	Fits: X47, FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishElite 480, FishElite 500C, FishMark 320, FishMark 480, FishMark 500C, FishStrike 1000C/2000C, SeaChamp 1000C DF/2000C DF, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF	69.99
BEZEL & SD CARD DOOR REPLACEMENTS			
5026262	000-00124-79	For HDS Units: 5, 5m, 5x	22.99
5026263	000-00124-80	For HDS Units: 7, 7m	27.99
5026264	000-00124-81	For HDS Units: 8, 8m	39.99
5026265	000-00124-82	For HDS Units: 10, 10m	32.99

LOWRANCE
Seize the Day

LOWRANCE®/EAGLE® MISCELLANEOUS ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
CIGARETTE PLUG POWER CABLES			
5026250	000-0099-11	8 ft. - Works with: AirMap 100, AirMap 1000, AirMap 2000C, Cuda 168 EX, Eagle Expedition, Eagle Expedition II, Eagle Explorer, Eagle Map Guide, Eagle Map Guide Pro, Eagle View, FishElite 320, GlobalMap 100, GlobalNav units 12, 200, 212 & 310, IntelliMap units 320, 480, 500C, 502C iGPS, 642C iGPS, SeaFinder 320DF, X47 & X47EX	$38.99
5026255	000-00119-10	Model CA-8 - Power cable w/12 vDC accessory (cigarette lighter) plug compatible w/all Lowrance blue power connector models.	39.99
EPOXY KIT			
5022413	106-98		4.99

NAVIONICS®
THE LEADER IN ELECTRONIC CHARTS

NAVIONICS+

new

NAVIONICS® NAVIONICS®+

Flexible coverage selection online. Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more. Choose your coverage area from around the globe & download the charts you want. Plug your chip into your PC/Mac & download from Navionics.com. You choose data from Gold & HotMaps Premium charts. Great for boaters & fishermen who need data from more than one chart.

Order #	Mfg. #	Format	Sugg.Ret.
5027232	MSD/NAV+NI	Micro SD card	$179.99
5027233	CF/NAV+NI	Compact Flash card	179.99

NAVIONICS Updates

new

NAVIONICS® NAVIONICS® UPDATE

Flexible coverage selection online. Buy a Navionics Update chip & activate with your old chart to get updates and even expand your Navionics coverage w/flexible chart selection online. Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more. Choose your coverage area from around the globe & download the charts you want. Plug your chip into your PC/Mac & download from Navionics.com. You choose data from Gold & HotMaps Premium charts. Great for boaters & fishermen who need data from more than one chart.

Order #	Mfg. #	Format	Sugg.Ret.
5027234	MSD/NAVU-NI	Micro SD card	$99.99
5027235	CF/NAVU-NI	Compact Flash card	99.99

NEW FEATURE

NAVIONICS® MARINE & LAKES USA

Get the same detailed 2D content as HotMaps Premium and Gold for a single state at one low price, plus 12 months of Freshest Data updates to the Nautical Charts & Community Edits. Includes inland lakes plus Great Lakes within state boundaries & coastal marine coverage for that state out to 3 nautical miles. Plug your chip into your PC/Mac & download coverage from navionics.com. Upgradeable to flexible chart selection online for more coverage. Micro Secure Digital Cartridge. NOTE: CA, TX & FL split into 2 selectable regions.

Order #	Mfg. #	Sugg.Ret.
5026911	MSD/DWL-S	$98.99

NEW FEATURE

NAVIONICS® PLATINUM+™ MULTI-DIMENSIONAL CHARTS

Includes all of the Navionics Gold marine content, plus 3D view, high resolution photo/chart overlay, port photos, geo-referenced coast pilots, & incredible fishing detail. Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits. High-resolution satellite photo overlay. 3-dimensional view. Panoramic port pictures. Geo-Referenced Coast Pilot. Coastal Points-of-Interest. High-definition fishing detail. Highly detailed 2-dimensional charts for coastal marine areas. Paper-like charts. Full seamless & IC™ technology (Intelligent Clarity). Safety depth contours (user-selectable). Navaids with XPLAIN™ (navaid description feature). Port Services (such as fuel, transient berths, repairs, etc., including phone #s where available). Tides & Currents. TurboView™ compatible (w/select chartplotters.)

EXTENDED AREA COVERAGE

900P+: Michigan, Superior, Huron - Including Lake of the Woods, Rainy Lake, North Channel, Georgian Bay, Green Bay & Lake Winnebago

901P+: Ontario, Erie and St. Clair, Huron, Ottawa River - Including North Channel, Georgian Bay, Trent Severn Waterway, Rideau Waterway, The Finger Lakes & Lake Champlain

904P+: Maine, Mass., New York, Hudson River, North Atlantic Canyons from Passamaquoddy Bay & Grand Manan Island to Shark River Inlet, including Hudson River to New York State Barge Canal to Lake Ontario, Oneida Lake, The Finger Lakes, Lake Champlain and bathymetric details of all North Atlantic Canyons from Delaware Bay offshore to Georges Bank and East to 64° West

905P+: New Jersey, Delaware Bay, Chesapeake Bay, North Carolina from New York Harbor to Cape Romain, including Philadelphia, Norfolk and bathymetric details of all Mid-Atlantic Canyons

906P+: South Carolina, Florida, Bahamas North from Cape Fear to Long Island to Cedar Keys, including the entire Florida Keys, Dry Tortugas and Cay Sal Bank

907P+: East, Central & West Gulf of Mexico from Venice, FL to Brownsville, TX

continued next page

continued from previous page

NAVIONICS® PLATINUM+™ MULTI-DIMENSIONAL CHARTS

912P+: Puget Sound, Washington, Oregon, California, Baja, Hawaii from Vancouver, BC to Cabo San Lucas, MX, Cape Flattery and offshore bathymetric data, the entire chain of the Hawaiian Islands, and the Columbia River from the entrance to Lake Wallula/Snake River entrance

AREA DETAIL (numbers begin w/MSD)

649P+: North to Saginaw Bay, MI; east to Toronto, ON
630P+: Venice, FL to Biloxi, MS
642P+: Cape Fear, NC to Melbourne, FL
646P+: US waters including Green Bay & Lake Winnebago
644P+: Fort Bragg, CA to Cabo San Lucas, MX
673P+: West Quoddy Head, ME to Marblehead
638P+: US waters
635P+: Baton Rouge, LA to Brownsville, TX
643P+: Grays Harbor, WA to Newport Beach, CA
632P+: Daytona to Cedar Key, FL incl. Bimini, Keys & Dry Tortugas
637P+: NY Harbor to Cape Hatteras, NC & North & Mid Atl. Canyons
634P+: Delaware Bay, DE to Norfolk, VA
645P+: Chincoteague Inlet, VA to Cape Romaine, SC
674P+: Salisbury MA to Shark River Inlet, NJ & North Atl. Canyons
651P+: Apalachicola, FL to Baton Rouge, LA
647P+: Lake Superior
699P+: Ft. Pierce, FL to Long Island Bahamas incl. FL Keys & Cay Sal Bank

Order #	Mfg. #	Type	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026226	MSD/900P+	West Great Lakes	$399.99
5026227	MSD/901P+	East Great Lakes	399.99
5026228	MSD/904P+	US Northeast & Canyons	399.99
5026229	MSD/905P+	Mid Atlantic & Canyons	399.99
5026230	MSD/906P+	US Southeast - Bahamas	399.99
5026231	MSD/907P+	Gulf of Mexico	399.99
5026232	MSD/912P+	US West Coast	399.99
5026008	MSD/649P+	Lake Erie & Saint Clair	248.99
5026009	MSD/630P+	East Gulf of Mexico	198.99
5026010	MSD/642P+	SC to North Florida	198.99
5026011	MSD/646P+	Lake Michigan	198.99
5026012	MSD/644P+	CA South-Baja & Hawaii	198.99
5026013	MSD/673P+	Maine	198.99
5026014	MSD/638P+	Puget Sound	198.99
5026015	MSD/635P+	West Gulf of Mexico	198.99
5026016	MSD/643P+	California & Oregon	198.99
5026017	MSD/632P+	Central & South Florida	198.99
5026018	MSD/637P+	New Jersey - Delaware	198.99
5026019	MSD/634P+	Chesapeake Bay	198.99
5026020	MSD/645P+	North Carolina	198.99
5026021	MSD/674P+	Boston - New York	198.99
5026022	MSD/651P+	Central Gulf of Mexico	198.99
5026023	MSD/647P+	Lake Superior	248.99
5026024	MSD/699P+	North Bahamas	198.99
COMPACT FLASH CARTRIDGES			
5026906	CF/904P+	US Northeast & Canyons	398.99
5026907	CF/905P+	Mid Atlantic & Canyons	398.99
5026718	CF/906P+	US Southeast - Bahamas	398.99
5026900	CF/634P+	Chesapeake Bay	198.99
5026656	CF/632P+	Central & South Florida	198.99
5026901	CF/637P+	New Jersey - Delaware	198.99
5026902	CF/642P+	SC to North Florida	198.99
5026903	CF/673P+	Maine	198.99
5026904	CF/674P+	Boston - New York	198.99
5026905	CF/699P+	North Bahamas	198.99

NEW FEATURE

NAVIONICS® GOLD ALL-IN-ONE 2D CHARTS

Detailed 2D Charts that set the standard for marine navigation plus navaids, tides, currents, water depth, wrecks, rocks, marinas, & port services. Includes one year of Freshest Data updates to the Nautical Charts and Community Edits.

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026030	MSD/1XG	All USA & N. Bahamas	$198.99
COMPACT FLASH CARTRIDGES			
5026910	CF/3XG	Central & South America	198.99

NEW FEATURE

NAVIONICS® HOTMAPS® PLATINUM MULTI-DIMENSIONAL LAKE MAPS

Enhances Navionics' extensive library of lake maps with 3D views, including high-resolution satellite imagery & panoramic pictures on the most popular lakes. Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits. Panoramic pictures. Satellite photo overlay. 3-dimensional view. Structures, reefs, drop-offs, vegetation, boat ramps, marinas. Safety depth contours (user-selectable). Navaids.

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026040	MSD/HMPT-N6	North	$198.99
5026041	MSD/HMPT-S6	South	198.99
5026042	MSD/HMPT-E6	East	198.99
5026043	MSD/HMPT-W6	West	198.99

NEW FEATURE

NAVIONICS® HOTMAPS® PREMIUM 2D LAKE MAPS

The most detailed 2D lake maps available with 1' contours on over 2,500 High Definition Lakes plus 18,000 lake maps. Includes one year of Freshest Data updates for the most current Nautical Charts and Community Edits. Structures, reefs, drop-offs, vegetation, etc. Boat ramps, marinas. Safety depth contours. Navaids.

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026050	MSD/PREM-N6	North	$148.99
5026051	MSD/PREM-S6	South	148.99
5026052	MSD/PREM-E6	East	148.99
5026053	MSD/PREM-W6	West	148.99

NorCross® HawkEye®

NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER w/AIR & WATER TEMP.

Algorithmic programming. Instant depth updates. Water & Air Temperature readings. Easy Touch Digital programming. Keel offset. English & metric readings. Dual depth alarms. Advanced Warning System. Automatic mute control. Memory retention. Extended mounting coupler. Quad face system. Polarized LCD. Waterproof fuse housing. Largest LCD available. SoftGlow backlit display. Plug & Play connectors. IPX6 waterproof rating. Transducer exchange. Patented technology. 2-Year Warranty.

Order #	Mfg. #	Type	Sugg.Ret.
5025961	D10DX.01T	w/Transom Mount Transducer	$129.99

NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER

Instant depth readings, updated 4 times per second. Uninterupted readings at speeds up to 60 MPH. Digital, easy-touch programming. Keel offset. English & metric readings. Dual depth alarms. Advanced warning system. Automatic mute control. Memory retention. Dual mount transducer. Removable transom bracket. ShootThru Technology. Quad face system. Polarized LCD. Waterproof fuse housing. SoftGlow backlit display. Plug & Play connectors. IPX6 waterproof rating. Two-year warranty.

Order #	Mfg. #	Sugg.Ret.
5025488	D10D	$109.99

NorCross® HawkEye®

NORCROSS® HAWKEYE® HANDHELD SONAR SYSTEM PX

SideScan fish sonar. Algorithmic programming. Instant depth readings & updates at 60 MPH. English & metric calculations. Dry seal battery housing. Dual temperature readout (water or air). SureGrip housing. Auto & manual readout modes. ShootThru Technology. Silverscreen backlit LCD. Waterproof to 200'. Floatable. Integrated wrist strap. Two-year warranty.

Order #	Mfg. #	Sugg.Ret.
5025489	H22PX	$99.99

Raymarine®

RAYMARINE® WIDE "C" MULTIFUNCTION DISPLAYS

9", 12" & 14" widescreens. Internal, high sensitivity GPS. Two-screen networking. UniController - track/rotary/'ok' in one. Onboard "Silver Level" cartography. Platinum cartography capable. Resolution: WVGA color (800x480), WXGA color (1280x800). Video: Composite input (PAL/NTSC). Ethernet: 2 SeaTalkhs. Data: SeaTalk 1, SeaTalkng, NMEA0183 (3 input/2 output).

5026093: T62288 C90W/DSM30 SYSTEM PACK: Includes C90W display, DSM30 Digital Sounder Module, (2) 1.5M Network Cables, and Crossover Coupler.

5026094: T62307 C90W/DSM30/P66 SYSTEM PACK: Includes C90W display, DSM30 Digital Sounder Module, P66 Transducer, (2) 1.5M Network Cables, and Crossover Coupler.

5026096: T62289 C90W RADAR SYSTEM PACK: Includes C90W display, Trunion Mount Bracket, Interface Cable - Straight Connector, RD418D Radome, 10M Digital Cable, 1.5M Network Cable, and Crossover Coupler.

5026097: T62290 C120W/DSM30 SYSTEM PACK: Includes C120W display, DSM30 Digital Sounder Module, (2) 1.5M Network Cables, and Crossover Coupler.

DIMENSIONS:

C90W - 8.15"Hx12.65"Wx4.5"D
C120W - 10"Hx15.2"Wx4.5"D
C140W - 11.3"Hx16.9"Wx4.5"D

Order #	Mfg. #	Model	Display	Sugg.Ret.
5025754	E62111	C90W	9"	$1649.99
5025755	E62113	C120W	12"	1999.99
5025756	E62115	C140W	14"	3699.99
SYSTEM PACKS				
5026093	T62288NV	C90W/DSM30		2149.99
5026094	T62307NV	C90W/DSM30/P66		2299.99
5026096	T62289	C90W Radar System Pack		2299.99
5026097	T62290NV	C120W/DSM30		2499.99
TRUNION MOUNTING KIT				
5025757	A62132	For C90W		44.99
5025759	A62134	For C140W		44.99

RAYMARINE® e7 & e7D NETWORK MULTIFUNCTION DISPLAY

Super bright 7" widescreen, sunlight viewable MFD. Sport Optic Friendly technology allows you to view the e7 screen from any angle while wearing your favorite sport sunglasses. Transform your Apple iPod Touch, iPhone, or iPad into a remote e7 viewer. Using the e7's built-in Wi-Fi & the Raymarine Viewer app you can view the entire e7 display simultaneously, thanks to the e7's video streaming capability. View charts, sonar, radar, & thermal night vision from anywhere onboard, right in the palm of your hand. Connecting to the e7 is easy - just go to the Apple iTunes App store and download the free Raymarine Viewer to get started. Enjoy your favorite tunes right from the helm using Bluetooth technology to remotely control the music functions on your iPod Touch, iPhone, or iPad. Exclusive LightHouse User Interface intuitively places frequently used navigation functions right at your fingertips. LightHouse takes full advantage of Raymarine HybridTouch™ technology, giving you a choice between touch screen operation or full keypad control when seas are rough. Helm friendly industrial design offers a clean, unobtrusive display solution that looks great on any helm. "Buttonless" buttons and a hidden memory card door along the right hand side. A UniController offers precision control of the joystick cursor, rotary adjustments, & menu commands. Equipped with three processors in the form of a dual core main processor & a third dedicated graphics processor. Built-in high sensitivity 48 channel GPS sensor and high quality Navionics® ready-to-navigate charts on an included microSD card. Instantly synchronize waypoint locations, favorite fishing spots and route plans between the e7 and the Navionics® Mobile app. See at night w/thermal night vision. Built-in dual frequency HD Digital™ sonar capable of depths down to 3,000'.

- **•E62354:** e7 Network MFD w/out cartography.
- **•T70000:** e7 Network MFD w/USA cartography.
- **•T70003:** e7 Network MFD w/USA Inland cartography.
- **•E62355:** e7D Network MFD w/Sonar & no cartography.
- **•T70005:** e7D Network MFD w/Sonar & USA cartography - No transducer.
- **•T70008:** e7D Network MFD w/Sonar & USA Inland cartography - No transducer.

Order #	Mfg. #	Sugg.Ret.
5026824	E62354	$1549.99
5026825	T70000	1649.99
5026826	T70003	1649.99
5026827	E62355	1749.99
5026828	T70005	1849.99
5026829	T70008	1849.99

RAYMARINE® RCU-3 STEERING WHEEL REMOTE CONTROL

Gives you simple access to frequently used functions while underway. Change range scales, control your music, switch between apps, and even mark a waypoint. You can also attach the RCU-3 to the supplied lanyard & transform the RCU-3 into a convenient handheld remote control for the e7. Bluetooth wireless technology makes configuring the RCU-3 remote easy and gives wireless control of the e7 from up to 15' from the display.

Order #	Mfg. #	Sugg.Ret.
5026830	E62351	$134.99

Raymarine®

new

RAYMARINE® C-SERIES MULTIFINCTION DISPLAYS (MFD)

Features 9.0" (diagonal) ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting. Resolution: 800x480 pixels (WVGA). LightHouse User Interface offers fast, easy control using keypad/Unicontroller. Equipped w/built-in high-sensitivity GPS receiver. Dual chart reader slots for Navionics® charts on microSD cards. Wi-Fi (802.11 b/g) video streaming & waypoint synchronization w/iPhone & iPad or Android Tablets & Smartphones. Bluetooth connectivity (AVCRP 2.1+ EDR power class 1.5) for optional RCU-3 remote control & multimedia control. Dual core main processor & dedicated graphics co-processor for speed & performance. Offers robust wired networking including SeaTalkhs, SeaTalkng, NMEA2000, NMEA 0183 & (1) composite video input. Network up to 6 displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more. Includes includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM. Size: 11.4"x6.8" (not including mounting bracket). NOTE: HD Digital Sounder (C97 MFD Only) is capable of imaging fish & bottom structure at depths to 3000ft.

Order #	Mfg. #	Description	Sugg.Ret.
C95 MFD			
5027019	T70026	Includes U.S. Inland Charts	$1999.99
C97 MFD w/BUILT-IN HD DIGITAL SOUNDER			
5027111	T70021	Includes U.S. Coastal Charts	2199.99
5027020	T70027	Includes U.S. Inland Charts	2199.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	$49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9” C90W/E90W Displays	149.99
5027029	R70009	Fits 12” C120W/E120W Displays	149.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027030	R70010	Fits 9” C80/E80 Displays	149.99
5027031	R70011	Fits 12” C120/E120 Displays	149.99



new

RAYMARINE® e-SERIES HYBRIDTOUCH MULTIFINCTION DISPLAYS (MFD)

Features ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting. Resolution: 800x480 pixels WVGA (E97), 1280x800 WVGA (E127). HybridTouch user interface w/Lighthouse offers full touch screen or button-based control. Equipped w/built-in high-sensitivity GPS receiver & HD Digital Sounder that is capable of imaging fish & bottom structure at depths to 3000ft. Dual chart reader slots for Navionics® charts on microSD cards. Wi-Fi (802.11 b/g) video streaming & waypoint synchronization w/iPhone & iPad or Android Tablets & Smartphones. Bluetooth connectivity (AVCRP 2.1+ EDR power class 1.5) for optional RCU-3 remote control & multimedia control. Dual core main processor & dedicated graphics co-processor for speed & performance. Offers robust wired networking including SeaTalk^{hs}, SeaTalk^{ng}, NMEA2000, NMEA 0183 & (1) composite video input. Get expanded video capability w/additional composite input & high resolution video output using the optional e-Series Video Accessory Cable (sold separately). Network up to 6 displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more. Includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM. Size (without mounting bracket): 11.4"x6.8" (E97), 13.9"x8.7" (E127).

Order #	Mfg. #	Description	Sugg.Ret.
E97 MFD w/9.0" DIAGONAL DISPLAY			
5027021	E70022	No Cartography	$3099.99
5027113	T70041	Includes U.S. Coastal Charts	3199.99
5027114	T70047	Includes U.S. Inland Charts	3199.99
E127 MFD w/12.1" DIAGONAL DISPLAY			
5027022	E70051	Includes U.S. Coastal Charts	3699.99
5027116	T70057	Includes U.S. Inland Charts	3699.99
E125 MFD w/12.1” DIAGONAL DISPLAY (NO SOUNDER)			
5027023	E70050	Includes U.S. Coastal Charts	3499.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	$49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9” C90W/E90W Displays	149.99
5027029	R70009	Fits 12” C120W/E120W Displays	149.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027030	R70010	Fits 9” C80/E80 Displays	149.99
5027031	R70011	Fits 12” C120/E120 Displays	149.99

NAVIONICS

RAYMARINE® E-SERIES WIDESCREEN MULTIFUNCTION DISPLAYS

Advanced & easy-to-use multifunction display engineered with hybridTouch™ technology. High Definition displays w/wide viewing angles & High Bright sunlight viewability. Touch screen user interface offers the convenience of touch screen & the confidence of full keypad control. Equipped with a Dual Cartography charting engine that enables boaters to choose between cartography from the world’s best electronic chart providers. Jeppesen Marine offers C-MAP embedded base charts/4D cartography. Navionics® offers Platinum+ with TurboView and is also Silver, Gold, & HotMaps compatible auto-routing. Automated voyage planning plots the best route for you. Anti-Collision Alarm: Customizable alerts for shallow water and charted hazards. SIRIUS Weather Views: Instant access to weather radar and forecasts right on your chartplotter display. High Speed Radar Scanning: Automatically engages for optimum tracking of high speed targets at close range. Display Networking: Up to five E-Series Widescreen displays can network via SeaTalkhs. Expand with SeaTalkhs Network Switch: Connect up to eight SeaTalkhs nodes (MFD and Sensors) on a single network. Network Sensors: HD and Super HD Digital Radar (Radome and Open-Array), Digital Sounder Module (DSM30, DSM300, DSM400) and SIRIUS Marine Weather (SR100).

Order #	Mfg. #	Model	Display	Sugg.Ret.
5026085	E62220-US	E90W	9’’	$2399.99
5026087	E62226-US	E140W	14’’	5999.99

RAYMARINE® AIS350 RECEIVER

Ultra-compact AIS receiver that is engineered for high performance and seamless integration with your Raymarine navigation system. Features include: Dual channel receivers – AIS vessel monitoring of class A and B transmissions. SeaTalkng networking for simple integration with Raymarine C-Series Widescreen, E-Series Widescreen and G-Series systems. USB 2.0 port for plug-and-play connection to PC based navigation systems. Built-in NMEA multiplexer simplifies integration with legacy MFD display, VHF radios and 3rd party devices. Front-facing multicolor LED indicator for system status and diagnostics. Rugged, water resistant enclosure designed for easy below deck installation.

Order #	Mfg. #	Sugg.Ret.
5026831	E32157	$499.99

Raymarine®

RAYMARINE®
AIS650 CLASS B
AIS TRANCEIVER

Ultra-compact class B AIS transceiver that is engineered for high performance and seamless integration with your Raymarine navigation system. Features include: Dual channel receivers – AIS vessel monitoring of class A and B transmissions. Built-in 50 channel RAIM compliant GPS receiver for superior accuracy. Hardware & software selectable Silent Mode for privacy or security. Silent mode turns off your AIS transmitter while still enabling you to see transmissions from other vessels. SeaTalkng networking for simple integration with Raymarine C-Series Widescreen, E-Series Widescreen and G-Series systems. USB 2.0 port for plug-and-play connection to ProAIS2 configuration software (included) and PC based navigation systems. SD Card Slot for recording of AIS data. Will continuously record data until the inserted SD card is full (2 GB maximum). Estimated 7-days of continuous recording in heavy AIS traffic areas like Singapor, Rotterdam and New York Harbor. Built-in NMEA multiplexer simplifies integration with legacy MFD display, VHF radios and 3rd party devices. Front-facing multicolor LED indicator for system status and diagnostics. Rugged, water-resistant enclosure designed for easy below deck installation.

Order #	Mfg. #	Sugg.Ret.
5026832	E32158	$899.99

RAYMARINE®
TRANSDUCER PODS

SeaTalkng compatible connections for use w/ST70 instruments. Hosts any Raymarine® ST30, ST40, ST50, ST60, ST60+, ST80 or ST290 series depth or speed/water temp transducer (sold separately). Depth transducer pod has a 200kHz transmitter.

Order #	Mfg. #	Type	Sugg.Ret.
5025630	E22107	Speed/Water Temp Pod	$269.99

RAYMARINE®
RD418HD & RD424HD
DIGITAL RADOMES

Superior display & simple, intuitive controls. Easily accessed auto modes. Broad compatibility across MFD range. Works with new C, E & G. All physical paramters same as NGS (except cable). Mounting bolt pattern remains unchanged from current design. Re-designed antenna. Narrow horizontal beam angle - 5.1º for 18'' and 3.9º for 24''. Custom designed LNC (Low Noise Converter). Lowest noise on the front end of the system, superior sensitivity & weak target acquisition. Greatest number of pulse lengths, pulse repetition frequencies and IF bandwidths. Optimizes radar performance for every range scale. Better resolution & target detection. Quiet belt drive operation. Superior auto functions. User friendly. Thin (12.3mm) digital cable, same as digital scanners. 5, 10, 15, 25m cables with 2.5, 5 & 10m extensions. Simplified installation w/plug - no requirement to open dome housing.

Order #	Mfg. #	Model	Sugg.Ret.
5026088	E92142	RD418HD	$1649.99
5026089	E92143	RD424HD	2449.99

RAYMARINE®
SR50 SIRIUS SATELLITE RADIO
& WEATHER RECEIVER

For "C" Series multifunction displays. Graphically display up-to-date animated weather forecasts from Sirius Satellite Radio's Marine Weather Service. Displays deliver state-of-the-art forecast information including weather radar, storm tracks, sea surface temperature, wind, surface pressure, wave heights, lightning and much more. Tune in Sirius radio channels directly through a "C" Series display. Enjoy over 130 channels of original satellite radio programming including commercial-free music, sports, news, talk & more.Compatible Display: A-Series Classic: A50, A50D, A57D, A70, A70D. C-Series Classic: C70, C80, C120. Contact Raymarine product support regarding SR50 compatibility with other Multifunction Displays. **NOTE:** A monthly subscription to Sirius Marine Weather and/or Radio is required. Includes SeaTalk NG connection, SRA40 Sirius marine antenna & mount.

Order #	Mfg. #	Sugg. Ret.
5025332	E03014	$499.99

SeaTalkng
The Next Generation Data Bus

RAYMARINE®
SR6 WEATHER RECEIVER &
SEATALKhs NETWORK SWITCH

Features 3 functions in one compact network device: SIRIUS Marine Weather Service Receiver, SIRIUS Satellite Radio Receiver, & 6-Port SeaTalkhs Network Switch. Rugged, weather resistant enclosure w/water ingress cable grommet protection. Get live up-to-the-minute weather forecasts (w/SIRIUS subscription*). Accepts 12-24V DC power input w/surge protection & self-resetting fuse. Provides diagnostic information through a front viewable 3 color status LED & network speed access rates for six network ports. NOTE: *Monthly SIRIUS Marine Weather & Audio subscription are required to receive forecast & audio on board. Requires SRA40 or equivalent Shakespeare SIRIUS antenna (Not Included).

Order #	Mfg. #	Sugg.Ret.
5026290	E32122	$999.99

new

RAYMARINE®
HS5 SEATALK^{hs} NETWORK SWITCH

12V or 24V DC - Direct connect (wires - ST^{ng} power spur). 5 port - watertight RayNet connection. Supported Network Speeds: 10MB/sec., 100 MB/sec., 1 GB/sec. (5th port only). Allows higher speed across switches should a second switch be necessary.

Order #	Mfg. #	Sugg.Ret.
5027034	A80007	$269.99

RAYMARINE®
SEATALK hs
CROSSOVER COUPLER

Provides a secure connection between any 2 SeaTalk hs devices. Commonly fitted on networks consisting of a single E-Series display with DSM300, or 2 E-Series displays with no DSM300. For networks with 3 to 8 devices, please choose the SeaTalk hs Network Switch.

Order #	Mfg. #	Model	Sugg.Ret.
5024581	E55060	SeaTalkhs for connecting 2 devices with no network switch	$29.99

RAYMARINE®
SEATALKNG BACKBONE KIT

Contains everything you need to construct and wire a basic SeaTalkng navigation backbone on board your vessel. Contains the following components: (2) A060031 SeaTalkng Terminators, (1) A06037 20m Backbone Cable, (2) A06036 5m Backbone Cables, (4) A06028 T-Pieces, (1) A06049 Network Power Cable and (1) 81300 SeaTalkng Reference Manual.

Order #	Mfg. #	Sugg.Ret.
5025631	A25062	$251.99

Raymarine®

RAYMARINE® A50 CHARTPLOTTER

Compact 5'' chartplotter. Built-in high sensitivity 12-channel GPS receiver with WAAS. Sunlight viewable high resolution VGA (640x480) for pixel perfect chart detail. Fully waterproof enclosure. Tilt swivel mount features cable management & quick release for easy removal from the boat. Sirius marine weather and audio compatible using the optional SR50 receiver. AIS compatible. Powerful chartplotting w/super fast redraws and support for Navionics® Gold, Platinum and HotMaps™ charts on compact flash.

E62184-US: Preloaded w/coastal charts of the lower 48 states (including the Great Lakes).

Order #	Mfg. #	Model	Sugg.Ret.
5025762	E62184	A50	$699.99
5025763	E62184-US	A50 US Coastal	729.99

RAYMARINE® A50D CHARTPLOTTER/ FISHFINDER

All the features of the A50 plus a 500 watt HD Digital fishfinder built in. Compact 5'' screen. Superior fish detection & bottom discrimination using HD Digital sonar technology, which instantly adapts to changing seabed & water conditions providing fully automatic "hands off" operation. Built-in high sensitivity 12-channel GPS receiver with WAAS. Sunlight viewable high resolution VGA (640x480) for pixel perfect chart detail. Fully waterproof enclosure. Tilt swivel mount features cable management & quick release for easy removal from the boat. Sirius marine weather & audio compatible using the optional SR50 receiver. AIS compatible. Powerful chartplotting w/super fast redraws & support for Navionics® Gold, Platinum and HotMaps™ charts on compact flash.

E62186: Dual frequency 200/50kHz transom mount transducer w/ depth, speed, & water temperature sensors.

E62186-IN: Preloaded w/Navionics® inland lakes and fishing maps of the U.S. Includes a 200kHz wide beam transom/trolling motor transducer w/depth & water temperature sensors.

E62186-US: Preloaded w/coastal charts of the lower 48 states (including the Great Lakes). Dual frequency 200/50kHz transom mount transducer w/depth, speed, & water temperature sensors.

Order #	Mfg. #	Model	Sugg.Ret.
5025766	E62186	A50D	$719.99
5025767	E62186-IN	A50D US Inland Lakes	749.99
5025768	E62186-US	A50D US Coastal	749.99

RAYMARINE® A57D CHARTPLOTTER/ FISHFINDER

5.7'' Chartplotter/Fishfinder. Enjoy 3D & satellite photo map navigation using optional Navionics Platinum charts. Superior fish detection & bottom discrimination using HD Digital sonar technology, which instantly adapts to changing seabed & water conditions providing fully automatic "hands off" operation. Built-in high sensitivity 12-channel GPS receiver with WAAS. Sunlight viewable high resolution VGA (640x480) for pixel perfect chart detail. Fully waterproof enclosure. Tilt swivel mount features cable management & quick release for easy removal from the boat. Sirius marine weather & audio compatible using the optional SR50 receiver. AIS compatible. Powerful chartplotting w/super fast redraws and support for Navionics® Gold, Platinum and HotMaps™ charts on compact flash.

E62188: Dual frequency 200/50kHz transom mount transducer w/ depth, speed, & water temperature sensors.

Order #	Mfg. #	Model	Sugg.Ret.
5025769	E62188	A57D	$719.99

RAYMARINE® i70 MULTIFUNCTION INSTRUMENT

Digital & graphical data views of wind, depth, speed, AIS targets, engine, fuel, and GPS navigation. 4'' oversized ultra bright sunlight viewable color display with LED backlighting. 30% larger screen than previous generation instruments displays; same overall footprint. Very low power consumption: 150mA / 1.6W typical. Consumes 27% less power than previous generation color instruments. Easy-to-install using a simple circular, hole saw cut (90mm). Repeat AIS data from SeaTalkng or NMEA 2000 AIS receivers. View the closest 25 AIS equipped vessels and select individual targets to obtain vessel information. Customizable tridata multiline display.

Order #	Mfg. #	Sugg.Ret.
5026835	E22172	$534.99

RAYMARINE® p70 AUTOPILOT CONTROL HEADS

LightHouse user interface is simple and quick to use. Start up wizard helps you configure the pilot quickly and easily. Anti-reflective coating for improved visibility in bright sunlight. Four times brighter than previous generation product while consuming 27% less power. Supported autopilot modes: Auto; Standby; Pattern; Track; Wind Vane; Power Steer (p70R only) and Jog Steer. Simple system and group dimming/illumination. Support for multiple data sources. SeaTalkng/NMEA2000 and SeaTalk1 connectivity (no bridging required). p70 Keypad Control: Simple Autohelm style 1 and 10 degree course change controls. p70R Rotary Control: Dial through menus or take control w/Power Steer Mode.

Order #	Mfg. #	Model	Sugg.Ret.
5026833	E22166	Keypad Control	$534.99
5026834	E22167	Rotary Control	599.99

RAYMARINE® DSM300 DIGITAL SOUNDER MODULE

Black box digital fishfinder provides full-function fishfinder capabilities to the E-Series, C-Series & hsb2 displays. Dual frequency: 200/50 kHz. 1000W or 600W power. HDFI™ auto adaptive gain control-no adjustment required. Patented digitally adaptive transmitter receiver with infinite receiver bandwidth settings & digital filter.

Order #	Mfg. #	Sugg.Ret.
5024358	E63069	$699.99

RAYMARINE® DSM30 DIGITAL SOUNDER MODULE

Digital Sounder Module adds HD Digital technology to Raymarine® E-Series and C-Series multifunction displays. 600 watt operation. Dual frequency 50/200 kHz. Designed for 12VDC electrical systems only.

Order #	Mfg. #	Sugg. Ret.
5025375	E63074	$499.99

new

RAYMARINE® RS130 GPS RECEIVER

Compact & accurate. ST^{ng}/NMEA 2000 (cerified) connectivity. Space Based Augmentation System (SBAS) enabled. Satellite differential type: WASS, EGNOS, MSAS and GAGAN. <9.84 ft. (3m) accuracy typical, <16.4 ft. (5m) accuracy guaranteed. Very high sensitivity: -162dBM. 50 channel GPS receiver. Low power: 50mA (1 LEN). 12 or 24V DC. Ploe mounting adapter included.

Order #	Mfg. #	Sugg.Ret.
5027260	E32153	$348.99

Raymarine®

RAYMARINE® SMARTPILOT SPX-5R CORE PACK

Modular autopilot system for for manual cable steered power boats with laden displacements of up to 2000 kg (4400 lbs) & manual hydraulic and servo hydraulic steering up to 3500 kg (7700 Lbs). For power boats typically up to 30ft (9m). Built-in rate gyro sensor w/AST (Advanced Steering Technology). AutoLearn technology simplifies calibration & enables the autopilot to automatically adapt to changing sea conditions. Smart Rudder Sense™ technology eliminates the need for a rudder reference sensor. SeaTalk®, SeaTalkng, NMEA2000 and NMEA0183 compatible. System includes: SmartPilot X-5 course computer, rugged cockpit mounted drive unit, & Fluxgate compass. System can be expanded w/multiple autopilot controls & wireless hand held remote controls. Suitable for fixed & tilt steering systems. Auto Speed Gain adjusts the amount of helm applied at different boat speeds. Course Memory: After a manual course change to avoid an obstruction, simply press Auto for one second to return to your previous course. **NOTE:** Control head not included.

Order #	Mfg. #	Sugg.Ret.
5026782	E12222	$1699.99

RAYMARINE® SMARTPILOT SPX-5R SYSTEM

Easy-to-install autopilot for power boats typically up to 30ft (9m). Built-in rate gyro sensor w/Raymarine AST (Advanced Steering Technology) gives superb steering performance & boat handling. AutoLearn technology simplifies calibration & enables the autopilot to automatically adapt to changing sea conditions. Smart Rudder Sense™ technology eliminates the need for rudder reference sensor. SeaTalk®, SeaTalkng, NMEA2000 & NMEA0183 compatible. Modular system includes: p70R Autopilot Controller, SmartPilot X-5 course computer, rugged cockpit mounted drive unit & Fluxgate compass. System can be expanded w/multiple autopilot controls & wireless hand held remote controls. Suitable for fixed & tilt steering systems. Auto Speed Gain adjusts the amount of helm applied at different boat speeds for smooth, safe ride. Course Memory: After manual course change to avoid an obstruction, simply press Auto for one sec. to return to your previous course.

Order #	Mfg. #	Sugg.Ret.
5027052	T70016	$2099.99

RAYMARINE® SMARTPILOT X-10 SYSTEM

All-in-one X-10 autopilot system for hydraulically steered powerboats. System includes P70R Autopilot control head (E22167), SmartPilot X-10 Corepack (course computer & fluxgate compass), Type 1 hydraulic pump (12v) & Autopilot Backbone Kit (two T-piece connectors, two Backbone terminators, one 5M Backbone cable). Fits vessels w/hydraulic steering cylinder capacities between 4.9in^3 & 14in^3 (80cc-230cc) ram capacity. 3.5" sunlight viewable liquid crystal display.

Order #	Mfg. #	Sugg.Ret.
5027039	T70079	$2819.99

RAYMARINE® SMARTPILOT™ X-5 WHEEL COREPACK

No control head. Wheel pilot corepack for wheel steered sailboats. System includes course computer, and MKII wheel drive. Use w/choice of ST6/7/8002 or ST70 control heads. SmartPilot X-5 course computer with rate gyro and AutoLearn. Designed for yachts with a laden displacement of up to 16,5000 lbs. (7,500 kg). Supplied with: Instruction and Commissioning manual, Operating manual, SmartPilot X-5 course computer w/compass, wheel drive, torque restraint, single spoke clamp (requires 3), & cable assembly.

Order #	Mfg. #	Sugg.Ret.
5025775	E12133	$1294.99

RAYMARINE® SMARTPILOT™ S1000 SYSTEM PACK

Wireless autopilot controller is perfect for powerboats up to 25' equipped with SeaStar® hydraulics. Safe, easy-to-use. Engineered to achieve the greatest accuracy without rudder reference. Standard steer-to-heading & steer-to-waypoint functions. Smooth course changes regardless of speed. NMEA 0183 input from handheld GPS dedicated fishing patterns. Troll at low speeds. Uses rechargeable or regular AAA batteries. Displays up to 2 lines of text & graphic display. Raised profile "standby" button for easy ID in the dark. Keylock security. 10 meters wireless range from base station. Includes: S1000 course computer, S100 Remote, 2x cradle for remote & mounting screws, lanyard, belt clip, power cable, 9-pin D-type data cable, S100 operating/user guide, quick start guide & installation guide

Order #	Mfg. #	Sugg.Ret.
5024359	E12169	$1069.99

RAYMARINE® SMARTCONTROLLER®

Wireless full-function autopilot controller. Wireless SeaTalk instrument repeater. Plug-&-play installation. Wireless up to 32' from base station. Up to 8 user-definable pages allowing 1, 2, 4 lines of text & graphics including rolling road. High-contrast display. Raised profile on "Standby" for easy ID in the dark. Keylock security. Backlit buttons. Battery & signal strength indicator. Warning signal when remote is out of range of base station & automatically drops autopilot to standby. Display of local & system alarms. Rechargeable via SeaTalk network.

Order #	Mfg. #	Sugg.Ret.
5024360	E15023	$564.99

RAYMARINE® S100

Compact, lightweight, wireless autopilot controller. 2 lines of text. High-contrast display. Raised profile on "Standby" for easy ID in the dark. Keylock security. Battery & signal strength indicator. Warning signal when remote is out of range of base station & automatically drops autopilot to standby. Graphical illustration of autopilot mode selected. Pre-registered-each unit leaves the factory already registered to the base station. Uses 2 AAA alkaline batteries. Comes fully equipped with base station, SeaTalk lead (includes 3-way terminal block), 2 mounting cradles, lanyard, belt clip & AAA batteries.

Order #	Mfg. #	Sugg.Ret.
5024361	E15024	$414.99

Raymarine®

RAYMARINE®
HIGH PERFORMANCE DSM300 TRANSDUCER

Depth only. 1 kW. For in-hull or transom mounting. Dual frequency 200/50 kHz. 1000 watts w/30' cable. Includes in-hull mounting kit.

Order #	Mfg. #	Sugg. Ret.
5025321	A66089	$1049.99

new

RAYMARINE®
P48 FAN BEAM TRANSOM MOUNT TRANSDUCER

3 times the beam width of conventional 200 kHz transducers. Unique beam rotation control built into transducer housing. 200 kHz frequency for fishing up to 300ft. of water. Elliptical wide beam is 38ºx12º wide at -3dB (maximum measured power). Designed for transom or trolling motor mounting & features built in temperature sensor. Compatible Hull Material: wood, fiberglass, or aluminum. Max Power: 500 watts.

Order #	Mfg. #	Sugg.Ret.
5027035	A102140	$94.99

RAYMARINE®
SMARTPILOT™ ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
ROTARY RUDDER REFERENCE w/BRACKET			
5024861	E15022	Rotary Rudder Reference	$349.99

RAYMARINE®
SEATALK CABLE ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5022822	D284	SeaTalk Cable	$31.99
5022821	D244	SeaTalk Junction Box	26.99
5022870	D229	SeaTalk Power Cable	24.99
SEATALKHS NETWORK CABLES (E-Series)			
5024613	E55049	SeaTalkhs 1.5m Network Cable	54.99
5024614	E55050	SeaTalkhs 5m Network Cable	109.99
5024959	E55051	SeaTalkhs 10m Network Cable	154.99
5024960	E55052	SeaTalkhs 20m Network Cabe	239.99
SEATALKHS DIGITAL RADAR INTERCONNECT CABLES			
5026091	A55077D	SeaTalkhs 10m Digital Cable	169.99

RAYMARINE®
FISH FINDER ACCESSORIES

Order #	Mfg. #	For	Sugg.Ret.
PANEL MOUNT KIT			
5025928	A62154	A50/A57/A70 Displays	$24.99
TRANSDUCER - THRU-HULL			
5024187	E66008	Depth, (P79) Plastic adjustable, DS400X/DS500X/DS600X	129.99
5025316	E66085	(B60)Bronze, 200kHz, Depth 20º Tilted Element, DSM300	289.99
5025854	E66087	(B60) Bronze, 200/50kHz, Depth & Temp, 20ºTilted Element, For A50D,A57D,A70D & DSM25	269.99
5027037	E66088	Bronze B60-12° Tilted Element™ - 50/200kHz, Compatible Hull Material: Fiberglass or Wood, 33 ft. Cable, Fits vessels w/hull deadrise of 5° to 8°, Compatible w/DSM25, A50D, A57D & A70D Sounders	269.99
TRANSDUCER - IN-HULL			
5027036	E66073	(P74) Dual Freq. Single Ceramic Element - 50/200kHz, Compatible Hull Material: Fiberglass, 25 ft. Cable, Compatible w/DSM25, A50D, A57D & A70D Sounders	109.99
TRIDUCERS - TRANSOM MOUNT			
5024356	E66054	Plastic, DSM250, DSM300, L770, L1260	149.99
TRIDUCERS - BRONZE THRU-HULL			
5024091	A66091	DSM300, Includes Fairing	429.99
TRIDUCERS - (P58) MULTI-FUNCTION-TRANSOM MOUNT			
5024898	A102138	DS400X, DS500X & DS600X	99.99



RAYMARINE®
STRAIGHT INTERFACE CABLE

Order #	Mfg. #	Description	Sugg.Ret.
5026187	R62131	Straight power, data, video cable for C-Series Widescreen & E-Series Widescreen Multifunction displays	$59.99

new

RAYMARINE®
ADAPTER CABLES

Order #	Mfg. #	Description	Sugg.Ret.
5027027	A62363	1m MinnKota Adapter Cable	$59.99
5027032	A62360	1m RayNet to RJ45 Male Cable	49.99
5027033	A62361	1m RayNet to RayNet Cable	79.99

new

RAYMARINE®
ALARM AUDIO OUT & VIDEO IMPUT/OUTPUT CABLE

Use for adding three additional video input sources as well as an HD compatible VGA output to external LCD monitors & TVs. For use w/E-Series Widescreen Multifunction Displays

Order #	Mfg. #	Sugg.Ret.
5026985	A62158	$79.99

RAYMARINE®
COMPACT FLASH TO MICRO-SD CARD ADAPTER

Order #	Mfg. #	Sugg.Ret.
5026289	A62311	$29.99

Ellett Link
The Retailers Connection
www.ellettbrothers.com

SIMRAD

SIMRAD® NSS NETWORK NAVIGATION SYSTEMS

For recreational boaters who require a reliable, high-quality, fully integrated, extensible navigation platform, Simrad NSS Sport is a networked MFD that provides: touch-screen control, superior screen brightness, & compatibility with all Simrad Performance Modules. Unlike other touch-screen devices, NSS delivers touch user interface with an assimilated keypad & rotary controller, internal Broadband Sounder™ technology on NSS-7 and NSS-8 and internal GPS, and full network compatibility with all NSS Series displays, devices & accessories. High brightness bonded screen with LED LCD. Pre-loaded Insight USA™ cartography, including inland lake and coastal coverage for the US, as well as the Great Lakes - with background reference mmap for the rest of the Americas region, such as Canada & Latin America. Displays include bezel, sun cover, mounting bracket & knobs, flush mount kit, power cable, Data/Video cable, installation and operation documentation, and a cleaning cloth.

•**NSS-7:** 6.4'' VGA screen •**NSS-8:** 8.0'' SVGA screen •**NSS-12:** 12'' XGA screen

NSS PACKAGES

•NSS-7 Navigation Pack: Includes NSS-7 and Broadband 3G™ Radar
•NSS-8 Navigation Pack: Includes NSS-8 and Broadband 3G™ Radar
•NSS-12 Navigation Pack: Includes NSS-12, Broadband 3G™ Radar and BSM-1 Broadband Sounder® Module

Order #	Mfg. #	Model	Sugg.Ret.
MULTIFUNCTION DISPLAYS			
5026973	000-10195-001	NSS-7	$1499.99
5026974	000-10196-001	NSS-8	2299.99
5026975	000-10197-001	NSS-12	3299.99
NSS PACKAGES			
5026980	000-10629-001	NSS-7 Navigation Pack	2799.99
5026981	000-10630-001	NSS-8 Navigation Pack	3598.99
5026982	000-10631-001	NSS-12 Navigation Pack	4999.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026971	000-10029-001	NEP-2 Network Exp. Port	269.99

SIMRAD® NSE NETWORK NAVIGATION SYSTEMS

Engineered for anyone serious about navigation capabilities & offers best-in-class multifunction performance. Lightning fast charplotter. Superior brightness w/ LED backlit display. Easy Simrad control interface w/rotary controller. Elegant design, rugged construction. Integrate everything w/Simrad performance modules. Pre-loaded Insight HD with shaded relief contour overlays. Displays include bezel, sun cover, mounting bracket & knobs, flush mount kit, power cable, Data/Video cable, SimNet starter kit: power cable, installation and operation documentation, and a cleaning cloth.

•**NSE-8:** 8'' display •**NSE-12:** 12'' display

NSE PACKAGES

•NSE8 Fishing Pack: Includes NSE8, GS15 GPS antenna & BSM-1 Broadband Sounder™.
•NSE12 Fishing Pack: Includes NSE12, GS15 GPS antenna & BSM-1 Broadband Sounder™.

Order #	Mfg. #	Model	Sugg.Ret.
MULTIFUNCTION DISPLAYS			
5026983	AA010146	NSE-8	$2899.99
5026984	AA010148	NSE-12	3999.99
NSE PACKAGES			
5026977	000-10342-001	NSE8 Fishing Package	3597.99
5026978	000-10343-001	NSE12 Fishing Package	4697.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027171	000-10613-001	RC42N Rate Compass, Micro-C Needed to do Radar Overlay	645.99
5027177	000-10760-001	Micro-C Backbone Kit	119.99
5027168	000-0127-45	SIMNET to NMEA2000 Adptr. Kit	99.99
5026971	000-10029-001	NEP-2 Network Exp. Port	269.99
5026969	000-0125-25	GS15 Antenna w/13' Micro-C to SimNet Cable	339.99

SIMRAD® BROADBAND SOUNDER MODULE (BSM-1)

High-speed Ethernet-based system delivers peerless echo clarity & the highest underwater definition. Plug & play compatible w/Simrad NSO, NSE8 and NSE12 navigation systems. Penetrate deep waters & canyons over 3,000'. Clearly defines underwater structure w/"optimizer" technology in shallow & mid water. "Whisper" into the water to find more fish using exceptionally low power combined w/efficient long pulses to make the perfect "low-noise" Sonar. Supports 50/200Khz transducer frequency capabilities for optimal water column performance. Includes: BSM-1 module, power cable, Ethernet cable yellow 5 Pin 6.5' (000-0127-51). Ethernet Yellow 5 Pin male to RJ45 female (000-0127-56) adapter required for NSO and is not included. Transducer to be ordered separately.

Order #	Mfg. #	Sugg.Ret.
5026970	000-0132-05	$699.99

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5026963	000-00021-001	B60 Bronze 600W Thru-Hull 50/200kHz Depth/Temp (20° Tilt), 12 m	269.99
5026968	000-0106-82	B260 Bronze 1kW In-Hull 50/200kHz Depth/Temp w/ HS Fairing Block, 12 m	949.99

new

SIMRAD® STRUCTURESCAN® HD

System delivers more side-to-side coverage as well as greater target & bottom definition, allowing users to cover more water faster w/unprecedented clarity & detail. Offers a new dimension in underwater, picture-like displays for more productive fishing, diving and search & recovery. Includes an enhanced transducer design that features 3 dedicated signals for best-in-class crisp, clear views to the left, right & directly beneath the boat. Full-panoramic, picture-like returns are more impressive w/sharper images of structure, fish, thermoclines & more. Greater side-scanning range with no loss in resolution. In depths less than 50', it can generate sidescan views that are twice as far w/greater resolution. When paired with the Lowrance HDS Gen2, it also supports StructureMap™ view — a powerful, innovative tool that allows users to overlay & save sidescan sonar images directly on a chart in real-time, or create StructureMap charts for a complete and detailed underwater view all around the boat. Compatible w/Navionics® cartography, users can easily create & view StructureMap detail on or off the water - without the aid of a computer. Also allows anglers to position the cursor anywhere on the screen to receive information on distance from boat & target depth. Synchronized TrackBack™ function, which features simultaneous scroll-back in the recorded history of sonar & mapping windows, allows anglers to find spots & set waypoints, so they can easily return to desired fishing locations. System allows users to add, edit & delete waypoints from the multifunction display's database. Sonar imaging system consists of a processing module, transducer and easy-to-connect Ethernet cable. The module features three additional Ethernet ports for viewing StructureScan HD images on up to 3 multifunction displays.

Order #	Mfg. #	Model	Sugg.Ret.
5027078	000-10801-001	LSS-2 StructureScan® HD	$499.99

continued next page

continued from previous page

SIMRAD® STRUCTURESCAN® HD

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5027076	000-10946-001	StructureScan® HD Bronze Thru-Hull Single	799.99
5027077	000-10947-001	StructureScan® HD Bronze Thru-Hull Pair	1299.99
5027079	000-10948-001	StructureScan® HD Bronze Thru-Hull Port (Repl. Part)	799.99
5027080	000-10949-001	StructureScan® HD Bronze Thru-Hull Strbrd (Repl. Part)	799.99
ACCESSORIES			
5026965	000-00099-006	LSS-1 Trans. Ext. Cable 10'	$69.99

SIMRAD® WM-2 WEATHER/SIRIUS RADIO MODULE

See the best current & future weather in real-time and in high-resolution. Enjoy sports & music in high quality digital stereo. All in a compact & affordable smart antenna module package. Compatible w/NSO and NSE navigation systems via ethernet w/complete control from any networked display. Easy flush-mount to boat deck or pole-mount. Latest weather forecasting w/5-day tabular weather feed for major US cities. Interfaces to onboard sound system via dual male red/white RCA molded connectors. Internal memory saves up to 30 minutes of weather/environmental data for power interruptions & power off during refueling. Provides important directional information of weather fronts & storm cells. Roadside retail fuel prices are now available. Includes: Sirius module, antenna, antenna & power cable. Ethernet Yellow 5-Pin male to RJ45 female (000-0127-56) adapter is not included. Ethernet cable yellow 5 Pin 6.5' is included (000-0127-51). 7 Pin 7' audio cable w/2 (M) RCA connectors (000-10032-001).

Order #	Mfg. #	Model	Sugg.Ret.
5026972	000-10036-001	WM-2	$699.99

UNIDEN® ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5001578	650-2406	QT-206 Transom Mount	$44.99

MOUNTS & BRACKETS

ANGLER'S PAL MULTI-MOUNTS

Offers the flexibility to mount a fishfinder/depth sounder anywhere in the boat for easy reading. 360º full hemisphere of possible positions. Universal ball locking device with a "select position" locking knob makes it virtually vibration free. Stainless steel/black hard anodized aluminum for fresh & saltwater use. Easily removed for security or storage.

Order #	Mfg. #	OAL	Sugg.Ret.
5026912	AP-MT4	4"	$94.99
5026913	AP-MT8	8"	94.99
5204553	AP-MT10	10"	89.99
5204554	AP-MT14	14"	98.99
5204555	AP-MT17	17"	99.99

new

ANGLER'S PAL MOUNTING PLATE

Replacement mounting plate for the standard rectangular plate included with Angler's Pal Electronic Mounts. Plate dimensions: 4-1/2"x4-1/2" square.

Order #	Mfg. #	Fits	Sugg.Ret.
5027257	AP-12003	"Smaller" Humminbird® & Lowrance® Units	$16.99

Johnny Ray LLC
New Ideas for Better Fishing !!

JOHNNY RAY TRANSDUCER MOUNTING BRACKET

Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor. Brackets offset the transducer to the side of the motor to protect it from damage. Also allows for easy cone angle adjustments to make the unit perform to its true potential. The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90º to the lake bottom. Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware.
Model JR-1: Fits 1" dia. shaft: MotorGuide, Evinrude, Johnson, OMC.
Model JR-2: Fits: Minn Kota.

Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	$16.99
5000632	JR-2	JR-2	16.99

JOHNNY RAY SPEED REEDER UNIVERAL TRANSOM MOUNTED TRANSDUCER BRACKET

Eliminates your high speed depth sounder reading problems. Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/ stainless steel hardware. Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering. Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface. Keeps the transducer in clean (non-turbulent) water at speed or when cornering. "Kick-up" design protects your transducer from floating or hidden objects under water.

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	$34.99

JOHNNY RAY JR-400HLP-M COMPLETE SWIVEL MOUNT ASSEMBLY

Machined from durable 6/6 Nylon for corrosion resistance & long life. Features the JR-400 swivel mount top already installed w/HLP Plate & hardware, & JR-300B swivel base. Simply locate your unit's base onto the plate, & drill the electronics pattern accordingly into the HLP Plate. Smaller Humminbird models like PiranhaMAX, can be drilled & reverse bolted from underside to match Electronic hole pattern. Nuts and washers exposed at top.

Order #	Mfg. #	Sugg.Ret.
5026893	JR-400HLP-M	$41.99

Johnny Ray LLC

New Ideas for Better Fishing !!

JR-300

JR-400

JR-500

JR-205

JR-206

JR-207

JOHNNY RAY
PATENTED SWIVEL MOUNTS

Features simple, one-handed operation to adjust the viewing angle. Securely holds the unit in place, no matter the boating conditions. No knobs to tighten or multiple joints to move. Mounts keep the electronic units close to the boat, not "out-on-a-limb" where vibration and rough water can make viewing the unit virtually impossible. Every model features a fully rotational swivel top that automatically locks in its turned position and can be removed by using its patented top removal feature to allow for storage of the unit. Mounts are injection molded from DuPont® 6/6 Nylon material and assembled w/ stainless steel springs and screws.

Order #	Mfg. #	Style	Description	Sugg.Ret.
5000634	JR-300	JR-300	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	$31.99
5001128	JR-400	JR-400	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	31.99
5002259	JR500	JR-500	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	31.99
5026986	JR-205	JR-205	24 position automatically locking top. Lever-release top removal mechanism. Heavy-duty.	44.99
5001031	JR-206	JR-206	24 position automatically locking swivel top. Lever release top removal mechanism. Heavy-duty for larger electronics. Supports up to 14 lbs.	44.99
5025398	JR-207	JR-207	24 position automatic locking top. Lever release top removal feature. Heavy-duty design for larger electronics. Supports up to 14 lbs.	44.99
ACCESSORIES				
5001132	JR-300B		Swivel base only, push-button release, for 300,400 & 500 tops	24.99
5001130	JR-205B		Swivel base only, lever release, for JR-206 tops	34.99

Go To Johnnyraysports.com/modelselect.html for All Your Application Needs.

RAM MOUNTS MADE IN USA Your Best Connection

ABOUT RAM MOUNT®

RAM is the revolutionary universal ball and socket mounting system that allows mounting of practically anything anywhere. Its unique design provides easy installation, mobility, strength, versatility, vibration protection & durability, all at a low cost. RAM is backed by NPIs renowned Lifetime Warranty which makes it the mounting system of choice. To provide light weight strength & corrosion resistance, RAM is made of marine grade aluminum w/powder coated finish, stainless steel hardware & rubber balls. Recognized & accepted by the U.S. Patent Office, RAM is the only universal ball-and-socket system that holds tremendous amounts of weight in high vibration applications for military, commercial & private use.

R-A-M®
COMPONENTS & MOUNTING SYSTEMS

Allows mounting of anything anywhere. Over 160 interchangeable accessories offers solutions to most challenging mounting problems. Reposition or remove electronics for viewing or safe keeping.

Order #	Mfg. #	Included Components & Description	Sugg.Ret.
MISCELLANEOUS COMPONENTS			
BASES			
5024571	RAM-B-107-1BU	Unpacked Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20)	$24.99
5025602	RAM-202	2.5"Dia. Base w/1.5'' Ball	15.99
5022326	RAM-B-202	2-6/17"Dia. Base w/1" Ball	11.99
5027247	RAM-D-202U	3.68" Dia. Base w/2.25" Ball	25.99
BASE KITS			
5024572	RAM-B-108B	1"-2.1" Rail-Accomodating Base w/1" Ball. Includes (1) 6"L & (1) 8" Metal Clamp Strap, & (1) 5.5" Rubber Strip.	25.99
DOUBLE SOCKET ARMS			
5027237	RAM-201	Accommodates 1.5" Ball Bases. OAL: 5.625". Socket-to-Socket length: 4.5".	25.99
5027238	RAM-201-D	Accommodates 1.5" Ball Bases. OAL: 9.125". Socket-to-Socket length: 8.75".	42.99
5027241	RAM-B-201	Accommodates 1" Ball Bases. OAL: 3.69". Socket-to-Socket length: 3".	14.99
5027242	RAM-B-201-A	Accommodates 1" Ball Bases. OAL: 2.38". Socket-to-Socket length: 2".	14.99
5027243	RAM-B-201-C	Accommodates 1" Ball Bases. OAL: 6". Socket-to-Socket length: 5.1875".	23.99

continued next page

continued from previous page

R-A-M®
COMPONENTS & MOUNTING SYSTEMS

Order #	Mfg. #	Included Components & Description	Sugg.Ret.
DOUBLE SOCKET ARMS			
5027245	RAM-D-201-U	Accommodates 2.25" Ball Bases. OAL: 8.375". Socket-to-Socket length: 6.5625".	68.99
5027246	RAM-D-201-U-C	Accommodates 2.25" Ball Bases. OAL: 5.0625". Socket-to-Socket length: 3.1875".	45.99
ARM EXTENSIONS			
5022314	RAM 109-1A	Bent, 6"L Arm Extension for RAM 109 Series. Includes 4"L Bolt, Washers, & Tightening Knob	35.99
ADAPTER MOUNTS/PLATES			
5025644	RAM-338U	Double (Sonar/GPS) Adapter Plate. Mount Satellite Radio Receiver & Antenna on Single Platform. Stack Devices for Convenient Accessibility	14.99
5027240	RAM-202U-LO11	Adapter base w/1.5" dia. rubber ball & inserts directly to the back of Lowrance Elite 5 & Mark-5 fishfinders. Acts as quick release mechanism.	13.99
MOUNTING SYSTEMS			
5027236	RAM-101	RAM-202U Two 2.5"Dia. Bases w/1.5" Balls with RAM-201U Double Ball Socket Arm. Universal AMPS hole pattern.	47.99
5025394	RAM101G2	RAM-101U (Two 2.5"Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. For Garmin Fishfinder & GPSMAP models.	47.99
5026915	RAM101-G4	RAM-101U (Two 2.5"Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. Includes hardware used to attach Garmin Echo to the Mount.	52.99
5026916	RAM-101-LO11	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball) & RAM-202U (2.5"Dia. Base w/1.5" Ball). For Lowrance Elite-5 & Mark-5 Series fishfinders.	47.99
5027252	RAM-B-101-LO11	RAM-B-201U Double Socket Arm for 1" Ball & RAM-B-202U 2-7/16" dia. Base w/1" Ball for Lowrance Elite-4 & Mark-4 Fishfinders.	31.99
5022315	RAM 109H	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109H-BU (Horizontal Swing Arm Mount Bracket). Hardware included.	70.99
5022316	RAM 109V	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109V-BU (Vertical Swing Arm Mount Bracket). Hardware included.	69.99
5022318	RAM-B-107	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball) connects to RAM-B-202U (2-6/17"Dia. Base w/1" Ball).	38.99
5503308	RAM-B-138-AQ2U	RAM-B-101U (Two 2.5"Dia. Bases w/1" Balls & RAM Double Socket Arm) & RAM-HOL-AQ2U (6.5"Hx4"Wx2"D Aqua Box 2). Hardware included.	60.99
5022322	RAM-B-138-GA1	RAM-B-138U (Two 2.5"Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-GA1U (RAM Cradle for Garmin GPS 12, 12CX, 12XL, 12MAP, 38). Hardware included.	38.99
5022323	RAM-B-138-GA2	RAM-B-138U (Two 2.5"Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-GA2U (RAM Cradle for Garmin GPS II, II+, III, III+, V, V Deluxe). Hardware included.	38.99
5022325	RAM-B-138-MA1	RAM-B-138U (Two 2.5"Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-MA1U (RAM Cradle for Magellan GPS 12, 310, 315, 320, GPSMAP 330 & 330M). Hardware included.	37.99
5503305	RAM-B-138-UN4	RAM-B-138U (Two 2.5"Dia. Bases & 1" Balls w/RAM Double Socket Arm), & RAM-HOL-UN4U (RAM Composite Universal Finger Grip™ Holder). Hardware included.	42.99
5025301	RAM137U	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-137BU (3"x11" Rect. Base w/1.5" Ball). Hardware included.	65.99
5022319	RAM-B-111	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-111BU (Flat 6.25"x2" Rect. Electronics Base w/1" Ball for Garmin GPSMAP 162,168, 175, 180, 180C, 182, 185, 188, 232, & 238). Hardware included.	31.99
5022317	RAM 111	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	45.99
5025601	RAM-B-107-1	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-107-1BU (Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20). Hardware included.	36.99
5022313	RAM 107	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-107BU (Base w/1.5" Ball for Hummingbird Series 700, 500, 300, 100, Matrix [excl. Matrix 97], & Ray Marine Apelco Fishfinder w/Matching Pattern Hole). Hardware included.	53.99
5025600	RAM-B-101-235U	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-235U (Double U-Bolt Base w/1" Ball). Hardware included.	38.99
5025625	RAM-D-111UC	RAM-D-201U-C (Double Socket Arm [O.A.L: 5.06"] for 2.25" Ball), RAM-D-202U (3.68"Dia. Base w/2.25" Ball) & RAM-D-111BU (3"x11" Rect. Base w/2.25" Ball) Hardware included.	106.99
5025892	RAM-111U-B	RAM-201U-B (Double Socket Arm [O.A.L: 3.5"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	45.99

See Following Page For Artwork On These Items!

continued from previous page

R-A-M®
COMPONENTS & MOUNTING SYSTEMS

5204571

5025602

5022326

5027247

5024572

5027237

5027238

5027241

5027242

5027243

5027245

5027246

5022314

5025644

5027240

5027236

5025394

5026915

5026916

5027252

5022315 5022316

5022318

5503308

5022322

5022323

5022325

5503305

5025301

5022319

5022317

5025601

5022313

5025600

5025625

5025892

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

RAM MOUNTS MADE IN USA Your Best Connection

new

RAM® MOUNTS AQUA BOX™ PRO w/SUCTION CUP MOUNTS

Consists of a 2.75" twist lock suction cup base, double socket arm, diamond adapter base and Aqua Box™ Pro case. Suction cup, twist lock base is designed to have a strong hold on glass & non-porous plastic surfaces, including RAM adhesive disks. Mount is designed with a RAM 1" dia. patented rubber ball & socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles. Aqua Box™ Pro case features a storage area which provides buoyancy & is perfectly sized for a driver's license or credit card. Weather resistant/splash proof. Unique patented design allows access to all side buttons on the phone while in case. Replaceable PVC Vinyl screen offers a clear view of the screen, allowing easy operation of the touch screen while in the case. Lanyard, belt clip, belt clip button & cradle included. **Small** fits Smartphones up to 4.58"Hx2.46"Wx0.47"D (depth will flex). **Large** fits Smartphones up to 5.38"Hx2.8"Wx0.55"D (depth will flex).

Order #	Mfg. #	Style	Sugg.Ret.
5027248	RAP-B-166-2-AQ7-1	Small	$53.99
5027250	RAP-B-166-2-AQ7-2	Large	54.99

new

RAM® MOUNTS AQUA BOX™ PRO w/HANDLEBAR MOUNTS

Consists of a zinc coated U-bolt base, double socket arm, and Aqua Box™ Pro case. Mount is designed with a RAM 1" dia. patented rubber ball & socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles. Included in this package is hardware that will accommodate rails from 0.50" to 1.25" in diameter. Base includes black cover caps to be placed over exposed ends of the u-bolt. Included composite rail adapter can narrow the rail to a minimum width of 0.5". Aqua Box™ Pro case features a storage area which provides buoyancy & is perfectly sized for a driver's license or credit card. Weather resistant/splash proof. Unique patented design allows access to all side buttons on the phone while in case. Replaceable PVC Vinyl screen offers a clear view of the screen, allowing easy operation of the touch screen while in the case. Lanyard, belt clip, belt clip button & cradle included. **Small** fits Smartphones up to 4.58"Hx2.46"Wx0.47"D (depth will flex). **Large** fits Smartphones up to 5.38"Hx2.8"Wx0.55"D (depth will flex).

Order #	Mfg. #	Style	Sugg.Ret.
5027249	RAM-B-149Z-AQ7-1	Small	$65.99
5027251	RAM-B-149Z-AQ7-2	Large	66.99

LOG BOOK & WETNOTES

RITCHIE® NAVIGATION

RITCHIE® WETNOTES®

Ideal for work or play. For boaters, divers, naturalists, campers, engineers. Completely waterproof. Use under water. Opens flat for easy writing. Plastic ring allows easy removal of pages. International Safety Yellow vinyl cover. Uses regular soft lead pencil (not included).

Order #	Mfg. #	Style	Sugg.Ret.
5100523	W-50	WetNotes®. 45 pgs., 4-1/2"x7-1/4"	$21.99